
DISCLAIMER:

The elevation shown hereon was GPS derived and is subject to the accuracies/inaccuracies of that methodology. It is shown for informational purposes only and should NOT be used as a published elevation reference mark. Should you need an elevation reference mark, utilize those published by federal or state agencies. The monuments were checked for their accuracy in February of 2017.

FEBRUARY 2017 OBSERVATIONS


| Pt. # | Published Northing | Published Easting | Publised Elev. | Description | Observed Northing | Observed Easting | Observed Elev. | ∆ Northing | ∆ Easting | Δ Elev. |
|-------|--------------------|-------------------|----------------|------------------------|-------------------|------------------|----------------|------------|-----------|---------|
| 1 | 1574165.783 | 3080241.65 | 763.899 | MG39 | 1574165.798 | 3080241.736 | 763.731 | -0.015 | -0.086 | 0.168 |
| 2 | 1551303.244 | 3075974.333 | 781.891 | MG38 | 1551303.369 | 3075974.398 | 781.769 | -0.125 | -0.065 | 0.122 |
| 3 | 1504158.769 | 3087295.728 | 568.696 | MG36 | 1504158.788 | 3087295.823 | 568.729 | -0.019 | -0.095 | -0.033 |
| 4 | 1544463.653 | 3133587.565 | 616.609 | MT76 (CBN StaT76) HARN | 1544463.585 | 3133587.597 | 616.343 | 0.068 | -0.032 | 0.266 |
| 5 | 1492539.402 | 3186469.721 | 787.494 | MG35 | 1492539.448 | 3186469.863 | 787.814 | -0.046 | -0.142 | -0.32 |
| 7 | 1565130.236 | 3182323.95 | 708.758 | MGG9 | 1565130.356 | 3182324.127 | 708.57 | -0.12 | -0.177 | 0.188 |
| 8 | 1499690.591 | 3166743.134 | 630.992 | MG34 | 1499690.666 | 3166743.29 | 631.359 | -0.075 | -0.156 | -0.367 |
| 10 | 1522691.558 | 3137786.491 | 605.405 | MG31 | 1522691.628 | 3137786.544 | 605.368 | -0.07 | -0.053 | 0.037 |
| 11 | 1593061.365 | 3155891.034 | 674.316 | MC64 (CBN StaC64) HARN | 1593061.447 | 3155891.06 | 674.193 | -0.082 | -0.026 | 0.123 |
| 12 | 1536261.165 | 3105764.509 | 863.902 | MG37 | 1536261.254 | 3105764.569 | 863.693 | -0.089 | -0.06 | 0.209 |
| 13 | 1559866.005 | 3128110.783 | 842.678 | MQ76 | 1559866.078 | 3128110.851 | 842.336 | -0.073 | -0.068 | 0.342 |
| 14 | 1572532.359 | 3113732.934 | 769.273 | MT47 | 1572532.436 | 3113732.992 | 768.923 | -0.077 | -0.058 | 0.35 |
| 15 | 1502843.139 | 3117581.322 | 698.879 | MG30 | 1502843.191 | 3117581.43 | 699.273 | -0.052 | -0.108 | -0.394 |
| 16 | 1515322.668 | 3114258.894 | 592.767 | MN13 (CBN StaN13) HARN | 1515322.678 | 3114258.986 | 592.944 | -0.01 | -0.092 | -0.177 |



Indiana State Plane Coordinates

Morgan County, Indiana - GPS Control Network Reference & Information Sheet Point ID - MT76 (CBN Sta. - T76)

General Location:



General Location:


Section: <u>20</u> Twp. <u>12N</u> Range <u>1W</u>

Mark is a Bernsten Sectional Rod Monument driven 6.5 feet deep in the grass area east of Hancock Ridge Road and in line with the north-south fenceline of a livestock lot on the T. Brock residence. Access lid to mark is just below gound surface. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

U.S. Survey Feet

| Northing: | 1536261.165 |
|------------|-------------|
| Easting: | 3105764.509 |
| Elevation: | 863.902 |

| Northing: | 468253.340 |
|------------|------------|
| Easting: | 946638.916 |
| Elevation: | 263.318 |



General Location:


Section: <u>3</u> Twp. <u>12N</u> Range <u>1E</u>


Mark is a Bernsten Sectional Rod Monument driven 6.5 feet deep in the grass area west of Blue Bluff Road, 325'± south of the entrance to the Morgan County Highway garage, between the edge of pavement and the chainlink fence. Access lid to mark is just below gound surface. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

<u>U.S. Survey Feet</u>

| Northing: | 1551280.717 |
|------------|-------------|
| Easting: | 3145702.279 |
| Elevation: | 614.670 |

| Northing: | 472831.308 |
|------------|------------|
| Easting: | 958811.972 |
| Elevation: | 187.352 |





Morgan County, Indiana - GPS Control Network Reference & Information Sheet Point ID - MC64 (CBN Sta. - C64)

Indiana State Plane Coordinates

General Location:

Indiana West Zone - NAD 83 / NAVD 88 Section: <u>25</u> Twp. <u>14N</u> Range <u>2E</u> <u>U.S. Survey Feet</u> Monument is a standard U.S.G.S. bronze Northing: 1593061.365 disk stamped "C 64 1946" in a concrete base 3155891.034 Easting: Elevation: 674.316 base 3 inches above ground surface on the east side of Old State Road 67 between the Meters roadway and the parking lot of the EMS Northing: 485566.075 building. Monument is a second order benchmark Easting: 961917.511 with a record elevation of 674.19 NAVD88. Elevation: 205.532 N.G.S. Rec. Coord. - Meters Northing: 485566.097 Easting: 961917.523 205.495 Elevation: 01d State Road 67 25.0' 81.4' Sta.=MC64 Brown Twp. EMS Building

General Location:


Section: <u>21</u> Twp. <u>12N</u> Range <u>2E</u>

Mark is a Bernsten Sectional Rod Monument driven 6.5 feet deep in the grass area east of the East parking lot of Green Township School between the chainlink fence and the asphalt and 36.6 ft. south of the edge of pavement of Maple Grove Road. Access lid to mark is just below gound surface. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

U.S. Survey Feet

Northing: 1536865.846 Easting: 3170849.791 Elevation: 654.985

| Northing: | 4684373.647 |
|------------|-------------|
| Easting: | 966476.949 |
| Elevation: | 199.640 |



General Location:

Section: <u>31</u> Twp. <u>13N</u> Range <u>1E</u>

Mark is an Indiana Dept. of Highways Benchmark set in the southeast quadrant of the northbound lane of S.R. 37 and Waverly Road. Mark is a 10 inch by 10 inch concrete pillar post 20 inches tall at the north-south L/A right-of-way fencing. Mark is stamped "MOR G9" No Record elevation was found.

North Bound Lone State Road 31

Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88 <u>U.S. Survey Feet</u>

V Ma**k**ker

Northing: 1565130.236 Easting: 3182323.950 Elevation: 708.758

<u>Meters</u>

Northing: 477052.650 Easting: 969974.280 Elevation: 216.030

Moverly Rood

70.7

Conc. Pipe End

Sta.=MQ76

General Location:

Section: <u>4</u> Twp. <u>12N</u> Range <u>2W</u>

Mark is a Reset Morgan County Section Corner Monument set 7.7 feet south of the south edge of chip—n—seal surface of Hicks Lane. Mark is a typical Morgan County concrete post with bronze disk 3 inches above ground surface with an orange Carsonite witness post. Note: Prior surveys show that this mark is not the proper legal corner. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

<u>U.S. Survey Feet</u>

Northing: 1551303.244 Easting: 3075974.333 Elevation: 781.891

<u>Meters</u>

| Northing: | 472838.174 |
|------------|------------|
| Easting: | 937558.852 |
| Elevation: | 238.321 |

_____1-1/2" Iron Pipe (True 1/4-1/4 Corner)

Powerpole Powerpole w/TRB Hicks Lane 195.75' Sta.=MG38 Joi 16" dia. Conc. Post

1333 feet to CL of S.R. 42

42

of S.R.

5

General Location:

Section: <u>15</u> Twp. <u>13N</u> Range <u>2W</u>

Mark is a Bernsten Sectional Rod Monument driven 6.5 feet deep in the grass area between Martin Smith (frontage) Rd and the L/A right-of-way fence of the entrance ramp on the south side of the I-70 East interchange at Little Point. Access lid to mark is just below gound surface.

Metal "T" Post Set

Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

U.S. Survey Feet

Northing: 1574165.783 Easting: 3080241.650 Elevation: 763.899

<u>Meters</u>

L/A Right-of-Way Fence

11.5

Sta.=MG39 🎽

Martin Smith Road (Frontage Rd.)

| Northing: | 479806.690 |
|------------|------------|
| Easting: | 938859.533 |
| Elevation: | 232.837 |

General Location:

Section: <u>23</u> Twp. <u>11N</u> Range <u>2W</u>

Mark is a Bernsten Sectional Rod Monument driven 6.5 feet deep in the grass area east of Lingle Rd, 15.6 feet west of and in line with the south east-west fenceline around a utility sub-station and southwest of a concrete shelter building. Mark is across Lingle Road from the Whitaker Baptist Church. Easting: Access lid to mark is just below gound surface with Metal "T" Post.


Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

U.S. Survey Feet

Northing: 1504158.769 Easting: 3087295.728 Elevation: 568.696

Meters

Northing: 458468.510 941009.620 Elevation: 173.339



General Location:

Indiana State Plane Coordinates Indiana West Zone - NAD 83 / NAVD 88 Section: <u>36</u> Twp. <u>11N</u> Range <u>2E</u> U.S. Survey Feet Mark is a Johnson County Bronze Monument Northing: 1492539.402 set in concrete on the east side of SR 135 Easting: 3186469.721 approximately 200 yards north of the Morgan Elevation: 787.494 County / Brown County line with an orange Meters Carsonite witness post labeled "Johnson Northing: 454926.919 County Surveyors Office" Monument is stamped Eastina: 971237.914 "JHN 35" and is flush with ground surface. Elevation: 240.029 Clocks/Trilogy Sign 96.3' O State Road 135 Sta.=MG35 Johnson County Record Coordinates U.S. Survey Feet - Ind. East Zone - NAD 1983 1492021.139 Northing: 161138.575 Eastina: 788.876 Elevation:

General Location:


Section: <u>29</u> Twp. <u>11N</u> Range <u>2W</u>

Mark is a Bernsten Sectional Rod Monument driven 8.0 feet deep in the grass area of a field divide 21 ft. north of the centerline of Railroad Road near the $E \frac{1}{2}$ corner of Section 29, approx. $\frac{1}{4}$ mile west of a jog in the roadway. Access lid to mark is just below gound surface. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

<u>U.S. Survey Feet</u>

Northing: 1499690.591 Easting: 3166743.134 Elevation: 630.992

| Northing: | 457106.606 |
|------------|------------|
| Easting: | 965225.238 |
| Elevation: | 192.327 |



General Location:


Section: <u>33</u> Twp. <u>12N</u> Range <u>1E</u>

Mark is a Reset Morgan County Section Corner Monument set at the Southwest corner of the Courthouse Square in Martinsville marking the south ½ mile of Section 33; T12N; R1E of the 2nd P.M. The mark is flush with surface of brick pavers just inside of the concrete walk. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

<u>U.S. Survey Feet</u>

Northing: 1522691.558 Easting: 3137786.491 Elevation: 605.405

| Northing: | 464117.315 |
|------------|------------|
| Easting: | 956399.235 |
| Elevation: | 184.528 |



Morgan County, Indiana - GPS Control Network Reference & Information Sheet Point ID - MN13 (CBN Sta. - N13)

General Location:


Section: <u>10</u> Twp. <u>11N</u> Range <u>1W</u>

Monument is a standard U.S.G.S. bronze disk in a concrete base 2 inches above ground surface in the south fence row of the railroad right-of-way 55 feet east of Buffalo Rd. Monument is stamped "N 13 1930 593.427" and approx. 23 feet south of the south rail & 95 feet south of SR 67 Monument is a First Order benchmark with a record elevation of 593.01 NAVD88. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

U.S. Survey Feet

| noi tining. | 1010022.000 |
|-------------|----------------|
| Easting: | 3114258.894 |
| Elevation: | <i>592.767</i> |

| Northing: | 461871.273 |
|------------|------------|
| Easting: | 949228.009 |
| Elevation: | 180.676 |



General Location:

Section: <u>23</u> Twp. <u>11N</u> Range <u>1W</u>

Monument is a standard U.S.G.S. bronze disk in a concrete base 2 inches above ground surface in the northeast quadrant of the intersection of Godsey and Cramer Roads. Monument is stamped "TT14 TDA 1945 700" and approx. 50 feet N-NE of the cl-cl of the road intersection. Monument is a third order benchmark with a record elevation of 699.565 NVD29. Indiana State Plane Coordinates Indiana West Zone – NAD 83 / NAVD 88

<u>U.S. Survey Feet</u>

| Northing: | 1502843.139 |
|------------|-------------|
| Easting: | 3117581.322 |
| Elevation: | 698.879 |

| Northing: | 458067.505 |
|------------|------------|
| Easting: | 950240.688 |
| Elevation: | 213.019 |

