

2.15
 1.37

 2.52
 1.13

 4.17
 2.12

 2.05

Corner

| | 2nd P.M. | | | | | | | | | | | |
|--------|----------|----|----|----|----|----|---|---|---|---|---|---|
| | a | b | c | d | e | f | g | h | i | j | k | l |
| y | 0 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| 4.20 y | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| x | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | |
| 3.39 x | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| w | 18 | 17 | 16 | 15 | 14 | 13 | | | | | | |
| v | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| 1.98 v | 10 | 20 | 21 | 22 | 23 | 24 | | | | | | |
| u | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| 1.38 u | 30 | 29 | 28 | 27 | 26 | 25 | | | | | | |
| t | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| 0.74 t | 31 | 32 | 33 | 34 | 35 | 36 | | | | | | |
| s | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| 0.18 s | 37 | 38 | 39 | 40 | 41 | 42 | | | | | | |

Township 11 Range East Sec 2

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township

/ /

North, Range

/ East

| Corners. | Bearing Trees. | Diam. | Courses. | Dist. | Corners. | Bearing Trees. | Diam. | Courses. | Dist. |
|----------------|----------------|-------|----------|-------|----------------|----------------|-------|----------|-------|
| At 25.26.35.36 | Beech | 5 | S 30 W | 14 | At 16.17.20.21 | S. Oak | 16 | N 65 E | 14 |
| | Poplar | 48 | S 35 E | 8 | | W " | 18 | S 62 W | 26 |
| " 23.24.25.26 | Ash | 14 | S 55 E | 25 | " 8.9.16.17 | Hickory | 14 | S 62 E | 10 |
| | W. Oak | 14 | S 52 W | 20 | | Beech | 75 | N 35 W | 26 |
| " 13.14.23.24 | Sugar | 4 | S 52 E | 18 | " 4.5.8.9 | " | 4 | N 63 E | 15 |
| | Dogwood | 4 | S 21 W | 27 | | " | 18 | S 62 W | 23 |
| " 11.12.13.14 | Elm | 18 | S 20 E | 28 | " 24.30.31.32 | Dogwood | 4 | S 19 W | 14 |
| | Beech | 3 | S 65 W | 42 | | Ironwood | 4 | S 65 E | 18 |
| " 1.2.11.12 | Ash | 16 | N 52 E | 20 | " 19.20.29.30 | Elm | 18 | S 49 E | 18 |
| | Dogwood | 3 | N 18 W | 21 | | Beech | 5 | S 62 W | 14 |
| " 26.27.34.35 | B. Gum | 28 | N 41 E | 15 | " 17.18.19.20 | " | 24 | N 18 W | 22 |
| | Beech | 19 | N 70 W | 4 | | Walnut | 10 | S 35 E | 18 |
| " 23.24.26.27 | " | 4 | N 50 W | 23 | " 7.8.17.18 | Beech | 18 | S 45 W | 12 |
| | Hornbeam | 4 | N 73 W | — | | " | 5 | N 62 E | 12 |
| " 14.15.22.23 | S. Oak | 16 | N 60 E | 24 | " 5.6.7.8 | Hickory | 18 | N 25 W | 14 |
| | do | 12 | S 9 W | 15 | | B. Oak | 12 | S 73 W | 22 |
| " 10.11.14.15 | Hickory | 13 | S 56 E | 27 | | | | | |
| | Beech | 14 | S 47 W | 20 | | | | | |
| " 2.3.10.11 | " | 8 | S 33 E | 20 | | | | | |
| | Hickory | 4 | S 56 W | 16 | | | | | |
| " 27.28.33.34 | Dogwood | 4 | N 53 E | 15 | | | | | |
| | Hornbeam | 5 | S 25 E | 21 | | | | | |
| " 21.22.27.28 | Hickory | 14 | N 42 E | 13 | | | | | |
| | Dogwood | 5 | S 52 W | 30 | | | | | |
| " 15.16.21.22 | " | 3 | N 45 E | 20 | | | | | |
| | W. Oak | 4 | N 39 W | 10 | | | | | |
| " 9.10.15.16 | Sugar | 6 | N 67 E | 21 | | | | | |
| | Beech | 6 | S 45 E | 11 | | | | | |
| " 3.4.4.10 | Hickory | 5 | N 41 E | 20 | | | | | |
| | Maple | 16 | S 23 W | 24 | | | | | |
| " 28.29.32.33 | Hickory | 14 | N 52 W | 8 | | | | | |
| | " | 16 | S 25 W | 18 | | | | | |
| " 20.21.28.29 | Ash | 18 | N 72 E | 14 | | | | | |
| | Hickory | 4 | S 46 E | 20 | | | | | |

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 11 North, Range 1 East.

| Corners. | Bearing Trees. | Diam. | Courses. | Dist. | Corners. | Bearing Trees. | Diam. | Courses. | Dis. | |
|----------|----------------|-----------|----------|-------|----------|----------------|--------|----------|------|----|
| 1 | u | Beech | 10 N82 E | 10 | ut | L | Sugar | 20 N21 E | 13 | ut |
| | | " | 34 S84 W | 26 | | | Beech | 10 S71 E | 10 | |
| | a | Buckeye | 12 S30 E | 8 | | l | " | 10 S34 E | 8 | |
| | b | " | 16 S63 W | 22 | | M | " | 8 N47 E | 19 | |
| | c | Hackberry | 14 S48 E | 23 | | m | " | 6 N64 W | 18 | |
| | | Ash | 12 S70 W | 30 | | | " | 9 S62 W | 32 | |
| | d | " | 11 N45 W | 12 | | n | " | 18 N12 W | 20 | |
| | e | " | 14 N43 E | 31 | | M | " | 6 S62 E | 5 | |
| | f | Beech | 20 S55 W | 25 | | | Sugar | 10 S68 W | 12 | |
| | | Hickory | 4 N18 W | 20 | | n | Poplar | 12 S81 E | 18 | |
| | g | Beech | 14 N60 E | 20 | | | " | 9 N36 W | 9 | |
| | | Hogwood | 3 S51 W | 27 | | o | Beech | 24 S87 E | 33 | |
| | h | Sugar | 12 N80 E | 26 | | | W. Oak | 14 N82 W | 28 | |
| | | Beech | 7 S65 W | 24 | | | " | 10 N42 E | 10 | |
| | i | " | 12 S62 W | 20 | | | " | 10 S12 E | 17 | |
| | j | Sugar | 10 N75 W | 6 | | p | Sugar | 12 S73 E | 36 | |
| | k | Beech | 10 N30 W | 33 | | | Beech | 10 N41 E | 35 | |
| | | " | 14 S69 E | 32 | | q | " | 80 S59 E | 36 | |
| | l | Sugar | 30 N63 W | 35 | | | Sugar | 9 N79 W | 11 | |
| | | " | 24 N41 E | 41 | | | W. Oak | 12 S12 W | 11 | |
| | m | Beech | 21 N86 E | 22 | | | " | 12 N60 E | 19 | |
| | | " | 9 S66 W | 15 | | R | Beech | 11 N25 W | 8 | |
| | n | " | 6 S20 W | 14 | | | W. Oak | 18 S4 E | 10 | |
| | | " | 8 N63 E | 10 | | | " | 8 N11 W | - | |
| | o | " | 27 N67 E | 23 | | | W. Oak | 20 S87 E | 26 | |
| | | " | 12 S47 W | 11 | | | " | 20 S40 E | 17 | |
| | p | Oak | 20 S17 E | 11 | | | " | 12 N73 W | 5 | |
| | | Beech | 10 S85 W | 15 | | | " | | | |
| | q | " | | | | S | Beech | 9 S25 W | 10 | |
| | r | " | | | | | " | 12 N3 E | 31 | |
| | s | " | | | | t | " | | | |

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township

//

North, Range


1 East

| Corners. | Bearing Trees. | Diam. | Courses. | Dist. | Corners. | Bearing Trees. | Diam. | Courses. | Dist. |
|-------------|----------------|-------|----------|-------|-------------|----------------|-------|----------|-------|
| From M to N | | | | | From K to L | | | | |
| at 1 | Beech | 14 | S 57 E | 15 | at 5 | Hickory | 5 | N 56 W | 4 |
| " | " | 18 | N 57 E | 15 | " | S. Oak | 4 | S 55 W | 10 |
| " 2 | Poplar | 48 | N 47 E | 22 | " 6 | " | | | |
| " | Beech | 22 | S 10 W | 15 | " | " | | | |
| " 3 | Sassafras | 4 | S 43 E | 18 | " I to 20 | | | | |
| " | Hickory | 6 | N 19 W | 12 | at 1 | Hornbeam | 5 | N 54 W | 6 |
| " 4 | W. Oak | 14 | N 36 W | 12 | " | Ash | 24 | N 3 W | 15 |
| " | Sassafras | 1 | S 50 - | 8 | " 2 | Beech | 8 | N 42 E | 16 |
| " 5 | W. Oak | 12 | N 69 W | 12 | " | " | 4 | N 72 W | 15 |
| " | " | 6 | S 10 W | 18 | " 3 | " | 6 | S 32 W | 18 |
| " 6 | | | | | " | " | 22 | N 62 W | 45 |
| " L to F | | | | | " 4 | " | 14 | S 55 W | 18 |
| at 1 | Beech | 10 | N 20 E | 10 | " | " | 8 | N 52 E | 25 |
| " | Elm | 12 | S 37 W | 20 | " 5 | Hickory | 16 | N 46 E | 8 |
| " 2 | Beech | 4 | N 46 W | 20 | " | " | 24 | S 76 E | 15 |
| " | Hornbeam | 4 | N 34 E | 28 | " 6 | | | | |
| " 3 | Sassafras | 2 | S 52 E | 15 | " | | | | |
| " | " | 2 1/2 | N 31 E | 14 | " K to G | | | | |
| " 4 | W. Oak | 3 | S 48 E | 9 | at 1 | Beech | 14 | S 44 E | 10 |
| " | Hickory | 2 1/2 | N 14 E | 15 | " | " | 8 | N 47 W | 38 |
| " 5 | Beech | 14 | S 42 E | 18 | " 2 | " | 14 | N 49 E | 29 |
| " | " | 12 | N 78 E | 26 | " | Ash | 16 | N 45 W | 31 |
| " 6 | | | | | " 3 | B. Ash | 20 | N 64 W | 18 |
| " | | | | | " | do | 5 | N 44 E | 24 |
| " L to H | | | | | " 4 | Hackberry | 10 | S 45 W | 38 |
| at 1 | Beech | 5 | S 42 E | 20 | " | " | 5 | S 83 E | 20 |
| " | Walnut | 20 | N 47 W | 8 | " 5 | Ash | 16 | S 12 E | 15 |
| " 2 | Poplar | 2 1/2 | S 63 E | 16 | " | Maple | 24 | N 10 W | 20 |
| " | Cherry | 1 1/2 | N 41 E | 19 | " 6 | | | | |
| " 3 | Beech | 3 | S 55 E | 15 | " | | | | |
| " | Hornbeam | 3 | S 58 - | 10 | " O to F | | | | |
| " 4 | B. Gum | 3 | N 35 E | 14 | at 1 | Hogwood | 3 | N 62 E | - |
| " | Hogwood | 3 | S 20 E | 18 | " | Sassafras | 8 | N 64 W | 14 |

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section / Township // North, Range / East

| REMARKS, &c., &c. | Corners. | Stone Mark. | Acres. | Hun. | Bearing Trees. | Diam. | Courses. | Dist. |
|-------------------|--------------|-------------|--------|------|-----------------------------|----------|------------|------------|
| By V. Headley | at M | | | | Beech | 10 | N 18 1/2 W | 17 1/2 |
| | | | | | " | 24 | S 22 1/2 W | 25 |
| | O | | | | White | 4 | S 15 1/2 W | 150 |
| | | | | | Sugar | 18 | N 40 1/2 W | 113 |
| | B | | | | Sugar | 18 | S 30 E | 4 1/2 |
| | | | | | " | 8 | West | 20 |
| | H Stone | | | | Beech | 9 | S 18 1/2 W | 15 |
| | | | | | Sugar | 20 | S 72 E | 19 |
| | I | | | | " | 15 | N 54 1/2 W | 48 |
| | | | | | " | 18 | N 28 E | 53 |
| | D Stone Eng. | | | | Stone | | West | 30 |
| | | | | | Beech | 24 | N 64 1/2 W | — |
| | | | | | Stone cor. 65 rods S. of D. | Pine Oak | N 64 1/2 W | 8 |
| | | | | | Sugar | 18 | S 54 3/4 E | 48 1/4 |
| | | | | | Stone | | West | 30 |
| | V Iron Pipe | | | | Sugar | 4 | N 19 1/2 E | 11 ft 3 in |
| | | | | | Iron Pipe | | West | 13 ft |
| | N | | | | BEECH | 10" | N 18 W | 17 1/2' |
| | | | | | BEECH | 24" | S 22 W | 25' |
| | B | | | | SUGAR | 18" | S 30 E | 7' |
| | | | | | SUGAR | 8" | WEST | 20' |
| | D | | | | STONE | | WEST | 30' |
| | | | | | BEECH | 24" | N 64 1/2 W | |
| Holloway 69 | X | see | SEC | 12-C | | | | |
| Holloway 69 | Z | see | SEC | 12-E | | | | |



By Carr Haase Oct 16-1913

Stone
Glass
Glass

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 2 Township _____ North, Range _____

11
 0
 8
 6 1/2
 1
 6
 5
 12
 6
 9
 3
 6
 12
 5
 2
 0
 1
 9
 7
 0
 1
 1/2

| REMARKS, &c., &c. | Corners. | Stone Mark. | Acres. | Hun. | Bearing Trees. | Diam. | Courses. | Dist. |
|--|----------|-------------|--------|------|--------------------|-------|----------|-------|
| <div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> </div> <div> <p><i>Holloway '69'</i></p> </div> </div> | E | 1" IP | | | Hackberry 8" EAST | | 4.2' | |
| | | | | | B. Walnut 5" S55°W | | 102' | |
| | | | | | CLUMP ORANGE | | S70W | 23.7' |

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **3**

Township **11**

North, Range **1E**


| REMARKS, &c., &c. | Corners. | Stone Mark. | Acres. | Hun. | Bearing Trees. | Diam. | Courses. | Dist. |
|--|----------|---|--------|------|----------------|-------|----------|-------|
| | | | | | | | | |
| <p><i>Requied M^cCracken</i> <i>July 1, 1987</i> Field Crew: Gregory Randolph, Robert Burdine, Clayton M^cCracken</p> | M | | | | | | | |
| | | <p>Stone Found, rectangular shape, limestone, drilled $\frac{3}{8}$" hole, located in Fewer & Rhoades Subdivision</p> | | | | | | |
| | | <p>Type "A" reference monument set</p> | | | | | | |
| | | <p>#1. S 20° W (Compass) 14.64'</p> | | | | | | |
| | | <p>#2. N 42° 26' 53" W 24.93'</p> | | | | | | |
| | | <p>#3. N 24° 13' 43" E 27.93'</p> | | | | | | |
| | | | | | | | | |
| <p>Field Crew: Nathaniel M^cCracken & Clayton M^cCracken</p> | N | | | | | | | |
| | | <p>$\frac{1}{2}$" Iron Pipe, Approx. 1.5' below St. & 2' East of Centerline of street (29')</p> | | | | | | |
| | | <p>Type "A" reference monument set</p> | | | | | | |
| | | <p>#1. N 44° 25' 02" E 56.79'</p> | | | | | | |
| | | <p>#2. S 75° 57' 33" E 78.04'</p> | | | | | | |
| | | <p>'X' made in sidewalk S 49° 27' 55" W 30.80'</p> | | | | | | |
| <p><i>Requied M^cCracken</i> <i>July 27, 1988</i></p> | | <p>Relative Bearings</p> | | | | | | |

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **3** Township **11** North, Range **1 E.**

REMARKS, &c., &c. Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.

By H. A. Blumh - May 4-1937
 Survey for Mrs. James Reynolds & Co., et al.



Z ^{Patent on} Rail-road Bridge
 Concrete Post 7" 879 1/2 W. 18'-11"
 Concrete Post 7" 850 3/4 E. 32'-7 1/2"
 Bridge Rail Post 8 1/2 W. 12'-7"
 Bridge Rail Post 8,76 W. 17'-4"
 R=2125ch Stake on Elmer's Bridge
 Stake in Satter-Ditch under Rail Road Bridge
 7" Concrete Post S. 70° E 17'-6"
 " " " N. 83° W. 21'-6"

By Gilbert and H.A. Blumh 10-20-1946

C ^{OK 1969} 2" Gas Pipe Holloway
 Ash 4" N 86° W. 77 LKS
 Wild cherry 15" South 75 LKS
 S.W. corner of concrete Foundation of House N.E. 40° 62 LKS
 N.E. corner of Brick Wall 12"
 on North End of Cemetery N. 18° E ch

By Wilbur F Smith Jan. 1952
 E.D. Cemetery and Alie Reeves Assets.
 County Farm Survey:
 C to e C = 6.60 ch
 C to C on TWP Line = 11.75 ch.
 West side of cemetery
 C to h 800 ch = South End of cemetery
 C to h East side of Cemetery 11.84
 h' is 195 ch South of h
 O to D 37.78 ch
 G 1/2 distance O to D.
 N to C 37.89 ch.
 M to B 37.80 ch.
 N. to C N. 10° W.

e ^{58'} Stone 8 ch. West of C
 2.00 ch South of N.E. cor. of Brick wall on N. side of Cemetery
 Old Stone 5.15 ch South of e
 Stone placed on top of old Stone S.W. corner of Hilldale cemetery
 S.E. corner of cemetery
 Steel Fence post 781.44 feet
 h-15 1184 ch South of C
 h' 1" Gas pipe
 M. Old Stone
 N. Steel Fence post.
 O Steel Fence post, driven in ditch bank 10' West of corner 17' Satter ditch:
 3/4" pipe North on line 72' 6"
 G Stone
 Twin cherry 8" West end of concrete for storm sewer and dropped in Satter ditch
 9 3/4" pipe 72' 6" North of G or 20 ch North of O
 B D Stone
 Steel Fence post West 16 LKS
 1 1/2" Gas pipe North 22 LKS.
 d Gas pipe 327 1/2 S. 5 1/2° East of O.
 D' Stone 9 Rods West of Com O.
 3" x 4" steel angle North 23 LKS
 S.W. cor. of conc. Foundation of Tile Garage N.W. 61 1/2 LKS
 S.E. cor. of Conc. Foundation of Tile Garage N.W. 39 LKS.

Note - Continued on Page Back of Section 36