

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *2* Township *11* North, Range *1* East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>By W. Kudley</i></p>	<i>at M</i>				<i>Ash</i>	<i>30</i>	<i>N 75 W</i>	<i>11</i>
	<i>" M</i>				<i>Beech</i>	<i>6</i>	<i>N 53 E</i>	<i>30</i>
	<i>" B</i>				<i>Walnut</i>	<i>5</i>	<i>N 31 E</i>	<i>18</i>
	<i>" O</i>				<i>hackberry</i>	<i>18</i>	<i>S 35 W</i>	<i>26 1/2</i>
	<i>" Y</i>				<i>Beech</i>	<i>10</i>	<i>S 21 W</i>	<i>31</i>
	<i>" F</i>				<i>"</i>	<i>10</i>	<i>N 30 E</i>	<i>46</i>
	<i>" X</i>				<i>Walnut</i>	<i>4</i>	<i>South</i>	<i>35</i>
	<i>" H</i>				<i>"</i>	<i>5</i>	<i>N 85 E</i>	<i>44 1/2</i>
	<i>" I</i>				<i>B Walnut</i>	<i>5</i>	<i>S 38 E</i>	<i>46</i>
	<i>" J</i>				<i>H Walnut</i>	<i>12</i>	<i>N 61 E</i>	<i>219</i>
	<i>" K</i>				<i>H Oak</i>	<i>24</i>	<i>S 80 W</i>	<i>130</i>
	<i>" L</i>				<i>B Walnut</i>	<i>4</i>	<i>N 57 E</i>	<i>151</i>
	<i>" M</i>				<i>do</i>	<i>15</i>	<i>N 31 W</i>	<i>15</i>
	<i>" N</i>				<i>Juniper</i>	<i>3</i>	<i>S 75 E</i>	<i>42 1/2</i>
	<p><i>J. S. Logsdan</i></p>	<i>" a</i>				<i>Ash</i>	<i>36</i>	<i>N 63 W</i>
<i>" b</i>					<i>Walnut</i>	<i>36</i>	<i>S 63 E</i>	<i>12</i>
<i>" c</i>					<i>Oak</i>	<i>20</i>	<i>S 82 E</i>	<i>20</i>
<i>" d</i>						<i>15</i>	<i>S 64 E</i>	<i>41</i>
<i>" e</i>					<i>Hickory</i>	<i>10</i>	<i>N 44 E</i>	<i>49</i>
<i>" f</i>					<i>Ash</i>	<i>24</i>	<i>S 26 W</i>	<i>29</i>
<i>" g</i>					<i>Beech</i>	<i>22</i>	<i>S 55 E</i>	<i>20</i>
<i>" h</i>					<i>"</i>	<i>20</i>	<i>N 76 W</i>	<i>37</i>
<i>" i</i>					<i>B Walnut</i>	<i>28</i>	<i>S 78 1/2 E</i>	<i>93 1/2</i>
<i>" j</i>								
<p><i>B. J. Butler</i></p> <p><i>East side of 15" Walnut.</i></p> <p><i>Caneyon - Apr. 21 - 1926</i> <i>Stumps of old Wit. Trees found at X</i> <i>V to X = 40.82 1/2</i> <i>M. to W = 41.00 ch.</i> <i>t = 11.64 South of M.</i></p>	<i>" C</i>	<i>Stone</i>						
	<i>" C</i>							
	<i>" V</i>				<i>old Stone - SEE SEC 12-E</i>			
	<i>" X</i>				<i>Old Stone found</i>			
	<i>" t</i>				<i>Iron Rod in S. R. fence Line</i>			
<p><i>Holloway 69</i></p>	<i>" C</i>							
	<i>" V</i>				<i>STONE between roots east side of 24" WALNUT</i>			
					<i>SEE SEC 12-E</i>			

SEC 12-E			
New Witness Trees.			
<i>Cotton wood</i>	<i>36"</i>	<i>S. E.</i>	<i>68</i>
<i>Willow</i>	<i>14"</i>	<i>N. W.</i>	<i>70</i>

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township


11

North, Range 1 East

Corners.	Bearing Tress.	Diam.	Courses.	Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.
From O to A					From O to D				
at 2	W Oak	28	N 66 W	8	at 6	Elm	18	S 26 E	18
	Beech	14	S 69 E	16		Beech	22	S 45 W	19
" 3	"	14	S 60 E	20	" A to C				
	"	18	N 35 W	82	at 1	"	3	N 59 W	10
" 4	"	12	S 71 W	12		"	14	S 57 E	20
	"	28	N 29 E	21	" 2	W. Oak	4	N 21 E	16
" 5	"	10	S 54 E	20		do	20	N 21 E	16
	"	4	S 42 W	25	" 3	Elm	8	N 55 E	10
" 6	"	5	S 57 E	14		Sugar	18	S 60 W	14
	"	5	N 70 E	15	" 4	W. Oak	8	N 53 W	15
P to E						Beech	14	S 77 E	16
at 1	"	20	N 5 W	31	" 5	Hickory	18	N 20 E	12
	Hogwood	4	S 71 E	22		Hornbeam	6	S 75 E	18
" 2	Beech	10	S 28 E	20	" 6	"	5	N 62 E	6
	"	6	N 8 E	38		Walnut	16	S 39 E	14
" 3	Hickory	3	N 25 W	18	" S to B				
	W. Elm	18	N 72 E	20	at 1	Hickory	3	N 57 W	4
" 4	Beech	12	N 63 E	22		W. Walnut	14	S 24 E	8
	"	17	S 32 W	18	" 2	Hickory	12	N 54 E	32 1/2
" 5	"	14	S 27 E	12		Beech	14	S 56 E	20
	Sugar	11	N 35 W	27	" 3	"	14	N 68 E	20
" 6	W. Oak	10	S 67 E	25		Sugar	14	N 12 W	25
	Beech	4	N 65 W	18	" 4	Beech	18	N 45 E	18
O to D						Elm	4	S 85 E	20
at 1	Hickory	8	N 31 W	15	" 5	Buckeye	5	N 22 W	14
	Hogwood	3	N 65 E	14		"	10	S 54 W	18
" 2	B. Oak	4	N 45 E	10	" 6	"	3	N 37 E	10
	Beech	5	S 35 W	18		"	2 1/2	S 51 E	14
" 3	Chestnut Oak	5	S 32 E	18					
	"	7	S 31 W	20					
" 4	Hornbeam	4	79 E	19					
	Hogwood	3	S 16 W	10					
" 5	Sugar	14	N 20 W	18					
	Hogwood	3	N 25 E	20					

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 4 Township 11 North, Range 1 E.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By Wilbur F Smith  H. G. Blunk - 4-24-1955 Maurice Gams Assisted								
4" x 6" x 33" Concrete - North East corner of Lot #1 of John E. Miles Subdivision. Witnessed by the North West corner of Brick post of porch of Roy Pettit's Residence. South East from corner. 55 ft. 6 in. Also South East corner of Brick post of porch of Beasley's property North 73 ft 2 inches Iron Pumper Jack stem. South East corner of Lot # 53 of Miles Subdivision. Post East 30 ft.								
	P	Old Stone			1" Iron Pipe		N 77° E.	257 1/2
					1 1/4" Iron Pipe		N 80° W.	257 1/2
	V	IRON PIPE			(IN SARTER DITCH)			
	E	IRON ROD			SUGAR	30"	W	3' 10"
					SE COR HOUSE		NE	21' 1/2"
					SW COR HOUSE		NW	27' 9"
	Y	SEE SEC. 9-D			Holloway 69			
	Z	SEE SEC. 8 "A"						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *5*

Township *11*

North, Range *1 East*

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.


Hun.

Bearing Trees.

Dist.

Courses.

Dist.



By *H. J. Craig*

At *M* Stone

Walnut 18 N 74° E 50

Stone South 37

Ash 14 S 79° W 31

Coffeewood 7 S 42 1/2° W 22

Mulberry 20 S 67 1/2° W 63

Oak 24 N 59° E 72

Elm 20 S 14° E 25

B. Walnut 12 N 30 1/2° E 20

do 14 N 13° W 35

Sugar 24 N 77 1/2° W 354

Buckeye 20 S 68° W 206

Ash 24 S 8° E 28

B. Walnut 22 N 39° W 57

G. Ash 18 N 80° E 87

Elm 22 N 22 1/2° E 167

do 20 S 71° W 113

Stone North 16

B. Walnut 8 South 11

Stone North 30

do East 99

Hackberry 6 S 21 1/2° E. 8.47

Hackberry 24 S 86° W. 23.47

Walnut 4 South 18.85

Walnut 4 S 16° W. 1.17

M Iron Rod Iron Pump N 38 1/4° E 17.85

E. old stone Hackberry 8" S.E. 3 1/2

A SEE SEC 4-E Holloway 69"

V SEE SEC 8 "A"

By *Matt Matthews*

At *H*

At *X*

H. A. Blunk, Feb 12-1921

L old stone Perpetual Hackberry 6 S 21 1/2° E. 8.47

N. old stone " " Hackberry 24 S 86° W. 23.47

Walnut 4 South 18.85

Walnut 4 S 16° W. 1.17

M Iron Rod Iron Pump N 38 1/4° E 17.85

E. old stone Hackberry 8" S.E. 3 1/2

A SEE SEC 4-E Holloway 69"

V SEE SEC 8 "A"

20206
 17
 20206

E
 F
 I
 C

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3

Township 11

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
					N Walnut	12	N 70 W	12
					Cherry	6	S 50 W	12 1/2
					N Oak	18	S 31 E	40
					Beech	4	S 7 N	37
					B Ash	36	N 63 N	36
					N Walnut	36	S 43 E	12
					N. Oak	4	N 31 W	23 1/2
					do	8	N 8 E	40
					B. Oak	36	N 63 W	36
					N Walnut	36	S 63 E	12
					Beech	7	N 51 N	32
					Hickory	5	S 82 E	8
					Maple	20	N 14 E	43
					N. Oak	36	S 21 1/2 W	23 1/2
					Beech	30	S 60 W	54
					20	N 27 W	23 1/2	
					8	N 14 W	27 1/2	
					40	S 85 E	107	
					10	S 55 E	80	
					10	S 79 W	42	
					Stone		N 41 E	35 1/2
					Stone		North	25 1/2
					"		South	25
					"		North	25
					"		West	25

Sur. for J. O. Fletcher et al.
 Apr. 17 1876 H. N. Miller, S.M.C.
 Norman Bailey + J. O. Fletcher (Chairman).
 By E. A. Bourne
 By H. A. Blunk
 Mar. 24 - 1914

Survey for W^m D. Martin + Mary Kelo. July
 22 - 1914 - by H. A. Blunk - Whereas sur-
 vey was made for above named parties by Cass Haase, deputy surveyor, on - day of - month 1914, to
 establish the boundary on the W. side of Mrs. Kelo's tract and the E. side of Mrs. Martin's tract
 described as follows: beg. at a pt. 12 rds. + 18 lks. W. of the N.E. cor. of the S.W. 1/4 of the S.W. 1/4 of Sec 3,
 Tp. 11 N., R. 1 E., thence W. 12 rds. + 18 lks., thence S. 12 rds. + 18 lks., thence E. 12 rds. + 18 lks.
 thence N. 12 rds. + 18 lks. to place of beg. It was agreed to move the line 3 ft. 1 in. to the E.
 of the line as established by said survey. Said agreement was made by W^m D. Martin
 Mary Kelo in presence of H. A. Blunk, Co. Sur., and C. McInnis.


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **3**

Township **11**

North, Range **1 E.**

By Wilbur F. Smith Jan 1952
Co. Farm Survey



M. to B. 37.80 ch
I = 1/2 M. to B. or 18.90 ch
H set on Lines G to I
and C. to N.
i 14.355 ch N. 88 1/4° E of H
B to corner W. Sec. 34
Twp 12 N R 1 E = 2.20 ch
C to corner X Sec. 34
Twp 12 N R 1 E = 1.60 ch;
B to corner Y Sec. 24
Twp 12 N R 1 E = 1.63 ch
Bearing Twp Line S. 88° 15' W.

d' 1 1/2" Gas pipe twin Locust 10" S. 86° E. 10' 6"
Locust 6" S.W. 8' 3"
d' is Located on the East Line of Lot # 15
of Nutter's second Addition to City of Martinsville
100 ft. ~~4 1/2~~ S. 4 1/4° East of N.E. cor. of said Lot.
d' to d = 130 ft.
d' to C on west side of cemetery = 14.23 ch approx:
B Stone steel post west side of yard Gate S.E. 31' 4"
1/2" galv. pipe (Along steel fence) S.W. 31' 4"
b Stone 14.05 ch South of B.
I 1 1/4" well point Hackberry 4" S. 20° E 6 ft.
Ash 8' South 30' 10"
H 1 1/4" well point.
i 1 1/4" pipe S.E. cor of Fair Grounds
b' 1" pipe 14.05 ch South of corner
W. Sec. 34 Twp. 12 N R 1 E.

X SEE SEC 10-C Holloway

Y SEE SEC 10-D

June, 1982
ASTRO. Az.
D to D d = 147.78 Az = 89-34-46
J to Y d = 107.35 Az = 89-23-43
J to C d = 1340.12 Az = 89-30-39
C to B d = 1299.75 Az = 89-24-34
By R.L. McCracken
Party chief - Rob Griffin
Crew - B. Cunningham, Tom Paul
N. M. McCracken


Corner	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Course.	Dist.
D'	Cut Stone w/ + Fd						
D	Cut Stone w/ + Fd						
Y	SEC 34 to NORTH Cut Stone w/ + Fd						
C	PIPE 0.18" diameter Conc. Mon 1/3 feet above ground Conc. Mon						
B	STONE Fd. Conc. Mon						

ASTRO. Az.		
327-07-32	22.14	
44-32-10	25.90	
93-06-57	29.06	
354-89-13	16.87	
37-26-40	37.19	
279-45-59	27.13	
68-52-17	10.94	
142-30-42	32.47	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 4 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By Ch. H. Goss Mach 1st 1892 At C Stone		S.N. Cr Court Corner Frost					N 17° E 37m. 59	
		S.N. Cr. Sheriff's Residence					N 81° W 37m. 108	
Ch. H. Goss Mach. 13 th 1892	U	Stone Eng.			Maple	16	S 88° W 37m. 47 1/2	
					"	16	S 37° W 37m. 68	
20206								
Sur. for J. O. Fletcher et al. Apr. 1874 Rods		Stone			Beech	12	N 16° W 53	
17 th 1876 W. H. Miller Survey or					"	12	N 42° E 67	
Sur. for W. Satterwhite et al. Apr. 6 th 1887 F. M. Pearce Sur.	W	2 Fine Stone Eng. + 12.50 chs of E			Walnut	20	S 16 1/2° E 20 1/2	
Survey for W. C. Davis et al. Feby 5 th 1891	At C	2 Fine Stone Eng. x in middle of						
Ch. H. Goss Survey or		said stone at C bears S 85° W from corner U and is distant from said corner U 18.97 chains.						
		course is witnessed by			W. Locust	10	N 83 1/2° E 164	
					S.N. Cr Schumacher's Corner		N 43° E 103	
By H. A. Blunk Aug 3-1923	U	old Stone			Stone		N 22° E 4 ft	
					Haeberry	12"	S 84° E 112 1/2 ft	
(By - Curdsey June 7-1924)	Z	Concrete block 4" square in Brick Rd.						
(Recorded)								
By H. A. Blunk - Oct. 24-37	7	Concrete Block 12"			S. E. cor of lot in East end of M&P Bldg		N 43 1/2° W 140 1/2	
7 is 18.00 ch. N. & 10.37 ch. E. of P					Tal. Pole		N 23° W 40 ch.	
9 is 6.63 ch. west of 7	9	Concrete Block 8"			Continual	12"	N 16° W 38 ch.	
		Found in Post S. E. cor. of Block 7					N 37° W 111 1/2 ch.	
By Wilbur F Smith								
W. A. Blunk & A. Reeves Assts	P.	Auto Drive shaft			(Replaced by 2" pipe Stone 1923)		NICKORY 5" N. 7 1/2° E. 31-9"	
11-6-51							Well pump pipe S. 63° E. 96-0"	
Corner P. East 669 ft. to P.O.T. on E of Highway No. 37.	PI	1 1/4 Gas. pipe in center of drive way 1185 ft N 103° W of P.			1 1/4 pipe S.W. cor of Shell Oil Co. property		N.W. 35-3"	
Wilbur F Smith Feb 25-1952					1" pipe on sec line		North 103° W. 10 ft	
for Shell oil cur								



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 7

Township 11

North, Range / East

3
4
27 1/2
27 1/2

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By _____	W of				Hickory	5	N 56 E	10
	" U				Shore	9	S 24 E	19
	" P	Stone			Top N. B.	10	N 89 E	28
	" Q	"			B	30	N 79 W	38
	" R	"			Kachbary	20	N 60 1/2 E	64 1/2
	" S	"			"		N 14 1/2 E	76
	" T	"			Stone		East	20
	" U	"			"		South	20
	" V	"			"		East	139
	" W	"			"		West	139
	" X	"			stake		North	50
	" Y	"			"		North	50
	" Z	"			concrete		East	25
	" AA	"			"		North	25
	" AB	"			concrete		North	25
	" AC	"			"		West	25
	" AD	"			"		West	25
	" AE	"			Elm		S 11 1/2 W	40

By H.A. Blank June 13, 1870

By H.A. Blank, May 6-1877

H.A. Blank
1877

Gas pipe

old stone found and perpetuated

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 8 Township 11 North, Range 7 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	At N	Stone cor			Stone		South	20	
	"	E	"		"		North	20	
	"	C	"		"		South	15	
	"	"	"		"		East	15	
	"	D	Stone			Incarnum	12	S 13 1/2 E	31 1/2
	"	"	"			Blue	3	S 10 E	34
	"	B	"			Stone		South	15
	"	"	"			"		East	15
	"	G	"			See old tree		West	12
	"	"	"			Stone		South	15
	"	"	"			"		East	15
	"	"	"			"		East	15
	"	"	"			"		N 11 3/4 E	20
	"	"	"			No locust	2	N 73 W	30
	"	"	"			Stone		East	15
	"	"	"			"		West	15
"	"	"			"		East	15	
"	"	"			"		West	15	
"	"	"			"		East	15	
"	"	"			"		West	15	
"	"	"			"		South	10	
"	"	"			"		North	10	
"	M	" cor			"		North	20	
"	"	"			"		South	2	
"	O	Stone			"		North	10	
"	"	"			"		South	15	
"	"	"			Sugar	20	S 76 1/2 W	65	
"	"	"			Stone		North	—	
"	"	"			"		South	2	
"	"	"			"		North	2	
"	"	"			"		South	2	
"	"	"			"		North	2	
"	"	"			"		West	15	
"	"	"			"		East	15	

SECTION 8

Section

Township 11

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
Heran J Craig	At a	Stone cor			Stone		South	20
					"		East	20
	b	" "			"		West	20
					"		East	20
	c	" "			Plum	4	S 43 W	28
					No Locust	1 1/2	S 35 E	17
	d	" "			Stone		East	10
					"		West	10
	e	" "			Elm	20	S 50 W	18 1/2
					Sugar	18	N 70 E	23
By E. U. Bourne	j	Stone			Stone		W S 20 1/2 W	12
July 14 " 1879	J	"			"		W S 17 E	16
Sept. 10 " 1886 S.E. cor. N th	m	Stone cor.			Stone		South	24
Williamson's land								
By E. U. Bourne	f	Stone			Stone		S 52 E	35
June 11 " 1879					"		N 52 W	28
	g	"			"		N 44 W	27
					"		S 24 E	27
	h	"			"		S 14 W	24
					"		N 14 E	15
By N. K. J. 7/18 1899		P = 3.25 S of (D)			Elm	8	S 29 1/2 W	25
		S = 1/4 ch. N.E. of (P) (8)			Stone on hill		South	75
By H. A. Blunk 3/15/09	J	Gas pipe			Stone		East	34
					Iron pipe		S 1 W	53
	K	Iron Bolt			Sugar	5	S 82 E	29 1/2
					Iron Bolt		S 17 1/2 W	66
	OFF	Stone			Hackberry	10	S 12 E	40
					pump screw		East	15
	g	"			Iron pin		East	15
					pump screw		South	15
	E	Iron Bolt			Iron Rod		South	24 1/2
	P	Perpetuated			stone		South	12 1/2
					"		North	12 1/2
June 13, 1910		stone			S. cor. of enclosed N 10 W			83
					Survey "		N 42 W	45


SEE PAGES FOLLOWING SEC 36

SECTION 8

Section 8

Township 11

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
 <p>By E. A. Bourne July 14" 1879 Sept. 10" 1886 S.E. cor. of 1/4th Williamson's land By E. A. Bourne June 11" 1879</p> <p>By H. K. J. 7/23 1899</p> <p>By H. A. Blunk 7/15/09</p> <p>June 13, 1910</p>	At a	Stone cor.			Stone		South	20	
	" b	" "			"		East	20	
	" c	" "			"		West	20	
	" d	" "			"		East	20	
	" e	" "			Plum	4	S 45 W	28	
	" f	" "			No. Locust	1 1/2	S 35 E	17	
	" g	" "			Stone		East	10	
	" h	" "			"		West	10	
	" i	" "			Elm	20	S 50 W	18 1/2	
	" j	" "	Stone			Sugar	18	N 70 E	23
	" k	" "	Stone			Stone		W S 20 1/2 W	12
	" l	" "	Stone cor.			"		W S 17 E	16
	" m	" "	Stone			Stone		South	24
	" n	" "	Stone			Stone		S 52 E	35
	" o	" "	"			"		N 52 W	28
	" p	" "	"			"		N 44 W	27
" q	" "	"			"		S 24 E	27	
" r	" "	"			"		S 14 W	24	
" s	" "	"			"		N 14 E	15	
" t	" "	"			"		S 29 1/2 W	25	
" u	" "	"			Elm	8	South	75	
" v	" "	"			Stone on hill		East	34	
" w	" "	"			Stone		S 1 W	53	
" x	" "	"			Iron pipe		S 82 E	27 1/2	
" y	" "	"			Sugar	5	S 17 1/2 W	66	
" z	" "	"			Iron Bolt		S 1 1/2 E	40	
" aa	" "	"			Stone		East	15	
" ab	" "	"			"		East	15	
" ac	" "	"			"		South	15	
" ad	" "	"			"		South	24 1/2	
" ae	" "	"			"		South	12 1/2	
" af	" "	"			"		North	12 1/2	
" ag	" "	"			"		S. cor. of enclosure N 1/4 W	53	
" ah	" "	"			"		Lower "	" N 42 1/2 W	45

SEE PAGES FOLLOWING SEC 36

ADDITION TO:

SECTION 8

H.A. Blunk 7/6/12
Cor. 1 is 7.70 ch. W +
0.96 ch. S. of 1

Cor. 1

witness
stone N. 25 lk.
beech N. 45 1/2 W 46 lk.

Cor. 2 is 3.75 ch. N.
of 1.

Cor. 2 iron rod cottonwood N. 49 E 933 ft.
stone West 21 ft.

Cor. 3 is 4.71 ch.
West of 1.

Cor. 3 harrow tooth stone N. 25 lk.
in road stone E. 25 lk.

Cor. 4 is 0.63 ch.
West of No 2.

Cor. 4 harrow tooth stone E. 20.7 ft.

Wilbur F Smith co Surveyor Feb. 11th 1935

d: 1 1/4" pipe witness by Beech 30" N.E. 2 ft.
1/2 stone: ~~witness~~ 2 ft. diam. S. 70 E 51 ft.
Iron rod W. 10' 3".

Survey ordered by Richard E. Miller.

ADDITION TO : SECTION 8

HENRY A. BLUNK
SURVEYOR MCWYAN COUNTY
Martinsville, Indiana

By H. A. Blunk
June 14, 1910

67 W
98 rods north of V

stone west 25 links
stone east 22 1/2 "

67 to 14.61 1/2 west of W

Elm 2 S 71 1/2 W
Sycamore 28 west 39

By H. A. Blunk
Apr. 18 - 1931

T Limestone 2 ft long } with 4" North 58 links

S Limestone
2 ft long

{ Elm 6" S 8 E. 10 ft 9 in
{ Twin Elm 8" N 26 3/4 E. 7 ft 8 in.
{ Locust - B" - N. - 36 links

Dist.
20
20
20
20
28
17
0
84
23
2
6
4
30
28
7
7
4
5
5
5
4
3
1/2
1/2
5
5
7
5
1/2

June 15, 1920

0	resuspended	stone	North	12 1/2
0	stone	S. cor. of cont. with N 10 W	North	12 1/2
0	stone	Lower "	N 42 W	33
0	stone	Lower "	N 42 W	45

SEE PAGES FOLLOWING


SECTION 8

WILBUR F. SMITH

COUNTY SURVEYOR

MARTINSVILLE, IND.

Section 8, Township 11 North Range 1 East



By W. F. Smith Aug. 30-35
for W. A. Kennedy and
Anna Abbott.

By Wilbur F. Smith Apr 10 1940
For Don Maxwell & Eslinger Est.


Little p is 20.3' E of P 1 1/2" pipe
" z " 20.3' E of Z 1 1/2" pipe
" q " 20.3' E of Q 1 1/2" pipe

corners	marker	Bearing Type	Dist	Course	Dist
N	stone	tw in thorn	30"	77 82° E	12.5 ft.
	two paving bricks were placed on top of stone at N.	N.W. corner of foundation of garage.		S. 78° E	38.5 ft.
O	stone	S.E. cor. of foundation of crib.		77.30° W	22 ft.
	from N to O 19.81 ch.	Ash.	10"	S 72° E	26 ft.
G	stone	1 1/4" well point.		77.89 1/2° E	6 ft.
	G. is 20.19 ch. N of O.				
H	stone	tw in hack berry		South	16.5 ft.
	H. is 19.89 ch. E. of d. and 20.19 ch. N. of N.				
Z	stone	30" Beach stone	30"	N 81° E W	61 Links 25 "
From P to Z 161 Rods and 10 Links					
A	Flat Iron Bar - 14" x 2"	(Note - This Flat Iron Bar is approximately 8" west of True Corner)	Pin Oak	4 1/2"	S 25° W 100.25'
A	"A" STATE Highway Corner Marker. Brass Plug in TOP. Wilbur F. Smith July 1-1938 By W. F. Smith AUGUST 24 1957 Note - Old Limestone Corner Found at "C" 1 1/2" Gas. Pipe driven down on South side of Old stone From "A" TO "D" 1297.5 feet From "B" TO "C" 1289.5 feet.	Fre-cast concrete. Bross Plug 7/11/70	Gas pipe	1"	S 32 1/2° E 34'-0"
			Gas pipe	2"	N 32 1/2° W 70'-1"
			Steel Cor. Post		N. 69 1/2° W. 71'-1"
B	Old stone Found	Poplar Nut tree	18"	N. E.	26'-0"
		S.E. cor. of Foundation stone of crib		N. W.	29'-4"
C	Old stone Found.	Maple	20"	West.	4'-4"
	Limestone	1 1/4" pipe		North	15'-0"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 9 Township 11 North, Range 1 C

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.
By N. Hadley	at M				Sugar	20	N19W
E D C B A	" B				N Walnut	15	S36W
F C H I K	" E	Stone Eng.			Beech	24	N32W
G.M.P.	" P	Stone Eng.			Sugar	20	N15W
f	" Q	Stone			Sugar	8	N20W
P O N M L					Mulberry	9	S6W
O R S T							
Z Y X W V							
Survey made Nov 26+27, 1885	at O	Stone cor	11 lbs		East of O by Craig abn.		
for J.K. Mitchell et. als.	" M	" "	" "		Stone		N27W
M.A. Stout } Chairmen	" M	" "	" "		"		N40W
Samuel Coius } Chairmen	" M	" "	" "		Stone		N63W
John Mitchell, Wallace Dixon	" a	Stone 31 lbs	12 lbs		"		N54W
Present and assisting	" b	"	19.50 chs E of a				
G.M. Pearce Surveyor	" c	"	19.50 chs E of b		Hackberry	20	S84W
	" d	"	19.50 chs E of c		Beech	28	N16W
	at L				Burr Oak	10	S69W
	" Y	Stone cor			do	10	S74W
	" Z	Stone			Stone		North
By Ch. H. Goss Dec 23 rd 1891	" J	Stone			Poplar	10	S71E
Perpetuated from old Gommest					Poplar	6	N61W
Beech witness	" A	"			Hackberry	12	S71W
	" B	"			"	6	S71W
By H.A. Blunk, Dec 13-17	w	stone			stone		North
w is 30' ch. East of N.	m	stone			stone		North
m is 30' ch. East of M.	Z	old stone			Poplar		S77W
Perpetuated	E	concrete block					
By R.H. Comarney 1926	e	4' square in brick rd.			Hackberry	8'	West
		narrow trench 10.00 S. of E.					North
		in road					




RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *10*

Township *11*

North, Range *1 East*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<i>By C. J. Craig.</i>	<i>W of Y</i>	<i>Stone</i>			<i>W. Oak</i>	<i>3</i>	<i>N 76 W</i>	<i>14 1/2</i>
	<i>O</i>	<i>"</i>			<i>S Oak</i>	<i>14</i>	<i>N 74 E</i>	<i>16 1/2</i>
					<i>Measure</i>	<i>4</i>	<i>N 46 W</i>	<i>92</i>
	<i>W</i>				<i>Stone bar.</i>		<i>South</i>	<i>50</i>
					<i>S. Oak</i>	<i>32</i>	<i>N. E. corner</i>	
	<i>J</i>				<i>Beech</i>	<i>18</i>	<i>N 60 W</i>	<i>30</i>
					<i>Bur Oak</i>	<i>5</i>	<i>N 88 E</i>	<i>11</i>
	<i>I</i>				<i>Ash</i>	<i>7</i>	<i>S 32 E</i>	<i>33</i>
					<i>Hickory</i>	<i>7</i>	<i>N 32 W</i>	<i>21</i>
	<i>J</i>				<i>Ash</i>	<i>9</i>	<i>N 27 E</i>	<i>15</i>
	<i>C</i>	<i>Stone 7/4</i>			<i>Stone</i>		<i>East</i>	<i>30</i>
							<i>South</i>	<i>25</i>
	<i>N</i>	<i>Stone cor</i>			<i>Ash</i>	<i>5</i>	<i>N 30 E</i>	<i>6</i>
						<i>5</i>	<i>West</i>	<i>10</i>
<i>H. A. Blank, Nov. 22. 1912</i>	<i>n</i>	<i>gas pipe</i>			<i>Elm</i>	<i>10</i>	<i>East</i>	<i>13</i>
<i>W. D. Brown Estate.</i>	<i>m</i>	<i>" "</i>			<i>Elm</i>	<i>10</i>	<i>S 27 E</i>	<i>24</i>
<i>n is 10.25 North of N.</i>					<i>Sycamore</i>	<i>25</i>	<i>S 34 W</i>	<i>100</i>
<i>m is 10.25 N of M</i>	<i>m</i>	<i>" "</i>			<i>Stone</i>	<i>15</i>		
<i>W. D. Brown Estate.</i>	<i>f</i>	<i>" "</i>			<i>Sycamore</i>	<i>13</i>	<i>S 20 W</i>	<i>14</i>
<i>n is 10.25 North of N.</i>								
<i>By H. A. Blank, Feb. 10-1917</i>	<i>o</i>	<i>Stone</i>			<i>Twin Oak</i>	<i>18"</i>	<i>S 56 E</i>	<i>71 1/2 ft.</i>
<i>o is 496.4 ft South of O</i>	<i>n</i>	<i>Gas Pipe</i>			<i>White Oak</i>	<i>30"</i>	<i>S 17 W.</i>	<i>57 ft.</i>
<i>n is 496.4 ft South of N.</i>	<i>R</i>	<i>Stone</i>			<i>no witness</i>			
	<i>n</i>	<i>Stone</i>			<i>W. Pole</i>		<i>N 43 E</i>	<i>9 1/2</i>
<i>n is 11.07 East of R.</i>					<i>Stone</i>		<i>East</i>	<i>11.07</i>
<i>By H. A. Blank Mar. 7-22</i>	<i>P</i>	<i>Stone</i>			<i>Stone</i>		<i>North</i>	<i>28 1/2 ft.</i>
<i>Cherry for Francis Fisher</i>	<i>F</i>	<i>Stone</i>			<i>W. Cherry</i>		<i>East</i>	<i>33 1/2 ft.</i>
<i>Mary E. Hutchinson of John Stuchess</i>	<i>o</i>	<i>Stone in Ditch</i>			<i>Corner Post</i>		<i>S 64 1/2 E.</i>	<i>7.15 ft.</i>
<i>H. A. Blank. Sept. 1918.</i>	<i>l.</i>	<i>Stone</i>			<i>Stake</i>	<i>20"</i>	<i>N 62 E.</i>	<i>2.5 ft.</i>
<i>l is 18.67 North of L</i>								



CONTINUED AFTER SEC. 36

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 10

Township

North Range

REMARKS, &c. &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees	Diam.	Courses	Euc.
	C	STONE			STONE		E	30'
	N	STONE			ASH	5"	S	25'
	V	STONE			ASH	5"	N30E	6'
	X	STONE			BEECH	28"	W	10'
	X	STONE			BEECH	24"	NORTH	14'
	D	STONE (1" PIPE OVER)			BEECH	24"	S79E	40'
	I	STONE			ASH	17"	N69E	42 1/2'
	K	STONE			B.OAK	19"	S67W	78 1/4'
	O	STONE			W. OAK QUAD W. OAK	4"	N31W	27 1/2'
	T	STONE			W. OAK	8"	W	17 1/2'
	W	STONE			MAPLE	4"	N8E	40'
	Y	STONE			HICKORY	7"	SIDE	2 1/2'
	Y	STONE			ASH	9"	N32W	21'
	Y	STONE			ASH	9"	N27W	15'
	Y	STONE			BEECH	15"	S4 1/2 W	56'
Y	STONE			B.OAK	30"	N81W	57'	
Y	STONE			SYCAMORE	4"	N46W	92'	
Y	STONE			STONE		SOUTH	50'	
Y	STONE			BUR OAK	5"	N88E	11'	
Y	STONE			ASH	7"	S32E	33'	
Y	STONE			S. OAK	32"	NE CORNER		
Y	STONE			BEECH	18"	N60W	30'	
Y	STONE			W. OAK	3"	N76W	14 1/2'	
Y	STONE			S. OAK	14"	N74E	16 1/2'	
Y	STONE			BEECH	5"	N8E	16'	
Y	STONE			BEECH	10"	N83W	33'	
G	CONG STONE 1" PIPE OVER			CORNER post Gate post		North	0' 10"	
G						East	9' 0"	

Holloway 69

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *12*

Township *11*

North, Range *1 E*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.																									
<i>By B. H. Butler</i>	<i>W L</i>	<i>Stone</i>			<i>Stone</i>		<i>North</i>																									
<table border="1" style="margin: auto; border-collapse: collapse; text-align: center;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>C</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table>	E	D	C	B	A	F	C	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	<i>W</i>	<i>"</i>			<i>Elm</i>	<i>12</i>	<i>N 40 1/2 W</i>
E	D	C	B	A																												
F	C	H	I	K																												
P	O	N	M	L																												
O	R	S	T	U																												
Z	Y	X	W	V																												
	<i>M</i>	<i>"</i>			<i>Stone</i>	<i>9</i>	<i>S 85 1/2 W</i>																									
	<i>T</i>	<i>"</i>			<i>"</i>	<i>20</i>	<i>North</i>																									
	<i>V</i>	<i>"</i>			<i>Beech</i>	<i>30</i>	<i>Smith</i>																									
	<i>U</i>	<i>"</i>			<i>"</i>	<i>18</i>	<i>N 14 1/2 E</i>																									
	<i>T</i>	<i>"</i>			<i>"</i>	<i>30</i>	<i>N - W -</i>																									
	<i>S</i>	<i>"</i>			<i>"</i>	<i>18</i>	<i>E - E -</i>																									
<i>E. U. Bourne</i>	<i>P</i>	<i>Stone</i>			<i>Beech</i>	<i>20</i>	<i>S 34 1/2 W</i>																									
	<i>Q</i>	<i>"</i>			<i>Apple</i>	<i>6</i>	<i>N 25 1/2 W</i>																									
	<i>R</i>	<i>"</i>			<i>Elm</i>	<i>8</i>	<i>N 18 1/2 E</i>																									
	<i>S</i>	<i>"</i>			<i>P. Oak</i>	<i>16</i>	<i>S 60 E</i>																									
	<i>T</i>	<i>"</i>			<i>N. Elm</i>	<i>10</i>	<i>S 234 E</i>																									
	<i>U</i>	<i>"</i>			<i>do</i>	<i>34</i>	<i>N 30 W</i>																									
	<i>V</i>	<i>"</i>			<i>Beech</i>	<i>5</i>	<i>N 82 E</i>																									
	<i>W</i>	<i>"</i>			<i>"</i>	<i>14</i>	<i>S 42 W</i>																									
	<i>X</i>	<i>"</i>			<i>Cherry</i>	<i>8"</i>	<i>S 3° 50' W</i>																									
<i>By C. Molivelli - Mar. 1917.</i>	<i>t</i>	<i>sand stone +</i>			<i>sand stone</i>		<i>North</i>																									
<i>(Co. t is 10.88 ch. West of Co. T)</i>	<i>n</i>	<i>" " "</i>			<i>" "</i>		<i>South</i>																									
<i>(Co. n is 1.78 ch. North " " t)</i>	<i>s</i>	<i>" " "</i>			<i>Walnut</i>	<i>10"</i>	<i>N 85° 13'</i>																									
<i>" s " 4.665" West " " n)</i>	<i>P</i>	<i>STONE 1' ABOVE GRADE</i>			<i>NAIL, TRUSS BOTTLE CAPS</i>		<i>N 45° E N 8° E N 45° W</i>																									
<i>By PIERCE GUNBER & BEAM Nov. 1964</i>	<i>Z</i>	<i>STONE (Lght. Col.)</i>			<i>TEL. POLE COR. P. POST PWR. P</i>		<i>14" 18" 40"</i>																									
<i>stone graded out - W.F. Smith</i>	<i>C</i>	<i>STONE</i>			<i>DOPLAR (U.P. 5') BEECH</i>		<i>N 15 W N 80 E N 10° E</i>																									
<i>By FQ. & READE 1966</i>	<i>E</i>	<i>STONE</i>			<i>SW COR CHURCH SE COR CHURCH NAIL T.F.P. NAIL IN PWR. P.</i>		<i>NORTH NE NE SW</i>																									
					<i>HACKBERRY</i>	<i>42"</i>	<i>NW</i>																									
					<i>HACKBERRY</i>	<i>6"</i>	<i>SE</i>																									
					<i>WALNUT COR POST COR. POST</i>	<i>18"</i>	<i>SW W N</i>																									
							<i>1" I.P.</i>																									

SECTION 11

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 11

Township 11

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By B. J. Butler	U & V	Stone			Beech	18	N73 1/2 W	22
	E D C B A	U			"	10	S 11 W	65
	F G H I K	"	Stone cor.		"	20	S 36 1/2 W	8 1/2
	P O N M L	"	"		Jack oak	10	S 13 1/2 W	8 1/2
	O R S T U	"	"		Sycamore	6	N 83 1/2 W	6 1/2
	Z Y X W V	"	"		Beech	24	S 69 1/2 E	5 1/2
		"	"		"	18	N 54 1/2 E	32
		"	"		"	15	S 4 1/2 W	5 1/2
		"	"		B. Oak	30	N 81 W	57
		"	"		Beech	14	S 52 E	60
		"	"		"	4	S 50 W	75
By W. Healdley	"	"			"	18	N 8 W	34 1/2
"	"	"			"	19	N 1 1/2 W	73 1/2
"	"	"			"	12	N 72 E	15 1/2
"	"	"			"	18	N 23 W	6
E. A. Bourne	"	"			B. Walnut	5	S 28 E	39
	"	"			do	4	N 13 E	15
By C. H. Goss Deputy Dec 9th 1908 for Piquet & Clark Present Mc Burns & H. Payne and Red Harkness	a b c	Stone perpetuated Stone Sing + " " +			Stone Sing	"	South North North East	25 16 25 25
Note - a is 72.2 ch South of A b is 72.9 ch West of a c is 12.28 ch South of b H. A. Blunk Nov. 22 - 1912.								
W. D. Braun Estate P is 8.35 ch East of P f is 21.48 of P h is 8.35 ch East of f x is 60.90 ch East of f	P f h a L	gas-pipe gas-pipe gas-pipe gas-pipe STONE			gas-pipe Elm gas-pipe " " " " STONE STONE		East N 2 E East South South N 18 E	25 49 25 25 25 18 22

(CONT AFTER SEC. 38)

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section // Township // *N* North, Range / *E*

REMARKS, &c., &c.

Corners.

Stone Mark.


Acres. Hun.

Bearing Trees.

Diam.

Courses.

Dist.



M

STONE

B WALNUT 7" S19E 9
W. ELM 16" N67 1/2 W 22

A

SEE SEC 12-E

Z


SEE SEC 10-V Holloway 69

F

SEE SEC 10-K


RECORD OF
Section

REMARKS, &c., &c.




William F. Smith 12-2
 1. Cor. Post 917' S. of E
 2. Cor. Post 1314' S. of E.
 3. Cor. Post 762' N. of
 4. Steel Post in C 1/2 S
 P. 13142 south of
 - St. Post W 2
 Reginald L. McCracken
 5-10-88

SE Cor. NW 1/4 Sec 12 - T 11N - R 1E
 Wash. Twp. Morgan Co.



SW Cor. NW 1/4 Sec # 12 - T 11N - R 1E
 Washington Twp Morgan Co.



All Ref. Nail
 Thru Bottle Caps

INDIANA.

Range 1 E

Courses Dist.

N. 80° E 23' 0"
 W 12' 0"
 S 22° 4"
 23' 0"
 170' N 15° W 45'
 25' 0"
 N 45' E
 1' 10"
 15' 0"
 21' N 15' E
 N. W. 23' 9"

Survey Disc #1
 Point #133


RECORD OF SURVEY

INDIANA.

Section **12** Township **11** North, Range **1E**

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
-------	-------------------	----------	-------------	--------	------	----------------	-------	----------	-------

0									
0									
20									
12									
0									
0									
1 1/2									
18 1/2									
7 1/2									
1 1/2									
2									
5									
4 1/4									
4									
0									
18 FT.									
8 ch.									
8 ch.									
20 ch.									
59'									
52'									
58'									
48'									
03'									
50'									
91'									
51'									
86'									
25'									
59'									
29'									
82'									
71'									
-1'									



P
moore
D

SEE SEC 11-L

STONE
(1" PIPE OVER)
7" DEEP

-TEL CABLE TERMINAL BOX E 23'0"
-FENCE COR POST W 12'0"
-GATE FENCE POST S37W 28'4"
-TEL POLE D3 S30E 33'9"

1" galo pipe { S END of W. CO. RAILROAD 1/4 MI S N 40' 41"
COR POST EAST 25'0"
Power pole S-W 45'0"

1" Gas pipe { Post West 1'-10"

D TO D 1330 FT { Post North 15'-0"

1" PIPE 660' E of P Steel post N 18'-6"
A" Cedar N.W. 22'9"

Willard Smith 12-29-71
E TO P 2736 FT
1 CORN. POST 917' S. of E of STATE
2 CORN. POST 1314' S of E.S Highway.
3 steel post 762' N. of P.
4. STEEL BOLT IN C/L COFFEY
RD 1314.2 SOUTH of "D"
- ST. POST W 28'
Reginald L. McCracken
5-10-88

"P"

set
Type "A" concrete man.

Refer to County Survey Disc #1
File name: Two-mile Point #133

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 13 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>Liram J. Craig</i></p>	W M	Stone			Beech	9	N 26 W	9
	"	"			"	6	S 18 E	33
	"	"			"	6	N 11 E	29
	"	"			Alsgwood	4	S 69 W	7
	"	"			Poplar	14	N 76 E	22
	"	"			Beech	12	N 79 E	20
	"	"			Locust	22	N 77 W	31
	"	"			Beech	8	S 67 W	34 1/2
	"	"			"	18	N 6 W	17 1/2
	"	"			"	18	S 25 E	22
<p><i>M. Pickett</i></p>	"	"			Alsgwood	8	N 63 E	25
	"	"			Elm	24	N 25 E	42
	"	"			Poplar	20	N 83 W	41
	"	"			Beech	18	N 74 E	13
	"	"			Poplar	20	S 40 E	22
	"	"			Beech	15	N 3 W	47
	"	"			"	5	N 61 E	40
	"	"			W. Oak	4	S 48 E	5
	"	"			Willow	4	N 34 W	36
	"	"			Sugar	20	S 66 E	26
<p><i>J. S. Hogeland</i></p>	"	"			Alsgwood	4	N 16 E	29
	"	"			Beech	-	N-E	-
	"	"			"	-	S-W	-
	"	"			"	36	N 71 1/2 W	37
	"	"			"	20	S 71 W	24
	"	"			"	8	S 36 1/2 W	22
	"	"			"	15	N 60 E	108 1/2
	"	"			"	20	S 82 1/2 W	6
	"	"			B. WALNUT	8"	N 80 W	73' 0"
	"	"			W CHERRY	7"	N 70 W	7' 3"
<p><i>B. F. Butler</i></p>	"	"			UTILITY POLE		N 40 E	111' 2"
	"	"						

4 x 4
 CONC
 MOVEMENT
 A

SECTION 13

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

Township

North, Range

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.

Hun.

Bearing Trees.

Diam.

Courses.

Dist.

Pl¹¹ Two Mile Run 7-25-88 RYM

A

4" x 4" Conc. Mon Found

Conc. Mon.

N86-47-04E 13.58'

Conc. Mon.

N05-48-32E 23.83'

Conc. Mon.

S87-39-20W 24.60'

E D C B A

H

4" x 4" Conc. Mon Found

Conc. Mon.

N17-34-41E 14.07'

Conc. Mon.

S37-18-08W 13.58'

F G H I K

M

Conc. Mon. Set

Conc. Mon.

P O N M L

N

Engraved Stone Found

O R S T U

T

Conc. Monument Set

Z Y X W V

H

Conc. Mon. Set

Conc. Mon.

N10-28-05E 14.96'

Conc. Mon.

N86-54-50W 15.13'

V

4" x 4" Conc. Mon. Found

Conc. Mon.

N51-42-25E 13.54'

Conc. Mon.

S15-43-30W 11.07'

Reg McCracken FD 6-83 RD 2-87

N

Stones sandstone with clear x

Ref. mon A

N38W 13.01'

Ref. mon B

S50W 22.45'

Reg McCracken FD 6-83 RD 2-87

Z

fence + post by laying down. Made x in stone

Ref mon A

S46W 26.15'

Ref mon B

S8E 14.28'

Ref mon C

N74E 14.92'

Reginald McCracken 11-17-84

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *14* Township *11* North, Range *1 East*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By <i>M. Pickett</i></p>	<i>Ut B</i>				<i>Ash</i>	<i>30</i>	<i>254 W</i>	<i>28</i>
	<i>I</i>				<i>Beech</i>	<i>16</i>	<i>N19 E</i>	<i>15</i>
	<i>"</i>	<i>J</i>			<i>"</i>	<i>5</i>	<i>N61 E</i>	<i>4</i>
	<i>"</i>	<i>M</i>			<i>Nalnut</i>	<i>4</i>	<i>253 N</i>	<i>32</i>
	<i>"</i>	<i>"</i>			<i>Elm</i>	<i>3</i>	<i>N78 N</i>	<i>14</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>5</i>	<i>N25 E</i>	<i>21</i>
	<i>"</i>	<i>a</i>	<i>Stone</i>		<i>Stone</i>		<i>N88 N</i>	<i>23</i>
	<i>"</i>	<i>"</i>			<i>"</i>		<i>23 E</i>	<i>19</i>
	<i>"</i>	<i>B</i>	<i>"</i>		<i>"</i>		<i>South</i>	<i>16</i>
	<i>"</i>	<i>"</i>			<i>"</i>		<i>N59 E</i>	<i>14</i>
	<i>"</i>	<i>C</i>	<i>"</i>		<i>"</i>		<i>N30 W</i>	<i>26</i>
	<i>"</i>	<i>"</i>			<i>"</i>		<i>230 E</i>	<i>32 1/2</i>
	<i>"</i>	<i>d</i>	<i>"</i>		<i>"</i>		<i>241 W</i>	<i>19</i>
	<i>"</i>	<i>"</i>			<i>"</i>		<i>N12 W</i>	<i>29</i>
<i>"</i>	<i>e</i>			<i>Beech</i>	<i>20</i>	<i>N58 N</i>	<i>40</i>	
<i>"</i>	<i>"</i>			<i>R Oak</i>	<i>4</i>	<i>219 W</i>	<i>24</i>	
<i>"</i>	<i>f</i>			<i>Beech</i>	<i>20</i>	<i>N26 W</i>	<i>16 1/2</i>	
<i>"</i>	<i>"</i>			<i>"</i>	<i>20</i>	<i>226 E</i>	<i>15</i>	
<i>"</i>	<i>g</i>	<i>Stone</i>		<i>Nalnut</i>	<i>20</i>	<i>N75 W</i>	<i>36</i>	
<i>"</i>	<i>"</i>			<i>Beech</i>	<i>16</i>	<i>283 E</i>	<i>25</i>	
<i>"</i>	<i>h</i>	<i>"</i>		<i>Stone</i>		<i>262 E</i>	<i>34</i>	
<i>"</i>	<i>"</i>			<i>"</i>		<i>224 W</i>	<i>28 1/2</i>	
<i>By H. A. Blunk Aug 20, 09</i>	<i>x</i>			<i>Trout</i>	<i>10</i>	<i>86 W</i>	<i>13</i>	
<i>x 11.0 2/3 South of N</i>				<i>Red Elm</i>	<i>8</i>	<i>891 W</i>	<i>12 1/2</i>	
<i>H. A. Blunk Sept. 12-1912</i>		<i>S=15.23 1/2 Stone</i>		<i>stone</i>		<i>East</i>	<i>10</i>	
		<i>t=8.24 1/2 Stone</i>		<i>Apple</i>		<i>N27 1/2 E</i>	<i>2 1/2</i>	
<i>H. A. Blunk Apr. 9-1918</i>	<i>"</i>	<i>Stone</i>		<i>Poplar</i>	<i>12"</i>	<i>N54 1/4 E</i>	<i>2</i>	
<i>n is 15.186 ch. S of N.</i>				<i>Cherry</i>	<i>8"</i>	<i>N47 1/2 W</i>	<i>5</i>	
<i>p is 15.186 S of stake for P</i>	<i>p</i>	<i>Stone</i>		<i>not witnessed</i>				
<i>H. A. Blunk Nov. 14 1918</i>	<i>z</i>	<i>Stone</i>		<i>Saus Oak</i>	<i>15</i>	<i>866 1/2 E</i>	<i>1</i>	
<i>z is 6.90 ch. North and 1.83 ch. East of z</i>								
<i>x is 6.24 ch. North of x</i>	<i>x</i>	<i>Stake</i>		<i>Red Bud</i>		<i>East</i>	<i>2</i>	
				<i>Hoebery</i>		<i>North</i>	<i>5</i>	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

Township

North. Range


REMARKS, No. No.

Corners Stone Mark. Acres. Hous. Bearing Trees. Diam. Courses. Dist.

H. A. Blank, Feb 4-1833

His Stake
15.73 east of
D

By General 12° N 43E 73 1/2
S. E. of Dept. Survey Hand N 30 W 21 "



E - SEE 104

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 15 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>Wiram J. Craig</i></p> <pre> E — D — C — B — A F — C — H — e — I — K P — O — N — M — L O — R — S — T — U Z — Y — X — W — V ✓ </pre>	<i>At G</i>	<i>Stone cor</i>			<i>Beech</i>	<i>20</i>	<i>S 28 E</i>	<i>45</i>
	<i>" N</i>	<i>Stone</i>			<i>Oak</i>	<i>4</i>	<i>N 72 E</i>	<i>37</i>
	<i>" H</i>	<i>Stone cor</i>			<i>Beech</i>	<i>8</i>	<i>S 41 E</i>	<i>32</i>
	<i>" A</i>	<i>" "</i>			<i>"</i>	<i>5</i>	<i>North</i>	<i>41</i>
	<i>" D</i>	<i>" "</i>			<i>B. Oak</i>	<i>7</i>	<i>S 67 E</i>	<i>9</i>
	<i>" J</i>	<i>" "</i>			<i>Ash</i>	<i>3</i>	<i>N 26 W</i>	<i>14</i>
	<i>" K</i>	<i>" "</i>			<i>Beech</i>	<i>28</i>	<i>North</i>	<i>14</i>
	<i>" L</i>	<i>" "</i>			<i>"</i>	<i>24</i>	<i>S 79 E</i>	<i>40</i>
	<i>" M</i>	<i>" "</i>			<i>"</i>	<i>5</i>	<i>N 8 E</i>	<i>16</i>
	<i>" N</i>	<i>" "</i>			<i>"</i>	<i>10</i>	<i>N 83 W</i>	<i>33</i>
<p><i>B. J. Butler</i></p> <p><i>E. A. Bourne</i></p> <p>By <i>H. A. Blunk</i> Apr. 8-1919</p> <p>By <i>H. A. Blunk</i> Aug. 1-1921 <i>at 22.64 haul and 12.96 East of C</i></p> <p><i>Reg McCracken</i> found 6-23 <i>record 2-27</i></p>	<i>" Y</i>	<i>Stone</i>			<i>Sycamore</i>	<i>28</i>	<i>N 45 E</i>	<i>2</i>
	<i>" C</i>	<i>Perpetuated</i>			<i>"</i>	<i>5</i>	<i>N 38 W</i>	<i>2</i>
	<i>" O</i>	<i>Stake</i>			<i>Beech</i>	<i>16</i>	<i>N 23 E</i>	<i>7</i>
	<i>" P</i>	<i>Stake</i>	<i>In Road.</i>		<i>Elm</i>	<i>16</i>	<i>S 27 E</i>	<i>59</i>
	<i>" Q</i>	<i>Stake</i>	<i>In Road.</i>		<i>Ash</i>	<i>17</i>	<i>N 64 E</i>	<i>42</i>
	<i>" R</i>	<i>Stake</i>	<i>In Road.</i>		<i>B. Oak</i>	<i>19</i>	<i>S 67 W</i>	<i>18 1/2</i>
	<i>" S</i>	<i>Stake</i>	<i>In Road.</i>		<i>White oak</i>	<i>10"</i>	<i>N 67 1/2 E</i>	<i>7</i>
	<i>" T</i>	<i>Stake</i>	<i>In Road.</i>		<i>Ash</i>	<i>4"</i>	<i>West</i>	<i>1</i>
	<i>" U</i>	<i>Stake</i>	<i>In Road.</i>		<i>Sycamore</i>	<i>10</i>	<i>N 50 1/2 E</i>	<i>27</i>
	<i>" V</i>	<i>Stake</i>	<i>In Road.</i>		<i>"</i>	<i>10</i>	<i>N 50 1/2 E</i>	<i>27</i>
	<i>A</i>	<i>SEE SEC 10-V</i>						
	<i>B</i>	<i>SEE SEC 10-W</i>			<i>Holloway 69</i>			
	<i>C</i>	<i>SEE SEC 10-X</i>						
	<i>D</i>	<i>SEE SEC 10-Y</i>						
	<i>N</i>	<i>PK Nail in fence post west of stone 22.42' Stone in dirt road with bricks around it.</i>			<i>Con. Ref. Mon. A</i>	<i>N 64 W</i>	<i>30.51</i>	
					<i>Con. Ref. Mon. B</i>	<i>S 70 W</i>	<i>42.2</i>	
					<i>Con. Ref. Mon. C</i>	<i>S 4 W</i>	<i>30.82</i>	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 17 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By M Riggins</p>	at C				Hackberry	30	N 75 E	15	
	" H	Stone Cor.			Ash	26	N 38 W	69	
	"				Stone		S 58 W	13 1/2	
	"				"		N 88 E	19 1/2	
	"	a			Beech	14	N 18 W	15	
	"				Sugar	12	S 27 W	43	
	"	B			"	16	N 36 W	27 1/2	
	"				Buckeye	10	S 85 E	47	
	"	B	Stone Cor.		Beech	8	N 68 E	32	
	"				"	20	N 88 E	37	
	"	V	"		Poplar	12	N 17 W	14	
	"				S Oak	16	N 74 W	31	
	"	I	"		Beech	20	N 54 W	—	
	"				Hickory	4	S 17 W	33	
	"	c	"		Walnut	12	N 11 E	85	
<p>By J Butler</p>	"	R	Stone		Stone		East	30	
	"				"		S 35 W	61	
	"				"		East	50	
	"	T	"		Beech	30	East	19	
	"				Sugar	5	N 7 E	30	
	"	e	"		Hickory	18	S 58 E	22	
	"	f	"		B Walnut	15	S 19 E	75	
	"	g	"		Stone		East	10	
	"				"		West	10	
	"	i	"		Elm	6	S 37 E	34	
	"				"	10	N 44 E	57	
	"	h	"		Elm	10	N 44 E	57	
	<p>E. A. Bourne</p>	"	M	"		Beech	24	N 34 1/2 E	27
		"	J	"		Stone		N 28 1/2 E	16
		"				"		S 32 W	18
"		j	"		W Walnut	20	N 25 W	31	
"		k	"		H Locust	6	S 26 W	40	
"					"				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 18 Township 11 North, Range 1 East,

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	at a				Sugar	12	East	21
	" b				"	15	N 80 W	31
	" c				Buckeye	12	S 50 E	18
	" d				Sugar	30	S 53 W	29
	" e				Buckeye	5	East	38
	" f				Walnut	32	S 73 W	30
	" g				Beech	24	S 61 E	10 1/2
	" h				Ash	5	N 25 E	6
	" i				Hickory	30	South	3
	" j				Willow	2 1/2	N 48 1/2 E	10
	" k				"	1/2	North	6
	" l				Stone		South	15
	" m				"		East	15
	" n				"		East	15
	" o				"		North	15
" p				Ash	7	S 71 W	22	
" q				do	2	N 45 W	20	
" r				Hickory	18	S 21 1/4 E	68 1/2	
" s				Ash	20	N 72 1/2 W	42 1/2	
" t				B. Walnut	8	N 24 1/2 W	16	
" u				B. Alder	13	S 33 1/2 W	36 1/3	
" v				Mulberry	3	N 15 1/2 W	34	
" w				Hickory	1	S 12 W	15	
" x				Stone		N 37 1/2 E	10	
" y				"		S 37 1/2 W	10	
" z				"		N 60 W	48	
" a				"		S 60 W	48	
" b				Ash	8	S 29 1/2 E	15 1/2	
" c				"	6	S 87 E	10	
" d				" 2390 chs N 1/2 E Plum	6	S 5 E	15	
" e				P old stone		Twin Elm	23" East	39'-6"

By Wilbur F Smith
 March 28 1952
 for Ruge, Vibbant

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Fractional Section 19
Township 11
North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dia.	
By <u>W. S. Craig</u> at N					Beech	7	N 82 E	49	
					Sugar	15	N 8 W	49	
<div style="display: flex; align-items: center;"> <div style="flex: 1;"> </div> <div style="flex: 1; padding-left: 10px;"> <p>Survey Apr 9th 1886 for <u>J. J. Maxwell</u> <u>Smith Lewis</u> } Chairman <u>Tom Ma</u> Presupt <u>J. J. Frank</u> <u>Maxwell & W. Pearce</u> Sur.</p> </div> </div>	at 2	See old books			Walnut	3	S 43 E	31	
	" 3	" " "			Stone		N 62 W	17	
	" 3	" " "			Beech	24	S 84 -	32	
	" 4	" " "			Sugar	8	N 57 W	39	
	" 4	" " "			"	22	N 3 E	27	
	" 4	" " "			Cedar	18	N 70 W	16	
						Cedar	12	S 61 E	22
						B Oak	4	S 12 1/2 E	2 3/4
						Stone		S 57 W	30
						"		N 72 W	28
	By <u>W. H. Goss</u> Jan. 16 th 1894 at N					Stone		North	25
						Stone		South	25
	" c	Stone 13.20 ch S of No			Stone		West	25	
	" d	Stone 13.405 ch South of c			Sand Stone		N 45 W	25	
	" e	Stone 13.20 ch South of N			Lime Stone		West	25	
	" f	Stone 13.20 ch South of N			Sand Stone		N 45 W	25	
	" g	Stone 13.405 ch South of f			Lime Stone		East	25	
	" h	Stone 13.405 ch South of f			do do		North	25	
	" i	Stone 13.405 ch South of f			do do		East	25	
	" j	Stone 13.405 ch South of f			Stone		North	25	
By <u>W. H. Goss</u> Aug 13 th 1894 " "					Stone		N 54 1/2 W	48	
	" g	Stone 10. ch E of No			B Walnut	10	S 72 1/2 E	50	
	" h	Stone 10 ch N of g			Stone		North	-	
	" i	Stone 10 ch N of No			Sycamore	8	S 61 1/2 W	53	
	" j	Stone 10 ch N of No			Stone		South	25	
	" k	Stone 10 ch N of No			Stone		West	25	
	" l	Stone 10 ch N of No			Stone		South	25	
	" m	Stone 10 ch N of No			Stone		East	17	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Fractional Section 19 Township 11 North, Range 1 EAST

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
-------	-------------------	----------	-------------	--------	------	----------------	-------	----------	-------

By *C. H. Guss* Aug 13 1894 At 7 Stone in ditch 27.59 ch 71 of No Stone - South 39
 Twin Sycamore 28 S 24 1/2 E 34

9		E	D	C	B	A			
1		F	C	G	I	K		" h Stone 52 ch S. of L	Stone - East 22
7				N				" n " 14.79 ch S. of L	" West 22
2		P	O	Z	M	L		" l. " 5.31 ch S. of M.	" East 25
9				W				" m " 14.79 ch S. of M.	" West 23
7		O	R	X	T	U		" S. 202 ch S. of M equal dist to W	" N 40 E 25
6				V				L Stone on old stone	S 40 W 25
2		Z	Y	X	W	V		K " " " "	

Vertical line through N, Z, X

By *Hyck & Shuman* May 20th 1903
 For *Christian Klocky et al.*
 by *E. H. Cantelery*
 By *William F. Smith* 4-24-36

8		L	ORIGINAL stone	stone	W. N 86° E	14 ft.			
				Sugar tree	20° N 17° E	56 ft.			
		K	1 1/2 ch. g. of A from L to M	stone	West	23 ft.			
		M	1" iron pin	Slate stone	North	16 ft.			
				Sycamore	13° S. 30° E	45 ft.			

FOUND OLD STR. UNDER PUMPT.
 SET 1" PIPE 3' LONG

5		P(N)	PIPE	N. NE COR CHURCH	S.W.	95.8'			
5				JULIA E. MARSHALL	S.E.	32.9			
5				HEADSTAL 1918	S.E.	101.0			
5				POWER POLE	NORTH	16.4			
5		<i>Moore</i>	E 1" IRON PIPE	T86 SPC PSCI	N	57.9'			
5				UTILITY POLE					
5				UNDROND GAS LINE	STANDPIPE S	118.7'			
5		<i>Harker</i>	N STONE	IP. COR SEC 34 11 W	S				
5				- PWR POLE	NW	21.25'			
5				RR ON SEC LINE	E	217'			
5				- LIBER MEADOWS	SUB HARKER				
5		<i>Harker</i>	M pipe	- TEL POLE	NW	16.7'			
5				PWR POLE	SE	92.12'			
5				PWR POLE	SW	56.0'			
5				LIBERTY MEADOWS					

7 9 5 3 0 1 2 3 4 5 6 7 8 9


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **20** Township **11** North, Range **1 East**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p>By <i>M^o Mabb</i></p> </div> <div style="flex: 1; padding-left: 10px;"> <p>At <i>S</i></p> <p>" <i>K</i></p> <p>" <i>T</i></p> <p>" <i>H</i> Stone con</p> <p>" <i>N</i> " "</p> <p>" <i>O</i> " "</p> <p>" <i>M</i> " "</p> </div> </div>					Beech	30	N 69 W	28 1/2	
						Elm	14	N 31 W	42
						Hickory	8	S 7 E	11
						Elm	15	N 34 W	12
						Sugar	20	S 30 W	42
							22	N 15 W	39
						Stone		S 5 1/2 W	21
						Beech		N 78 E	26
						Stone	6	N 45 W	12
						"	6	S 45 E	12
						"	8	N 45 E	15
						"	6	S 45 W	15
						R Oak	5	S 54 E	12
						do	4	N 82 W	8
	<p><i>B. F. Butler</i></p>					Stone	18	N 68 E	20
					Stone		North	20	
					"		South	20	
					N Oak	24	S 81 E	22	
					do	12	S 4 E	11	
					Sugar	30	S 60 W	14	
					Beech	10	S 56 E	53	
					N Oak	9	S 57 1/2 E	8 1/2	
					Hickory	4	S 71 W	23	
					4 Stone see old book	20	S 89 W	38 1/2	
<p><i>E. A. Bourne</i></p>					N Oak	12	S 60 E	253	
					do	20	N 40 E	91 1/2	
					Sugar	12	S 23 E	130	
					Stone		N 45 E	30	
					"		S 45 W	30	
					"		S 71 E	5	
					R Oak	20	N 38 W	28 1/2	
					beech	30	N 43 1/2 W	12 1/2	
					elm	16	S 89 W	115	
					elm	5	S 49 W	98	
<p><i>H. A. Blank, May 31, 1909</i></p> <p><i>to G. S. ch. No. 9</i></p>					Red Hawk		S 29 W	109 1/2	
					no witness				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 20 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By M^{rs} Mabb</p> 	At S				Beech	30	N 69 W	28 1/2
	" K				Elm	14	N 31 W	42
	" J				Hickory	8	S 7 E	11
	" I				Elm	15	N 39 W	12
	" H				Sugar	20	S 35 W	42
	" G					22	N 15 N	39
	" F		Stone cor		Stone		S 5 1/2 W	21
	" E		" "		Beech		N 78 E	26
	" D		" "		Stone 6		N 45 W	12
	" C		" "		" 6		S 45 E	12
	" B		" "		" 8		N 45 E	15
	" A		" "		" 6		S 45 W	15
			" "		" Oak	5	S 54 E	12
			" "		do	4	N 82 W	8
	<p>B. F. Butler</p>	" P	Stone				18	N 68 E
" O					Stone		North	20
" N					" Oak		South	20
" M					" Oak	24	S 81 E	22
" L					do	12	S 9 E	11
" K					Sugar	30	S 60 W	14
" J					Beech	10	S 56 E	53
" I					N. Oak	9	S 57 1/4 E	8 1/2
" H					Hickory	4	S 71 W	23
" G		4	Stone - see old book		Beech	20	S 89 W	39 1/2
<p>E. A. Bourne</p>	" F				N. Oak	12	S 60 E	253
	" E				do	20	N 40 E	91 1/2
	" D				Sugar	12	S 33 E	130
	" C		Stone cor		Stone		N 45 E	30
	" B		" "		"		S 45 W	30
	" A		" "		"		S 71 E	5
	" 10		" "		N. Oak	20	N 38 W	28 1/2
	" 9		Stake		Beech	30	N 43 1/2 W	122 1/2
<p>H. A. Blunk, May 31, 1909</p>	" 8				elm	16	S 89 W	115
	" 7				elm	5	S 49 W	98
	" 6				Red Hawk		S 29 W	109 1/4
<p>b. 65th ch. N of G</p>					<p>no witness</p>			


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 20

Township 11

North, Range 1 E

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
87 1/2			e 10.50 ch stake			wild cherry		N 44 E	84
12			N of G						
11			d. 15.50 N of G			stone		east	16 ft.
12						"		west	16 ft.
12			e 23.25 stake			W. Walnut		North	20
39			N of G						
21			f good			ash	16	S 30 W	9
16			N of G			"	16	S 30 W	11 1/2
12			7.10.00 N of G			No witness			
12			h 15.00 N of G			stone		North	23
15						"		South	23
15	By H. G. Blunk ✓ Feb - 1932 -		P- of white 4-30-51			stump	15	N, 20 E,	85 1/2
2						stump		S, 40 W,	25 1/2
8						Wild Cherry	16"	N, 80 1/2 E,	28 1/2"
20	p is 7,72 1/2 ch. South of P					Elm ✓	14"	East	22 1/2"
20	o is 7,72 1/2 ch. South of O								
20	H. G. Blunk Apr. 10 - 1934								
20	h is 14,79 ch. South of P.					old stump		West	22 1/2"
22	Elm. Tree Survey					S. W. Corner of Charles F. Hunt		N, 75 E,	6 1/2"
11						Texas Walnut	15"	N, 34 1/2 W,	137 1/2"
16	Wilbur F Smith Co. Surveyor for McDaniel and Anderson					Beech	6"	N, 20 E	10 1/2"
33	H. G. Blunk & R. Reeves Assts.					B. Oak	8"	N, 72 W	5 1/2"
84	May 27 and 30 1951					Quadruplets Black Oaks	6"	S. West	12 1/2"
23						Stone Established B. Hickory	20"	N, 20 W	24 1/4"
38 1/2									
253									
91 1/2									
130									
30									
30									
5									
28 1/2									
122 1/2									
115									
78									
102 1/2									



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 21 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By Benj. J. Butter</p> <p>Spencer Ciatt April 21st 1883 See also see 24</p>	AT				S. Oak	7	N42°E	11½
	"	N	Stone		do	15	East	27½
	"	O			11 Oak	18	S45°W	27½
	"				do	15	S4°E	30½
	"	E	Stone		R. Oak	8	N84°W	67½
	"				do	12	S62°E	16½
	"				do	8	S87°E	6
	"	D			W. Oak	24	N8°E	34
	"				Ironwood	12	N34½°E	13
	"				"	10	S60°W	15
					Sugar	12	N14°E	58
					R. Elm	8	S69½°E	15

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 22

Township

North, Range

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Huu.	Bearing Trees.	Diam.	Courses.	Dist.
<p>M is 9.85 chs West of S</p>		Stone			Black oak 5 N 70 W 18 White oak 30 N 55 E. 95			
	M.	3/4 Galv. Pipe 20.04 chs west of L.			N.W. corner of Brick Fdn of Fruit House S. East 41 L 1" Apple tree 8" S-15° E. 43' 5"			
	4	3/4" pipe 9.58 chs South of M. 18.00 chs West of L			Stone North 7 ft.			
	m	1/2 Galv pipe set } 12.00 chs East of N. on South Edge of Traveled Road way. 112 3/4 West of West Back wall of Bridge			1 1/4 Galv pipe N. 9° W 33' 0"			
Earl O Gilbert 6-14-45	S.	Galv. Pipe 7071			Elm 15' S 77 E 23' 1/2			
H. A. Blank Highway					" 10 S 2 E 31.			
Wilbur F Smith 10-15-52	V	1 1/4 Galv. pipe in County Road.			{ OAK 36' S. E. 51'-4" 3/4 Galv. pipe South 50' 00"			
Ed. Comstock & A Recor Assts.	U	1/2 Galv. pipe in County Road.			S. E. corner of The East Front of Brick School House N. W. 54' 10" Twin Persimmons. West 55' 9"			
V TO U 20.40 chs.	L	1 1/4 Galv pipe			10.98 chs North of U and 9.58 chs South of L.			
See Deed Record # 116 P. 251 for description of School House and Catholic Cemetery Tracts:	J	1" Galv pipe in County Road 2.06 chs West of L			+ in S. End of East Handrail of Conc. Bridge N. E. 22' 3" + in S. End of West Handrail of Conc. Bridge N. W. 21'-10"			
U TO K 41.12 chs:	2	1 1/4" pipe 8.22 chs East of Cor L (in Sec. 23) on West Bank of Indian Creek.			B. Walnut 16" North 19'-0" B. Walnut 6" S. 15° E. 24'-6"			
Stake set for L 1/2 distance	K	old stone found 2" Angle Iron driven by side of stone. stone 4' under ground dug out with Dozer.			1 1/4 Galv Pipe South on Line 15'-0" 8" S. 83° E 6'-3"			
U to K or 20.56 chs.	A	3/4" Pipe 4.69 chs North of L on South Bank of Indian Creek.			Maple 12" N. E. 9'-6" Twin Willow 8" N. W. 22'-9"			
N Stone Found old References OK.	3	1" Galv pipe in County Road 7.46 chs West of L			B. Walnut 9" S. 25° W 36'-10" 3/4 Galv pipe West on Line 27' 0"			
M TO N. 20.23 chs.	S	2" Angle Iron set by Gilbert & Blank.			Elm 15° East 15'-10" Elm 12" South 20'-10" R OAK 24' N 1 1/2 E 18'			
		EMC STONE			Shell factory 12" S 58 1/2 W 20' 6"			

Holloway & N
SEE PAGES FOLLOWING SEC. 36

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 23 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By <i>A. Headley</i> ✓</p>	at A				17 Oak	38	N 33 W	4	
	" O				Beech	18	S 31 E	67 1/2	
	" E				"	18	S 8 W	14	
	" H				"	22	N 14 E	22 1/2	
	" K				"	12	S 74 W	76	
	" L				"	24	North	16	
	" M				"	10	S 76 E	21	
	" N				"	10	N 18 W	8	
	" U M.R.	" I			Sugar	10	N 18 W	8	
	" V	" K			Walnut	16	S 44 E	23	
<p>By <i>J. Butler</i></p>	" J	Stone			B Walnut	8	South	79	
	" I	"			do.	17	S 15 W	85	
	" L	"			Old tree				
	" K	"			Elm	10	N 20 E	47	
	" J	"			B Walnut	5	N 4 W	34 1/2	
	" I	"			Hickory	5	N 6 W	7 1/2	
	" H	"			Dogwood	4	N 74 1/2 E	6 1/2	
	" G	"			Stone		South	38 1/2	
	" F	"			"		North	14	
	" E	"			"		South	25	
<p><i>Ch. H. Gos</i> Feb 17 1891</p>	" D	"			"		East	20	
	" C	"			17 Oak	18	N 43 E	23	
	" B	"			Red Elm	8	S 44 E	22	
	" A	"			Mulberry	2	S 39 W	16 1/2	
	"	"			Stone		N 1 E	19	
	"	"			G. Ash	10	N 68 W	30	
	"	"			Stone		East	25	
	"	"			"		West	25	
	<p><i>By H. R. Blum</i>, Deputy for <i>Wilbur Smith</i> - Mar. 28 1897</p>	"	Stone			Beech	20	N 71 E	64 1/2
		"	STONE			Beech	15	N 48 1/2 W	79
"					OAK	8"	S 60 W	53.8	
"					STONE		E	13.5	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *24*

Township *11*

North, Range *1 East.*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By <i>M Riggins</i> at <i>N</i></p> <p><i>H.P.</i> " <i>O</i></p> <p><i>B.F.B.</i> " <i>O</i> stone</p> <p>" <i>a</i> "</p> <p><i>E.A.B.</i> " <i>M</i> "</p> <p><i>June</i> " <i>J</i> "</p> <p>" <i>O</i> "</p> <p><i>Cl. H. Jones Feby 17. 1891.</i> " <i>R</i> " <i>10 1/2</i></p> <p>By <i>Wilbur F Smith Aug 5-1892.</i></p> <p><i>E.D. Landberg & A. Reum</i> asst.</p> <p><i>N - 7.16 chs south and</i></p> <p><i>0.88 ch west of corner N.</i></p> <p><i>13" 1879</i></p>					<i>Beech</i>	<i>20</i>	<i>N6E</i>	<i>76</i>	
						"	<i>24</i>	<i>N67W</i>	<i>44</i>
						"	<i>5</i>	<i>N47E</i>	<i>39</i>
						"	<i>8</i>	<i>N72E</i>	<i>37</i>
						<i>Elm</i>	<i>7</i>	<i>S64E</i>	<i>37 1/2</i>
						"	<i>8</i>	<i>N4 1/2 W</i>	<i>133 1/2</i>
						"	<i>3</i>	<i>S89E</i>	<i>24 1/2</i>
						<i>H. Cherry</i>	<i>10</i>	<i>N1 1/2 W</i>	<i>112</i>
						<i>Beech</i>	<i>20</i>	<i>N39E</i>	<i>11</i>
						<i>Nalnut</i>	<i>8</i>	<i>S61W</i>	<i>88</i>
						<i>stone</i>		<i>N52W</i>	<i>18</i>
						"		<i>S15W</i>	<i>38</i>
						<i>Beech</i>	<i>17</i>	<i>N63E</i>	<i>40</i>
						"	<i>20</i>	<i>S66E</i>	<i>41 1/2</i>
						"	<i>16</i>	<i>South</i>	<i>11</i>
					"	<i>20</i>	<i>S74E</i>	<i>25</i>	
					<i>Hickory</i>	<i>10"</i>	<i>N. E.</i>	<i>24 1/2</i>	
					<i>Sassfras</i>	<i>6"</i>	<i>East</i>	<i>14 1/2</i>	
							<i>N. 88-45' East of N.</i>	<i>distance 20.36 chs</i>	
							<i>S.E. cor. of West</i>	<i>Concrete</i>	
							<i>Head of Culvert</i>	<i>N 87 W 37 1/2</i>	
							<i>Poplar</i>	<i>4" 9.33 1/2 E. 38-1/2</i>	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 25 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inun.	Bearing Trees.	Diam.	Courses.	Dis.
By W. Pickett.	At the				Beech	4	S 40 E	8
					"	7	N 4 E	28
		F			"	18	S 40 W	17
		G			"	15	N 20 W	18 1/2
		H			"	7	N 70 E	15
		I			"	9	N 73 W	25
		J			"	12	N 84 W	32
		K			ash	5	S 38 W	49
		L			N. Oak	28	S 4 E	22
		M			Beech	20	N 23 E	43
		N			"	18	S 38 E	27
	O			"	14	N 64 E	49 1/2	
	P			Elm	30	S 39 E	58 1/2	
	Q			Maple	10	S 34 W	47	
	R			Beech	12	S 45 W	8	
	S			"	7	N 35 E	28	
	T			Oak	8	N 54 E	6	
	U			Hickory	30	S 25 W	9	
	V			Beech	12	N 84 W	33	
	W			ash	5	S 39 W	49	
	X			Oak	28	S 43 E	42	
	Y			Beech	20	N 23 E	43	
	Z			"	30	S 45 W	49 1/2	
				Elm	18	N 56 W	91	
				Osage	3	S 70 E	20	
				Beech	6	N 62 E	21	
				"	22	N 14 E	18	
				"	18	S 82 1/2 W	74	
				N. Elm	2	S 44 W	54	
				Y. Oak	2	S 75 E	16	
				N. Elm	3	S 25 1/2 E	36	
				do	2	S 2 W	36 1/2	
				Beech	15	N 38 E	27	
				"	14	N 46 W	24	
				"	6	S 4 W	24	
				"	8	N 70 W	25	
Canaley June - 1853 old stone found					8" Hickory N.E. B.L.			
					10" Beech N.W. 22 L			


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 25

Township 11

North, Range 1 East

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Conree.	Dist.
8	E. A. Bourne	At e corner				Elm	12	S 61 1/2 E	58
8						B Walnut	12	S 64 W	77
7						Kickory	22	N 19 W	61
8 1/2						Stone Eng W		N 58 1/2 W	18 3/4
8						Stone		South	18
15						"		East	18
13						"		N 89 E	17
19						W. Elm	12	N 36 W	28 1/2
12						Stone		North	35 1/2
13						Stone		South	42
17						Beech	30	S 50 E	36 1/2
19 1/2						Stone		West	19 1/2
17						Stone E		East	30 1/2
8	C. G. Hooper Feb'y 18' 1891					Stone		S 57 1/2 W	14
8						"		S 58 1/2 E	14
6	High Johnson.					"		East	9
4						"		West	9
13						"		North	2.17
19	Carle O. Gilbert					"		S 3 1/2 W	30 1/2
12	Sept 24th 1905					Stone		North	59 1/2
13	W. S. H. Goss flagman					Sycamore		S W.	7 1/2
17 1/2	Philip Coffee } Jesse B. Coleman } Chairman					Stone		N 17 3/4 E	19
7 1/2	Survey for J. C. Kepp					"		S 17 3/4 W	28
20 1/2						"		East	25
28						"		West	25
18						"		West	25
74						"		South	25
74 1/2						"		South	25
16						"		East	25
16 1/2						X Stone on N bank of Crk.		Marked W North	40
17 1/2						Sycamore	14	N 46 3/4 E	45
29						R. Stone 14.00 ch E of y.		Stone marked W S 30 W	35
29						"		" S 30 E	35
29						Y. Stone		Beech 24 S 88 E	111
29						Stone		North	34
29								E	6



SEE PAGES FOLLOWING
SEC 31

7 12.0
 9 15.6
 9 15.6
 7 12.0

Sec. 25 T₁₁ N. R. 1 E.

Char. 14, 09

Set cor at E by old witness W. oak stump
 Base 2 6 in. Dia. N 81 1/2 E 55 1/2 lks.
 " 15 " " N 60 W 71 1/2 "

N 56 0 8 of E and } beech 8 75 1/2 E 69 links
 " 1/2 E 5.17 ch. } " 22 in N 84 1/2 W 27 links

N 2 75 ch 8 of N. } stone N 18 1/2 W 27 links
 " " " " " " 8 18 1/2 E 33 links

(5 ch E of P) } stone West 20 links
 " " " " " " North 20 "

~~J.G. Blunk Jan. 28-1912 } cor 1 stake } Cherry N 55 W
 12.90 west and 1.59 S of h } Beech 8 85 3/4 E 10.
 cor 2 stake 8.33 west } Beech 8 39 1/4 W 5
 and 1.59 S of h } Beech N 78 1/2 E 7.~~

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *SEC 25* Township *11N*

North, Range *1E*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>E — D — C — B — A</p> <p>F — C — H — I — K</p> <p>P — O — N — M — L</p> <p>O — R — S — T — U</p> <p>Z — Y — X — W — V</p>	<i>L</i>	<i>STONE (12. OVER)</i>			<i>W CHERRY</i>	<i>6"</i>	<i>S20W</i>	<i>14'4"</i>
					<i>W CHERRY</i>	<i>4"</i>	<i>S45W</i>	<i>27'2"</i>
					<i>BEECH</i>	<i>16"</i>	<i>N85W</i>	<i>86'4"</i>
		<i>Z</i>			<i>A</i>			
	<i>W</i>	<i>STONE</i>			<i>THORN</i>	<i>12"</i>	<i>N</i>	<i>38'4"</i>
	<i>Z</i>	<i>Stone</i>			<i>Stone</i>	<i>1"</i>	<i>N</i>	<i>25'4"</i>
					<i>"</i>		<i>S</i>	<i>25'4"</i>
	<i>Y</i>	<i>stone</i>			<i>Stone</i>		<i>S</i>	<i>34'4"</i>
					<i>"</i>		<i>E</i>	<i>21'4"</i>
<p><i>W TO X 20.00 chains 1925 Smith</i></p> <p><i>W TO Y 40.00 chains 1925 Smith</i></p> <p><i>W TO Y Bearing is N 88 1/4 East to U 1925 Smith</i></p>								
<p><i>ADDITION</i></p> <p><i>TO</i></p> <p><i>SEC 25</i></p>								

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 26 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By M. Riggs</p> <p>By M. Herwig</p>	At N				Sycamore	20	N 85 E	8
	"	H			"	20	N 34 E	9 1/2
	"	B			Hickory	24	N 4 W	59
	"				"	8	- 75 E	61
	"	B			Beech	14	N 81 E	30 1/2
	"				Ash	3	N 55 W	11 1/2
	"	I			Poplar	12	N 5 E	54
	"				Beech	2	N 42 W	13
	"	I			Sugar	18	N 31 E	35
	"				Beech	22	N 30 E	12
	"	I			Beech	12	N 50 W	11 1/2
	"				Sogwood	3	N 38 W	17
	"				Elm	10	N 55 W	56
	"				Poplar	5	East	25
	<p>B. H. Butler</p>	"	a			Beech	12	N 50 W
"		B			Sycamore	5	N 33 W	32
"					N Beech	3	N 32 E	12
"					Sogwood	2	N 88 E	12
"		c	Stone cor.		Stone		West	15
"					"		North	15
"		M	Stone		Beech	30	N 90 W	33 1/2
"					Elm	4	East	23
"		S	"		Stone		East	15
"					"		South	15
"		O	"		"		East	15
"					"		South	21
"		R	"		"		West	14
"					"		North	15
"		17	" See old book		"		North	15
"				"		West	15	
"	F	"		"		West	15	
"				"		South	15	
"	P	Stone cor.		"		South	10	
"				"		North	10	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<i>By W. Pickett</i>	<i>At K</i>				<i>Hickory</i>	<i>10</i>	<i>North</i>	<i>6</i>
	<i>A</i>				<i>"</i>	<i>20</i>	<i>S 3 W</i>	<i>5</i>
	<i>" B</i>	<i>Stone</i>			<i>Beech</i>	<i>5</i>	<i>N 60 E</i>	<i>23</i>
	<i>" C</i>	<i>Stone</i>			<i>Ash</i>	<i>8</i>	<i>S 72 W</i>	<i>18</i>
	<i>" D</i>	<i>Stone</i>			<i>Poplar</i>	<i>20</i>	<i>N 40</i>	<i>15</i>
	<i>" E</i>	<i>Stone</i>			<i>N Oak</i>	<i>7</i>	<i>S 58 W</i>	<i>11</i>
	<i>" F</i>	<i>Stone</i>			<i>R. Oak</i>	<i>8</i>	<i>S 40 E</i>	<i>7</i>
	<i>" G</i>	<i>Stone</i>			<i>Ash</i>	<i>6</i>	<i>S 52 W</i>	<i>21</i>
	<i>" H</i>	<i>Stone</i>			<i>Stone</i>		<i>N 40 E</i>	<i>17</i>
	<i>" I</i>	<i>Stone</i>			<i>"</i>		<i>S 47 E</i>	<i>24</i>
	<i>" J</i>	<i>Stone</i>			<i>Sum</i>	<i>20</i>	<i>S 75 W</i>	<i>61</i>
	<i>" K</i>	<i>Stone</i>			<i>Hickory</i>	<i>3</i>	<i>N 53 W</i>	<i>40</i>
<i>B. J. Butler</i>	<i>" L</i>	<i>Stone</i>			<i>G. Ash</i>	<i>-</i>	<i>N 65 W</i>	<i>11</i>
	<i>" M</i>	<i>Stone</i>			<i>N Oak</i>	<i>48</i>	<i>S 43 E</i>	<i>15</i>
	<i>" N</i>	<i>Stone</i>			<i>Beech</i>	<i>15</i>	<i>N 17 W</i>	<i>49</i>
	<i>" O</i>	<i>Stone</i>			<i>N. Oak</i>	<i>24</i>	<i>N 25 E</i>	<i>18</i>
	<i>" P</i>	<i>Stone</i>			<i>Maple</i>	<i>10</i>	<i>S 50 1/2 E</i>	<i>17</i>
	<i>" Q</i>	<i>Stone</i>			<i>N. Oak</i>	<i>-</i>	<i>N 76 W</i>	<i>30 1/2</i>
	<i>" R</i>	<i>Stone</i>			<i>Hickory</i>	<i>12</i>	<i>N 63 1/2 E</i>	<i>21</i>
	<i>" S</i>	<i>Stone</i>			<i>R. Oak</i>	<i>3</i>	<i>S 14 1/2 E</i>	<i>14</i>
	<i>" T</i>	<i>Stone</i>			<i>Elm</i>	<i>30</i>	<i>N 13 1/2 W</i>	<i>21 1/2</i>
	<i>" U</i>	<i>Stone</i>			<i>B. Walnut</i>	<i>18</i>	<i>N 25 3/4 W</i>	<i>88 1/2</i>
	<i>" V</i>	<i>Stone</i>			<i>R. Oak</i>	<i>20</i>	<i>N 44 E</i>	<i>36</i>
	<i>" W</i>	<i>Stone</i>			<i>do</i>	<i>10</i>	<i>N 67 E</i>	<i>56 1/2</i>
<i>Spencer Keitt Apr 23rd 1883</i>	<i>" X</i>	<i>Stone</i>			<i>Elm</i>	<i>14</i>	<i>S 5 E</i>	<i>60</i>
<i>F to a, G to b, 5 chains</i>	<i>" Y</i>	<i>Stone</i>			<i>Sugar</i>	<i>16</i>	<i>S 4 E</i>	<i>15 1/2</i>
	<i>" Z</i>	<i>Stone</i>			<i>S. Oak</i>	<i>6</i>	<i>N 25 E</i>	<i>41</i>
		<i>STONE</i>			<i>Beech</i>	<i>23</i>	<i>S 22 3/4 W</i>	<i>50</i>
<i>by C.D. Miller 6/65</i>		<i>STONE</i>			<i>Poplar</i>	<i>5</i>	<i>S 64 3/4 E</i>	<i>83</i>
		<i>IRON PIPE 5 1/2"</i>			<i>WALNUT</i>	<i>12</i>	<i>NORTH</i>	<i>130</i>
		<i>PIPE 5 1/2"</i>			<i>PWR. POLE</i>		<i>S 5 W</i>	<i>18.4</i>
					<i>WALNUT</i>	<i>20</i>	<i>S 8 W</i>	<i>84.5</i>
					<i>HICKORY</i>	<i>12</i>	<i>S 45 E</i>	<i>35.5</i>
<i>R. Holloway 69</i>	<i>W</i>							

SEE SEC 34-B

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27

Township 11

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	L	STONE W +			Shag. Hickory		EAST	4.58	
					TWIN ASH		S49 E	51.75	
					MAPLE	7"	N38 E	18.5'	
		A	12" IRON PIPE IN ROAD			UTILITY Pole		S48 W	36.25
					" "	" "		N12 E	38.58
					PIN OAK	4'	SE		
	C	STONE			soft Maple		S26 W	23.7'	
					twin Maple		S62 E	16.2'	
					Rod OAK		N89 W	34.3	
L, A, C, N - 5/83 RCG									
	N	STONE W IRON PIPE over							

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By B. H. Butler	U	N	Stone					
	"	C	"		Sassafras	10	N 75 E	21
	"	"	"		Beech	10	S 30 1/2 E	37
	"	"	"		W Oak	3	S 52 E	18
	"	"	"		do	3	N 53 E	18
	"	"	"		R. Oak	3	N 9 W	20 1/2
	"	"	"		B. Oak	20	N 66 E	52
	"	"	"		Sassafras	5	S 85 W	14
	"	"	"		G. Ash	-	S 57 E	18
	"	"	"		W Walnut	-	S 86 W	15 1/2
	"	"	"		B. Gum	-	S 56 W	21 1/2
	"	"	"		Hickory	8	S 23 W	3 1/2
	"	"	"		R. Oak		N 51 1/2 W	2 1/2
	"	"	"		Hickory	14	N 62 W	8
	"	"	"		W. Oak	28	S 61 1/2 W	22 1/2
	"	"	"		Hickory	3	S 79 E	14 1/2
	"	"	"		Hickory	16	N 8 1/2 W	23
	"	"	"		"	16	N 42 E	30
	"	"	"		Beech	14	South	24
	"	"	"		"	16	N 25 W	41
	"	"	"		B Walnut	4	East	39 1/2
	"	"	"		Sugar	7	N 2 1/2 E	17
	"	"	"		Beech	10	S 25 W	20 1/2
	"	"	"		"	8	S 60 1/2 W	21
	"	"	"		W. Oak	24	S 9 W	15
	"	"	"		do	20	N 28 W	19
	"	"	"		Beech	14	N 15 W	45 1/2
	"	"	"		W Walnut	7	S 1 E	10 1/2
	"	"	"		B. Oak	8	N 76 E	4 1/2
	"	"	"		do	5	N 40 W	38 1/2
	"	"	"		Beech	15	S 78 E	58
	"	"	"		Sassafras	5	S 61 1/2 W	13 1/2
	"	"	"		"	9	N 53 E	52
	"	"	"		W. Oak	28	S 83 W	15 1/2

Survey Apr. 20th 1883
 by N. J. Cunningham, Justice
 Hattie J. et al.
 Wm. Cutler } Chairman
 N. Fisher }
 Matt. Mc. Gowan
 Flagman
 See also page 21

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Dist.	Course.	Dist.
By M Riggs	at G				Sugar	16	S 63° E	31
					Dogwood	4	S 25° E	19
					Beech	22	S 21° W	60
					"	10	S 38 1/2° E	82
					"	10	S 50 1/2° E	45
					"	-	N 16° W	43
					"	18	North	18 1/2
					N. Oak	6	S 5° E	15
					B. Oak	6	N 39° E	13 1/2
					Beech	24	N 13 1/4° E	92 1/2
					B. Walnut	10	S 12 1/2° W	95
					Beech	12	S 73 1/2° W	18
					"	9	N 54 1/2° W	15
					B. Oak	4	S 28 1/2° W	34
					B. Gum	4	S 22° E	44
					S. Oak	2	S 40° W	57
					Engwood "A" Stone	6	N 18° E	15 1/4
					B. Oak	6	N 40 1/2° E	24 1/2
					N. Oak	2	S 52 1/2° E	18 1/2
					Maple	18	S 55 1/2° W	18 1/2
					Beech	14	N 32° W	24
					"	12	North	14
					"	12	S 17° W	31 1/2
					"	7	N 40 1/2° E	20 1/2
					Hickory	16	N 39 1/2° E	64
					Maple	8	N 50° W	66 1/2
					N. Oak	3	N 77° E	6
					N. Walnut	6	N 88 1/2° W	27
					Beech	12	N 9° W	91
					N. Walnut	4	S 73° W	42
					Elm	2	N 62° W	36 1/2
					R. Oak	8	S 45° W	22
					do	-	N 38 1/2° E	19

Survey for Elvris Klocke et al. Apr. 30th 1888 by Long & Co. Long and

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 11 North, Range East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>Chas Long Assts G.W. Poore Surveyor Wilson F. Smith CO Engr. APR 12 - 36</p>	<p>At B Stone</p> <p>" a " 1000 ch. S of B Stone</p> <p>E Original Stone Re-witnessed</p> <p>D. ✓ 1 1/4" galv. pipe S.W. cor. Lot 7 Sch. H. S.W. cor. post. 10' south 10"</p> <p>Q old Stone</p>	<p>B. Oak 10" N 89 E 15'</p> <p>Sycamore 2" S 15 3/4 E 39 1/2'</p> <p>Stone N 73 1/2 E 15 1/2'</p> <p>Stone N 64 1/2 W 47'</p> <p>Beech 16" S 36 W 22 ft.</p> <p>Beech 36" S 28 E 42 9"</p> <p>1" iron shaft with gear wheel</p> <p>3/4" iron pipe</p> <p>3/4" pipe in Road</p> <p>3/4" pipe</p> <p>old Stone</p> <p>1" I.P. 2 1/4' from Edge of Road</p> <p>Transformer Pole NE corner of tile House RR Spike on E of Road</p> <p>Hickory 10" S 25 E 5' 1"</p> <p>" 7" N 85 E 54' 5"</p> <p>" 13" S 20 E 20' 7"</p>	<p>15'</p> <p>39 1/2'</p> <p>15 1/2'</p> <p>47'</p> <p>22 ft.</p> <p>42 9"</p> <p>31 ft.</p> <p>10"</p> <p>12 1/2 L</p> <p>15 L</p> <p>56 L</p> <p>12.8'</p> <p>19.3'</p> <p>0.83 L</p> <p>0.30 L</p> <p>12.3'</p> <p>45.7'</p> <p>15' 1/4</p> <p>81' 8"</p> <p>55' 2"</p>	<p>July 19, 1952</p> <p>For Henry Burnes Jr. by E.D. Canatsey - Dep. Surveyor</p> <p>1. is 2.35 ch. East of Q</p> <p>2. is 3.65 ch. E. of 1. (in Road)</p> <p>3. is N. 20 E with Road - 3/4" pipe in Road</p> <p>4. is N. 44.5 ch. from 1. - 3/4" pipe</p> <p>For Clarence Owens. Canatsey APR. 14, 1953</p>	<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5.</p>	<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5.</p>	<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5.</p>	<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5.</p>	<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5.</p>

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Fractional Section 30 Township 11 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="font-size: 1.2em; font-family: cursive;">By More</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <p>E — D — C — B — A</p> <p>F — C — H — I — K</p> <p>P — O — N — M — L</p> <p>O — R — S — T — U</p> <p>Z — Y — X — W — V</p> </div> <div style="text-align: center;"> <p>11-1-W</p> <p style="font-size: 1.5em;">11-1-E</p> </div> </div> <p style="font-size: 0.8em; margin-top: 10px;"> Sec. 28 2nd P. 18 </p>	<p style="font-size: 1.5em; font-family: cursive;">At E</p> <p style="font-size: 1.5em; font-family: cursive;">Stone</p>							
	"	H			R. Oak	8	N 86° E	49
	"	I			Maple	4	S 10° W	6
	"	J			Poplar	4	S 81° E	20
	"	K			Red Bud	2	S 46° W	16
	"	L			Beech	20	S 35° E	25
	"	M			"	24	N 14° W	46
	"	N			Hickory	20	S 62° E	27
	"	O			N. Oak	16	N 37° W	32
	"	P			Walnut	3	S 43° W	31
	"	Q			Stone		N 62° W	17
	"	R			Beech	15	S 80 1/2° W	8 1/2
	"	S			"	6	N 16° W	22 1/2
	"	T			"	12	N 15° W	9 1/2
	"	U			"	12	N 62° E	10 1/2
	"	V			"	13	N 15 1/2° W	17 1/2
	"	W			"	12	N 34 1/2° W	17 1/2
	"	X			"	8	S 48 1/2° E	27
	"	Y			"	20	S 18 1/2° E	48
	"	Z			Stone		North	4 1/2
<p style="font-family: cursive;">By E. H. Conaley 1828</p> <p style="font-size: 0.8em; font-family: cursive;">see Sec. 30 T11N. 2E</p>	<p style="font-size: 1.5em; font-family: cursive;">H.</p> <p style="font-size: 1.5em; font-family: cursive;">Stone (found)</p>							

Section

32

Township

11

North, Range

1 East.

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.

Hun.

Bearing Trees.

Diam.

Courses.

Dist.

By B. A. Butler

at M stone

Beech

8 N50W


22

14 S43 E

21

12 N72W

12



E
F
P
O
Z

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section

33

Township

11

North, Range 1 East



By M. Riggins

At I

Bearing Trees	Diam.	Courses	Dia
Bash	16	S11W	25
Beech	12	S49E	10
Hickory	6	S11W	10
Beech	5	S27E	20
Dogwood	1	N80E	6
W Oak	16	N37W	24
Combrau	5	S27W	27
B Gum	14	S84E	15

J. J. Kergland

O Stone cor

Dogwood	5	S78E	5
Sugar	24	N5W	42
Beech	15	S27W	20
"	7	S38E	16
Hickory	26	S25E	24
R Oak	3	S6W	2
Oak	20	N52W	24
C. Oak	10	N8E	42
Beech	14	S74E	31
N Oak	24	S9W	41
Peach tree	12	N47E	21
do	12	N16W	30
Gum	26	N22W	30
Hickory	8	N52E	29
White Oak	9	S2E	8
" "	8	N49 1/2 W	17

By Carr Hoate Dec. 27-1912

J "

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *34*

Township *11*

North, Range *1 East*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dia.
<p><i>By William J. Craig</i></p> <pre> E — D — C — B — A F — C — H — I — K P — O — N — M — L O — R — S — T — U Z — Y — X — W — V </pre>	<i>At G Stone</i>				<i>Beech</i>	<i>7</i>	<i>N73E</i>	<i>33</i>
	" <i>O</i> " "				<i>Hickory</i>	<i>16</i>	<i>S73W</i>	<i>18</i>
	" <i>F</i> Stone				<i>B. Oak</i>	<i>20</i>	<i>S53W</i>	<i>45</i>
	" <i>U</i> "				<i>do</i>	<i>24</i>	<i>N4E</i>	<i>23</i>
	" <i>B</i> "				<i>do</i>	<i>30</i>	<i>S48E</i>	<i>27</i>
	" <i>N</i> "				<i>"</i>	<i>9</i>	<i>N15W</i>	<i>26</i>
	" <i>E</i> "				<i>Poplar</i>	<i>20</i>	<i>S60E</i>	<i>32</i>
	" <i>M</i> "				<i>Hickory</i>	<i>8</i>	<i>N80E</i>	<i>25</i>
	" <i>A</i> "				<i>"</i>	<i>10</i>	<i>N16W</i>	<i>6</i>
	" <i>I</i> "				<i>Beech</i>	<i>10</i>	<i>N82E</i>	<i>18</i>
	" <i>S</i> "				<i>Dogwood</i>	<i>4</i>	<i>S46E</i>	<i>19</i>
	" <i>X</i> "				<i>B. Oak</i>	<i>3</i>	<i>S17W</i>	<i>28</i>
<p><i>B. J. Butler</i></p> <p><i>Ol. H. Ross July 26th</i></p> <p><i>1891 Survey for E. V. Cummings et al</i></p> <p><i>Mag. Variation July 26th 1891.</i></p> <p><i>2° 27' East</i></p>	" <i>C</i> "				<i>Beech</i>	<i>12</i>	<i>N12E</i>	<i>17</i>
	" <i>H</i> "				<i>B. Poplar</i>	<i>8</i>	<i>S54W</i>	<i>16</i>
	" <i>K</i> "				<i>Stone</i>		<i>N45W</i>	<i>18</i>
	" <i>L</i> "				<i>"</i>		<i>S45E</i>	<i>28</i>
	" <i>J</i> "				<i>Beech</i>	<i>8</i>	<i>S84½W</i>	<i>50½</i>
	" <i>G</i> "				<i>"</i>	<i>8</i>	<i>N83E</i>	<i>26½</i>
	" <i>F</i> "				<i>"</i>	<i>18</i>	<i>S82½W</i>	<i>7</i>
	" <i>D</i> "				<i>"</i>	<i>10</i>	<i>N43E</i>	<i>23</i>
	" <i>E</i> Stone x				<i>Sugar</i>	<i>17</i>	<i>N73E</i>	<i>71½</i>
	" <i>I</i> Stone in place as shown				<i>Spruce</i>	<i>—</i>	<i>S65½W</i>	<i>15½</i>
	" <i>H</i> "				<i>B. Oak</i>	<i>12</i>	<i>S34E</i>	<i>30</i>
	" <i>G</i> "				<i>B. Oak</i>	<i>4</i>	<i>S2½W</i>	<i>19</i>
" <i>F</i> "				<i>Blk Oak</i>	<i>10</i>	<i>S70½W</i>	<i>50</i>	
" <i>E</i> "				<i>White Oak</i>	<i>16</i>	<i>N85E</i>	<i>33</i>	
" <i>D</i> "				<i>W.P.O. 16</i>	<i>STONE</i>	<i>8"</i>	<i>N</i>	<i>50k</i>
" <i>C</i> "				<i>ASH</i>	<i>8"</i>	<i>S6W</i>	<i>47k</i>	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA:

Section *35* Township *11* North, Range *1 East*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	In.	Bearing Trees.	Diam.	Courses.	Dist.																									
<p style="text-align: center;"><i>By M^c Mabb</i></p> <table style="margin: auto; border-collapse: collapse;"> <tr><td style="border: 1px solid black; padding: 2px;">E</td><td style="border: 1px solid black; padding: 2px;">D</td><td style="border: 1px solid black; padding: 2px;">C</td><td style="border: 1px solid black; padding: 2px;">B</td><td style="border: 1px solid black; padding: 2px;">A</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">F</td><td style="border: 1px solid black; padding: 2px;">G</td><td style="border: 1px solid black; padding: 2px;">H</td><td style="border: 1px solid black; padding: 2px;">I</td><td style="border: 1px solid black; padding: 2px;">K</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">P</td><td style="border: 1px solid black; padding: 2px;">O</td><td style="border: 1px solid black; padding: 2px;">N</td><td style="border: 1px solid black; padding: 2px;">M</td><td style="border: 1px solid black; padding: 2px;">L</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">O</td><td style="border: 1px solid black; padding: 2px;">R</td><td style="border: 1px solid black; padding: 2px;">S</td><td style="border: 1px solid black; padding: 2px;">T</td><td style="border: 1px solid black; padding: 2px;">U</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Z</td><td style="border: 1px solid black; padding: 2px;">Y</td><td style="border: 1px solid black; padding: 2px;">X</td><td style="border: 1px solid black; padding: 2px;">W</td><td style="border: 1px solid black; padding: 2px;">V</td></tr> </table>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	<i>ATM</i>				<i>Hickory</i>	<i>14</i>	<i>S 48 E</i>	<i>18</i>
	E	D	C	B	A																												
	F	G	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
	Z	Y	X	W	V																												
		<i>B</i>				<i>Maple</i>	<i>15</i>	<i>N 70 E</i>	<i>22</i>																								
		<i>R</i>				<i>Poplar</i>	<i>48</i>	<i>S 62 W</i>	<i>49 1/2</i>																								
		<i>S</i>				<i>Brownwood</i>	<i>4</i>	<i>N 11 W</i>	<i>27 1/2</i>																								
		<i>Y</i>				<i>H Oak</i>	<i>12</i>	<i>S 51 E</i>	<i>23</i>																								
	<i>X</i>				<i>Beech</i>	<i>9</i>	<i>N 75 E</i>	<i>32</i>																									
	<i>W</i>				"	<i>15</i>	<i>N 25 W</i>	<i>14</i>																									
	<i>V</i>				"	<i>8</i>	<i>N 81 E</i>	<i>4</i>																									
	<i>U</i>				<i>N Walnut</i>	<i>4</i>	<i>N 23 E</i>	<i>46</i>																									
	<i>T</i>				<i>B Walnut</i>	<i>3</i>	<i>East</i>	<i>39</i>																									
<p style="text-align: center;"><i>William J. Craig</i></p>	<i>X</i>	<i>Corner in Creek</i>			<i>Sugar</i>	<i>18</i>	<i>N 75 E</i>	<i>42</i>																									
	<i>Y</i>	<i>Stone</i>			<i>Elm</i>	<i>22</i>	<i>N 58 E</i>	<i>46</i>																									
	<i>Z</i>	<i>Stone</i>			<i>Ash</i>	<i>6</i>	<i>N 16 W</i>	<i>3</i>																									
	<i>V</i>	<i>Stone</i>			<i>Poplar</i>	<i>20</i>	<i>S 66 E</i>	<i>3</i>																									
	<i>U</i>	<i>Stone</i>			<i>Hickory</i>	<i>8</i>	<i>N 78 E</i>	<i>26</i>																									
	<i>T</i>	<i>Stone</i>			<i>B. Walnut</i>	<i>5</i>	<i>S 65 1/2 W</i>	<i>92</i>																									
	<i>S</i>	<i>Stone</i>			<i>Elm</i>	<i>-</i>	<i>N 6 1/2 E</i>	<i>30 1/2</i>																									
	<i>R</i>	<i>Stone</i>			<i>Beech</i>	<i>18</i>	<i>S 23 E</i>	<i>26</i>																									
	<i>Q</i>	<i>Stone</i>			"	<i>20</i>	<i>S 41 E</i>	<i>10 1/2</i>																									
	<i>P</i>	<i>Stone</i>			"	<i>30</i>	<i>N 57 E</i>	<i>23 1/2</i>																									
<p style="text-align: center;"><i>B. J. Butler</i></p>	<i>O</i>	<i>12" sq STONE</i>			<i>Pin Oak</i>	<i>30"</i>	<i>W</i>	<i>3.1"</i>																									
	<i>N</i>	<i>(2 ft HIGH - wood) post 1876</i>			<i>Hickory</i>	<i>8"</i>	<i>N</i>	<i>10.7"</i>																									
	<i>M</i>				<i>ASH</i>	<i>10"</i>	<i>S 30 W</i>	<i>88.4"</i>																									

E
F
P
O
Z

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

36

Township

11

North, Range

1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By M^{rs} Mabb</p> <p>M^{rs} Mabb</p>	At N ^o				Beech	10	S 21 E	53	
	" B				"	20	N 79 E	103	
	" M				Elm	30	S 39 E	58 1/2	
	" Craig	"	"		Maple	10	South	34 1/2	
	"	"	"		Sugar	15	N 34 W	5	
	"	"	"		Hickory	20	N 60 E	41	
	"	"	"		Stone		N 45 W	12	
	"	"	"		"		S 45 E	11	
	"	"	"		S Oak	4	S 16 E	19	
	"	"	"		Hickory	20	S 75 W	18 1/2	
	"	"	"		Stone		West	13 1/2	
	"	"	"		"		North	10 1/2	
<p>B. A. Butler</p>	"	"		"		N 54 W	17		
	"	"		"		S 35 W	21		
	"	"		"	"	N Oak	4	S 25 1/2 E	25 1/4
	"	"		"	"	Beech	15	S 54 W	26
	"	"		"	"	N Oak	-	N 82 W	28
	"	"		"	"	do	18	N 24 E	45
	"	"		"	"	Stone		East	15
	"	"		"	"	"		West	30
	"	"		"	"	"		South	20
	"	"		"	"	"		N 64 W	34 1/2
	"	"		"	"	"		East	20
	"	"		"	"	"		West	20
<p>C. J. Goss Dec. 30th 1891</p>	"	"		"	"		South	7	
	"	"		"	"		West	20	
	"	"		"	"		East	17 1/2	
	"	"		"	"		N 78 1/2 W	32 1/2	
<p>By Carr Haape D^{ist}. Dec 20 - 1914 in 9.847 East of N.</p>	"	"		"	"		White Oak	3	
	"	"		"	"		"	6	
	"	"		"	"		N 76 E	34	
	"	"		"	"		Elm	14	
	"	"		"	"		Hickory	4	
	"	"		"	"		Stone	7	
<p>"</p>	"	"		"	"		East	4 in.	
	"	"		"	"		North	8 1/2	
	"	"		"	"		North	10 1/2	
<p>"</p>	"	"		"	"		Elm	12	
	"	"		"	"		N 88 1/2 E	27	
	"	"		"	"		Beech	12	
<p>"</p>	"	"		"	"		N 45 W	12	
	"	"		"	"		W. Elm	15	
							N 81 E	48	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 11 North, Range 7E

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
3	<i>h</i> is 9.947 E and 3 2/3 Lk. S of H. <i>i</i> is 3 2/3 Lk. S. of J.	H.	stone			stone		North 24 3/4	
3						"		South 46 1/4	
2		h	"			"		East 25	
47		i	"			"		South 25	
						stone & J		North 3 2/3 Lk.	
1									
1									
4 1/2									
4 1/2	By Can Hase and H. A. Blunk at <i>h</i> ² (<i>h</i> ² is 17.8 Links S of H) (stone)					Cov. H.		North 178 Lk.	
1 1/2	Jan. 2-1917-By decree of Court		stone cor.			stone		South 18.5 "	
1	(<i>i</i> ² is 10 Lk. and 1 in. South of I)	" <i>i</i> ²	stone cor.			"		North 10 Lk. 1 in	
5 3/4	<i>n</i> is East 10.28 1/2 Lk. of N.		Stone cor.			Beech 14 N. 70 W		29.7 1/2	
6	8 rods North of N.		Stone cor.			Elm 14 N 38 E		18.2 "	
5						Cornell H. N.		38.85 "	
5						Water Oak 7 N. 33° W.		12.0 "	
0	<i>l</i> is 38.86 ft. S. and East 10.285 Lk. of H.		Stone cor.			Stone		W. 16 1/2	
0	This stone is	<i>ie</i>	line on S. side of 41 ^A tract					N. 29.84	
1 1/2	H. A. Blunk 1880-30	A.	stone			North end West Ridge Rd		8 10 1/2 E 37.2 1/2	
0						" " East "		8 40 E 47.0 1/2	
2	R. Holloway 89"	V	ENGRAVED STONE			BEECH 14"		N 45 E 46' 6"	
0						BEECH 10"		S 30 E 29' 1/2"	
1 1/2						SUGAR 8"		NORTH 26' 0"	
1 1/2		X	STONE 1 1/2" P. BRIDE			B. OAK 12"		N 20 W 11.0'	
5						B. OAK 8"		N 45 E 23.4'	
2						SEC 1-C		TION RIE West 42'	
1 1/2						B. OAK 12"		N 15 E 22' 10"	
1 1/2						B. OAK 16"		S 45 E 14' 0"	
2		W	STONE			W. OAK 8"		SOUTH 28' 4"	
1 1/2		A	STONE (WEST EDGE OF R.V.)			CORNER POST		W 23.3'	
2						CORNER POST		N 5 W 149.6'	
5						CORNER POST		S 10 W 266.3'	
5						SEE SEC. 35			

