


# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *26*

Township

North, Range *1W*


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<i>Per patented with 3/27/1894b</i>	<i>R</i>	<i>Stone</i>			<i>Walnut</i>	<i>10</i>	<i>77 -</i>	<i>75</i>
<i>Canatsey</i>	<i>S</i>	<i>"</i>			<i>Poplar</i>	<i>8"</i>	<i>N 83° W</i>	<i>21.4'</i>
					<i>Maple</i>	<i>6"</i>	<i>North</i>	<i>21.2'</i>
	<i>X</i>	<i>STONE</i>			<i>MAPLE</i>	<i>24"</i>	<i>S35E</i>	<i>16'5"</i>
					<i>HICKORY</i>	<i>6"</i>	<i>N5W</i>	<i>18'9"</i>
	<i>O</i>	<i>ENGRAVED STONE</i>			<i>MAPLE</i>	<i>12</i>	<i>N70W</i>	<i>27'8"</i>
					<i>B. OAK</i>	<i>24"</i>	<i>N10W</i>	<i>4'11"</i>
					<i>MAPLE</i>	<i>24"</i>	<i>N70W</i>	<i>39'2"</i>
	<i>R</i>	<i>STONE</i>			<i>HICKORY</i>	<i>14"</i>	<i>S30W</i>	<i>52'11"</i>
					<i>P HICKORY</i>	<i>12"</i>	<i>S70E</i>	<i>57'0"</i>
	<i>S</i>				<i>WALNUT</i>	<i>20"</i>	<i>NORTH</i>	<i>50'0"</i>
					<i>WALNUT</i>	<i>8"</i>	<i>S45E</i>	<i>20'0"</i>
					<i>R MAPLE</i>	<i>6"</i>	<i>NORTH</i>	<i>21'2"</i>
					<i>POPLAR</i>	<i>8"</i>	<i>N85W</i>	<i>21'4"</i>
					<i>P HICKORY</i>	<i>10"</i>	<i>S30E</i>	<i>33'3"</i>
	<i>E</i>	<i>SEE SEC 22-V</i>						
	<i>Q</i>	<i>SEE SEC 27-U</i>						
<i>Summerford</i>	<i>C</i>	<i>IRON FENCE POST DRIVEN FLUSH WITH GROUND.</i>			<i>SYCAMORE</i>	<i>30"</i>	<i>S60E</i>	<i>11'2"</i>
					<i>COR POST</i>		<i>W</i>	<i>6'6"</i>
					<i>COR PST</i>		<i>S</i>	<i>3'4"</i>
					<i>SYCAMORE</i>	<i>24"</i>	<i>N</i>	<i>47'5"</i>
<i>Summerford</i>	<i>B</i>	<i>IRON FENCE POST DRIVEN FLUSH WITH GROUND.</i>			<i>SUGAR</i>	<i>12</i>	<i>W</i>	<i>4'11"</i>
					<i>BEECH</i>	<i>22</i>	<i>S30W</i>	<i>30'</i>
					<i>SOFT MAPLE</i>	<i>9"</i>	<i>N85E</i>	<i>16'7"</i>
<i>Stone</i>	<i>D</i>	<i>3/4 I.P. C/L RAIN RD</i>			<i>COR PST</i>		<i>S</i>	<i>24'</i>
					<i>1/2 I.P.</i>		<i>N</i>	<i>12'10"</i>
					<i>3/4 BUCKEYE</i>		<i>S</i>	<i>39'2"</i>



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.
15 By Benj. J. Butler 22	at O	stone			Beech	14	N 45 W	12
14					Gash	6	S 68 E	4 1/2
23					Beech	8	S 41 W	6 1/2
					"	12	S 88 1/2 E	34
					B. Alder	15	N 61 1/2 W	89 1/2
					do	12	S 68 1/2 W	237 1/2
					W. Oak	23	S 62 W	204
					do	10	S 13 1/2 E	30 1/2
					Sugar	2	N 63 W	10 1/2
					G. Ash	3	N 14 E	31 1/2
					Hickory	3	S 75 E	15
					Beech	10	N 65 E	11
					"	16	N 89 W	22
					R. Oak	7	N 38 1/2 W	9
					Hickory	10	N 61 1/2 E	22 1/2
					Ironwood	6	N 23 1/2 W	19
					"	-	S 88 W	26
					Beech	20	N 30 W	24
					B. Gum	20	N 66 E	33 1/2
					Elm	12	N 9 1/2 W	14 1/2
					Beech	20	S 81 1/2 W	38 1/2
					Buckeye	5	N 53 1/2 E	64 1/2
					Iron wagon thumb		N 27 W	54
					Beech	18	S 18 3/4 W	17 1/2
					"	12	N 72 1/2 W	77
					sugar	7	S 45 1/2 W	34
					stone		East	24
					Beech	12	S 86 W	27
					elm	13	N 19 1/2 W	34
					" P. P. P. A.S.P.	12	N 30 W	41 1/2
					NE end of wing wall		concrete S.W.	70 1/2
					E.T.M.	10	East.	123 1/2
					S.P. Hickory	14	77	4
10.08 ch from U to a	willow 2 1/2	stone (Perpetrated)						
	3/27/40							



E. U. Bourne  
 C. L. Le Gros March 10<sup>th</sup> 1891  
 Survey for M. J. Cunningham Jr. et al.  
 By H. A. Blunk 3/11, '97  
 By Wilbur F. Smith  
 April 23 - 1937

10.08 ch from U to a willow 2 1/2  
 3/27/40

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **277** Township **12** North, Range **1W**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	<i>Stone</i> X	STONE			W. OAK	10"	WEST	29'6"	
					POPLAR	7"	S15E	24'6"	
					ASH	6"	N40E	46'0"	
	<i>Stone</i> Z	STONE			P. HICKORY	8"	N40E	37'7"	
					P. HICKORY	6"	S40E	14'6"	
					B LOCUST	4"	S75W	21'6"	
	<i>Stone</i> R	STONE			P. HICKORY	14"	S45E	19'10"	
					SHELL HICKORY	12"	EAST	39'0"	
					P. HICKORY	10"	N75W	40'4"	
	<i>Stone</i> U	STONE			BEECH	8"	SOUTH	31'3"	
<p>10.08 ch found to W. Smith 1840 per copy</p>	<i>Stone</i> S	STONE			SUGAR	12"	WEST	43'10"	
					P. HICKORY	14"	N10W	26'0"	
					MAPLE	19"	N80W	14'8"	
					ROAK	20"	S10W	27'8"	
					MAPLE	8"	S25E	22'8"	
					W. OAK	16"	N45E	24'4"	
					W. OAK	10"	N30W	24'5"	
					HICKORY	12"	N85E	12'9"	
		A	SEE	SEC	22-V				
		D	SEE	SEC					
<p><i>Stone</i> T</p>	T	3/4" IRON PIPE AT NORTH EDGE RD. ON SHOULDER			TW SHELL HICK.	8"	N30W	52'0"	
					W. OAK	10"	N50W	56'3"	
					SYCAMORE	12"	N80E	66'7"	
	W	SEE	SEC	34 R					



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28      Township 12      North, Range West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>IP+LCO (Reg McCracken 2-87)</p> <pre> E — D — C — B — A                   F — G — H — I — K                   P — O — N — M — L                   O — R — S — T — U                   Z — Y — X — W — V                     </pre>	O	Standard concrete monument stamped BM #70			Beech Hickory Maple	20" 10" 12"	S 45 W N 11 E N 56 E	13.75' 26.35' 16.15'
	H	Standard concrete monument stamped BM #67			Maple Hickory Sassafras	16" 22" 18"	N 81 W N 31 E S 57 E	22.20' 13.20' 13.70'
	C	Standard concrete monument in place of found iron pipe			Beech Sassafras Maple	18" 10" 20"	S 28 E N 69 W N 19 E	23.35' 12.50'
	D	Standard concrete monument stamped BM #65			Maple Beech <del>Sassafras</del> Oak Found Stone	18" 38" 10"	N 30 W N 69 E S 51 E N 1 W	7.30' 33.25' 17.05' 9.28'

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.
<div style="text-align: center;"> </div> <p style="text-align: center; margin-top: 20px;">E. A. Bourne</p>	At	Stone			Maple	24	N 84 1/2 E
	"	"			Oak	30	S 2 2 E
	"	"			Walnut	26	261 E
	"	"			"	1	S 50 1/2 W
	"	"			Hickory	8	214 E
	"	"			Sycamore	3	N 35 E
	"	"	See old tree		Beech	11	S 8 1/2 E
	"	"	Stone		Hickory	4	29 E
	"	"			R. Oak	10	S 64 1/2 E
	"	"			N. Walnut	10	S 36 1/4 W
	"	"			Sugar	8	N 41 E
	"	"			N. Oak	13	S 77 W
	"	"			"	7	N 23 1/2 E
	"	"	See old tree		Beech	6	S 3 W
	"	"	Stone		Poplar	6	S 34 1/2 E
"	"			"	8	214 W	
"	"			R. Oak	9	N 41 W	
"	"	STONE		HICKORY	12"	E	
"	"			SUGAR	12"	S 60 W	
"	"			SUGAR	30"	W	
"	"	SEE	SEC 20-X				
"	"	"	" 31 A"				

15 By  
 14  
 E  
 23  
 F  
 X  
 P  
 Q  
 Z

H  
 NIK  
 E

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 30 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By Vt. Dudley	A N				Beech	6	North	1
					Sugar	20	N 40 E	15 1/2
					Beech	6	S 3 W	6 1/2
					Poplar	6	S 3 1/2 E	58
					Beech	12	East	4 1/2
					"	12	N 63 W	31
					N Oak	5	N 80 W	4
					Beech	3	S 80 E	13
					B Walnut	8	N 52 W	29
					"	10	N 82 W	40
					Beech	14	N 7 E	26
					"	10	S 67 E	36
					Stone		East	51
					N. Oak	8	N 1 1/2 E	4 1/2
					Walnut	24	S 48 1/2 E	33
					marked stone to V.P.		N 60 W	38
1 South 3.8 ch. and west 10.2 ch. from 8	1	"		stone		S 21 1/4 W	25	
2 S 21 1/4 W from east 7.64	2	"		"		N 21 1/4 E	25	
3 - 13.33 ch. west from east	3	"		"		west	25	
4. South 7.64 2/3 ch. from 8.	4.	"		Hickory	7	N 67 E	23	
5 - 78 lbs south and 10.0 ch. west of 4.	5.	"		sugar	3	S 43 W	28	
6 is 78 lb south from 4	6	"		Hickory	8	N 76 1/2 W	5 1/2	
7 is 82 1/4 W from 3 7.64 ch.	7	"		"	6	N 83 1/2 E	25	
By H.A. Blunk 7/17-23	N.	old stone		white oak	8	N 72 1/2 W	32	
n is 26.66 ch. east of N.	n	Iron Pipe		Hickory	8	S 86 E	34	
i is 25.57 ch. north of n	i	old Iron Rod		gray oak	8	S 4 E	4 1/2	
				Hick	3	N 11 1/2 E	2	
				beech	14	N 7 1/2 W	26	
				"	6	S 45 E	5	
				Walnut	12	N 70 W	14	
				Walnut	7	S 60 E	16	
				Beech	8"	N 88 E	2	
				Beech	15"	N 32 E	1 1/2	
				S. Oak	6"	S 37 E		
				Hickory	12"	S 85 1/2 E		






# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 31 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By B. F. Butler	W N	Stone cor.			Stone		East	25
					"		West	25
	" M	" "			Beech	18	N 4 1/2 W	76 1/2
	" S	Stone			Hickory	22	N 67 W	24 1/2
	" I	" "			Beech	5	S 8 1/2 E	2
	" 2	" "			"	10	S 49 E	31
	" 2	" "			Poplar	12	S 22 E	19 1/2
	" A	Stone cor.			Hickory	10	S 81 1/2 W	10
	" B	" "			Beech	6	S 3 W	62 1/2
	" C	" "			Poplar	6	S 34 1/2 E	55
	" C	" "			Beech	6	S 49 1/2 W	47 1/2
	" E	" "			"	18	S 70 1/2 E	67
	" E	" "			"	6	S 61 1/2 E	21
	" E	" "			"	4	N 61 1/2 W	13
	" a	" "			Ironwood	6	S 63 E	40
	" a	" "			"	6	S 23 W	47
	" a	" "			Beech	20	N 34 1/2 E	19 1/2
	" b	" "			Sugar	5	S 77 1/2 W	13 1/2
	" c	" "			B. Walnut	3 1/2	S 17 1/2 E	37
	" c	" "			"	4 1/2	N 13 1/2 E	41
	" c	" "			Beech	15	S 60 E	55
	" d	" "			"	19	N 80 1/2 E	57
	" d	" "			"	12	S 76 1/2 E	25
	" e	" "			Poplar	6	S 26 E	27
	" e	" "			"	20	N 79 1/2 E	12 1/2
	" f	" "			Beech	5	S 27 E	11
	" f	" "			Maple	9	S 52 1/2 W	11
	" g	" "			Poplar	12	N 84 1/2 W	60
	" g	" "			"	8	S 18 1/2 E	4
	" h	" "			Cherry	5	N 7 W	14
	" h	" "			Hickory	4	S 75 1/2 E	49
	" i	" "			Buch	16	S 40 3/4 W	70 1/2
	" i	" "			B. Walnut	11	N 23 1/2 W	13
	" j	" "			Beech	14	N 14 1/2 E	34
	" j	" "			R. Oak	6	S W	49



25th 1881  
27.64



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 31 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <u>E.A. Bourne</u>  <u>Map on opposite page.</u></p>	at K	stone em.			stone		North 37 1/2	
	" I	" "			"		South 37 1/2	
	" m	" "			Beech	18	North 24 3/4	
	" n	" "			"	16 1/2	S 58 1/2 W 19	
	" o	" "			"	7	N 3 1/2 E 4	
	" p	" "			Hickory	3	S 37 1/2 W 15 1/2	
	" q	" "			stone		S 80 E 25	
	" r	" "			"		S 30 1/2 W 25	
	" s	" "			Beech	4	N 20 3/4 E 43	
	" t	" "			"	10	N 57 1/2 W 41	
<p>By <u>William F. Smith</u>  <u>for Ed. E. Lill and O. Secrest.</u>  <u>Nov. 20th. 1936</u>  <u>from L to P - 72 chains</u>  <u>14.50 ch E. of P.</u></p>	L	lime stone			Beech	14"	S 68 1/2 E 21.75 ch	
	P	same stone			W. oak	10"	N 75 1/2 W 34.50 ch	
	p	stone			W. oak	10"	S 45 W 12.5 ch	
	v	ENGR. STONE			W. oak	10"	N 72.25 W 12.0 ch	
	x	IRON PIPE			Sugar	4"	N 77 E 6 ch	
	z	OLD ENG STONE			Oak	6"	S. W. 57 ch	
	w	IRON PIPE			STONE		S 23 E 4'	
	c	STONE			MAPLE	18"	N 8 W 30' 1"	
	b	STONE			B OAK	10"	WEST 16' 4"	
	a	STONE POST			NW COR BLK. BLDG.		S 15 E 66' 6"	
				SUGAR	6"	S 85 E 36'		
				BEECH	7"	S 49 W 45'		
				SUGAR	18"	N 10 E 34' 0"		
				ASH	16"	S 45 E 34' 3"		
				SHELL HICKORY	11"	N 45 W 25' 0"		
				BEECH	24"	E 0.31 ch		
				"	24	S 75 W 0.30 L		
				POPLAR	8"	N 23 L		
				POPLAR	12"	SE 38 L		
				OAK	6"	N W 8.7		
				OAK	8'	N E 7.6		
				OAK	10	E 15.2'		
				MAPLE	8	S 7 W 27.6'		

SEE PAGES FOLLOWING 36

Sec 31

T 12N

R 1W

Handwritten

L

STEEL FRAME  
POST

8" P OAK

16 OAK

8" OAK

SE

S

NW

5.0

33.0

11.5

Handwritten

B

STEEL

15" MAPLE

12' POPLAR

TW B. OAK

SE

N

NW

5.0

13.0

27.0

Handwritten

M

STEEL  
POST

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 32 Township 12 North, Range 1 W2

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.
By M. Riggins	At C.				W Oak	27	N100
E D C B A					" "	20	N53 E
ax	"	I Stone cor.			Mul-stake		South
F G H I K	"	" "			" "		West
Ell. B.	"	" "			Poplar	10	N400
May 9 <sup>th</sup> 1879	"	" "			W Oak Stake	24	S73 W
May 25 <sup>th</sup> 1881	"	E Stone			Beech	6	S3 W
P O N M L					Poplar	6	S34 1/2
Q R S T U							
Z Y X W V							
By Robert M. Pheeters	At D Stone				Stone		East
April 2 <sup>nd</sup> 1889	"	"			"		South
" 3 <sup>rd</sup> 1889	"	"			"		S23 E
" 4 <sup>th</sup> 1889	"	"			"		N65 W
" " "	"	"			"		South
" " "	"	"			"		East
" " "	"	"			"		South
" 8 <sup>th</sup> "	"	I Iron rod			"		S60 E
" " "	"	6' long			"		S27 W
" " "	"	R Stone			"		South
" " "	"	"			"		S75 E
" 26 <sup>th</sup> "	"	"			Beech	18	S17 1/2 E
" " "	"	"			"	8	N61 W
" 23 <sup>rd</sup> "	"	D Stone cor.	20	00	"	18	S23 1/2 E
" " "	"	"	20	00	W. Oak	4	N85 W
" " "	"	"	20	00	Sugar	4	N18 E
" " "	"	"	20	00	Sugar	12	S85 E
" " "	"	"	20	00	Cash	4	N83 E
" " "	"	"			Sugar	7	N88 W
" " "	"	"			Carved Beech		S61 E
" " "	"	"			B. Gum		N80 1/2
By J. Johnson	"	"	140	Reds S. of B.	W. Oak	12	S43 E
W. Hart & Washell June 1855	"	"	140	Reds S. of D.	B. Walnut	15	N 7 W
" " "	"	"	140	Reds S. of D.	Hickory	15	S 13 W
" " "	"	"	140	Reds S. of D.	Do.	15	N 8 W

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 33

Township 12

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.
By J. S. Cogeland	At M	stone 78			Beech	14	S 87 E
	" Y	" 78			"	12	S 55 W
	" a	"			Elm	6	S 3 W
	" b	"			Beech	18	East
	" c	"			Maple	18	S 36 W
	" d	"			Beech	22	S 72 E
	" e	"			Dogwood	3	S 21 E
	" B	stone			Hickory	10	S 80 W
	" C	"			Beech	20	N 19 W
	" D	"			Maple	5	N 20 W
E. A. Boume Mar 7 " 1882	" E	" cor.			R Oak	3	N 62 E
" 7 " 1882	" F	" "			W do	12	N 83 E
R. M <sup>c</sup> Pheters 1889	" G	" "			R Oak	4	S 65 W
Sept 27 " 1889	" H	" "			Hickory	7	S 89 E
	" I	" "			Ash	5	S 29 W
	" J	" "			B Oak	40	N 37 E
	" K	" "			Ironwood	7	N 54 W
	" L	" "			R Oak	4	S 60 W
	" M	" "			J Oak	4	N 37 E
	" N	" "			R Oak	9	S 2 W
	" O	" "			S Elm	4	N 56 W
	" P	" "			Sycamore	13	N 78 W
Sept 28 "	" Q	" "			Blk Oak	18	S 46 W
	" R	" "			W Oak	16	N 86 W
Apr 2 <sup>nd</sup> " 1889	" S	" "			stone		East
	" T	" "			"		South
	" U	" "			A carved beech	61	E 42
April 25 " 1889	" V	stone cor.			W Oak	16	N 87 E
	" W	" "			Hickory	6	S 86 W
	" X	" "			Beech	22	N 38 W
	" Y	" "			"	12	S 30 W
	" Z	" "			W Oak	30	N 70 W
	" A	" "			Sugar	22	S 17 E

15  
23  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1  
N



B

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **32**

Township **12**

North, Range **1W**

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.


Hun.

Bearing Trees.

Diam.

Courses.

Dist.



By Carl Haase  
April 24 - 1947

e  
y  
L

Iron St  
Old Stone  
ORIGINAL  
STONE

Iron Stake	East	20 <sup>th</sup>
"	South	20 <sup>th</sup>
Sugar	North 10 <sup>1</sup> / <sub>2</sub> W	10 <sup>th</sup>
BEECH	12" N45E	12'0"
P. HICKORY	10" N50W	39'3"
BEECH	20" S45W	29'0"

Z  
P

SEE SEC 31-V  
" " 31 "L"


# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **33**

Township **12**

North, Range **1W**

15  
 23  
 E  
 F  
 P  
 Q  
 Z  
 N1



Reginald McCracken 1985

IP+LCO (Reg McCracken 2-87)

IP+LCO (Reg McCracken 2-87)

IP+LCO (Reg McCracken 2-87)

IP+LCO (Reg McCracken 2-87)

IP+LCO (Reg McCracken 2-87)


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Course.
	X	CUT Limestone			TW RED OAK	10"	N45W
					RED OAK	10"	N45E
					RED OAK	10"	S30E
	A	SEE	SEC 27-2				
	C	SEE	SEC 28-X				
	P	SEE	SEC 32-L				
	L	Copper Disk in Concrete			PK Nail in Concrete		N06°07'3"
					"		N73°14'
					"		S27°43'
	W	Copper Disk in Concrete			PK Nail in Concrete		N41°13'
					"		S36°45'
	w	Copper Disk in Concrete			PK Nail in Concrete		N72°29'
					"		S33°16'0"
	X	Standard concrete monument stamped BM #77 in place of found stone			Twin Oak Oak	15" 18" 16"	N58 N39 S19E
	S	Standard concrete monument stamped BM #76			Beech Oak Hickory	36" 18" 12"	N22 N26 N58
	N	Standard concrete monument stamped BM #75			Oak Oak Hickory Found Iron pipe	12" 20" 18"	S30 N43 N5E N23E
	H	Standard concrete monument stamped BM #74			Oak Sasafra OAK	26" 8" 28"	N59 N43 S62
	C	Standard concrete monument stamped BM #73 in place of found stone			Hickory Oak (PK Nail in foot) OAK	14" 10" 30"	S5E S75 N17W





# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **34** Township **12** North, Range **1 West**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>William F. Smith</i> 11-9-36 <i>cm. 86 M.F. Stone</i>  <i>for J.E. Sedwick</i>  </p>								
					<i>Beech</i>	<i>16</i>	<i>N. 85 1/2° E.</i>	<i>22</i>
					<i>Soft Maple</i>	<i>8</i>	<i>S. 62 1/2° E.</i>	<i>15 1/2</i>
					<i>B. Oak</i>	<i>2 1/2</i>	<i>N. 57° W.</i>	<i>4 ft.</i>
	<i>1</i>	<i>PIPE-2 1/2" W. of M.</i>			<i>Beech</i>	<i>9</i>	<i>S. 70° E.</i>	<i>2 1/2 ft.</i>
	<i>2</i>	<i>" 3 5/8" E. of M.</i>			<i>Sycamore</i>	<i>4"</i>	<i>N. 15° W.</i>	<i>9 1/2 ft.</i>
	<i>3</i>	<i>" 3 6/8" S. of 2</i>			<i>Beech</i>	<i>30"</i>	<i>S. 23° W.</i>	<i>6 1/2 ft.</i>
	<i>4</i>	<i>" 3 6/8" S. of 1</i>			<i>maple</i>	<i>3"</i>	<i>N. 15° E.</i>	<i>6 1/2 ft.</i>
					<i>dog Wood</i>	<i>4"</i>	<i>S. 15° W.</i>	<i>8 ft.</i>
					<i>E/M</i>	<i>18"</i>	<i>N. 70° E.</i>	<i>2 1/2 ft.</i>
					<i>E/M</i>	<i>2"</i>	<i>S. 10° E.</i>	<i>5 ft.</i>
	<i>I</i>	<i>detritus</i> <i>STONE</i>			<i>BEECH</i>	<i>20</i>	<i>S. 82° E.</i>	<i>42 1/2</i>
					<i>"</i>	<i>24</i>	<i>S. 30° E.</i>	<i>85'</i>
	<i>N</i>	<i>old sand stone</i>			<i>Triple white oak</i>	<i>2 1/2"</i>	<i>N. 85° E.</i>	<i>14-18</i>
					<i>White oak</i>	<i>10"</i>	<i>N. 50° W.</i>	<i>4 1/2'</i>
	<i>X</i>	<i>1 1/4" PIPE</i>			<i>White Elm</i>	<i>6"</i>	<i>WEST.</i>	<i>2"</i>
					<i>B. Walnut</i>	<i>2 1/4"</i>	<i>WEST</i>	<i>10-10"</i>
					<i>B. Walnut.</i>	<i>2 1/4"</i>	<i>N. W.</i>	<i>14-8"</i>
	<i>S</i>	<i>Steel Fence post</i>			<i>Twin W. oak</i>	<i>15"</i>	<i>N. 65° W.</i>	<i>13-14"</i>
		<i>East side of Cor. post.</i>			<i>Poplar</i>	<i>18"</i>	<i>S. 30° W.</i>	<i>21'-0"</i>
	<i>N</i>	<i>STONE</i>			<i>BLACK OAK</i>	<i>8"</i>	<i>SOUTH</i>	<i>10' 8"</i>
					<i>W. OAK</i>	<i>12"</i>	<i>N 5° W</i>	<i>4' 4"</i>
					<i>R. OAK</i>	<i>18"</i>	<i>N 5° E</i>	<i>18' 6"</i>
	<i>X</i>	<i>1 1/4" IRON PIPE</i>			<i>S MAPLE</i>	<i>4"</i>	<i>S 45° E</i>	<i>7' 6"</i>
					<i>ASH</i>	<i>6"</i>	<i>S 85° W</i>	<i>11' 8"</i>
					<i>ASH</i>	<i>7"</i>	<i>S 35° W</i>	<i>29' 5"</i>
	<i>B</i>	<i>STONE</i>			<i>P. HICKORY</i>	<i>10"</i>	<i>NORTH</i>	<i>13' 8"</i>
					<i>POPLAR</i>	<i>6"</i>	<i>WEST</i>	<i>24' 6"</i>
					<i>S MAPLE</i>	<i>16"</i>	<i>S 40° E</i>	<i>58' 6"</i>
	<i>M</i>	<i>STONE</i>			<i>R-OAK</i>	<i>12"</i>	<i>S 85° W</i>	<i>31' 11"</i>
					<i>HICKORY</i>	<i>10"</i>	<i>S 70° E</i>	<i>56' 10"</i>
					<i>W OAK</i>	<i>14"</i>	<i>N 25° E</i>	<i>39' 7"</i>
	<i>C</i>				<i>SEE</i>		<i>SEC 27-X</i>	
	<i>E</i>				<i>SEE</i>		<i>SEC 27-Z</i>	

*For Tom Masier & Roy Carr*  
*March 17-1953*  
*E. O. Canarney & A. Regras A&T*  
*Note. Lap corner for*  
*Corner C Section 3 - M-L-W.*  
*3 ALKS East of for X*  
*Old witness trees in place*  
*No corner placed.*  
*N to S 20.45 chs*  
*S to X 20.12 chs*  
*Cor. S. 43 ft East of A*  
*straight line from N to X.*

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34

Township 12

North, Range 1 West

15  
 E  
 23  
 F  
 F  
 F  
 C  
 O  
 2  
 A  
 4

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist
By B.F. Butler	At E	stone			Beech	20	S 76° W	12
E — D — C — B — A	" L				W Oak	4	S 12° E	32
F — G — H — I — K	" G				S Gum	6	N 16 1/2° E	22
P — O — N — M — L	" P				Assafraz	6	N 78 1/2° E	18 1/2
O — R — S — T — U	" V				B Walnut	24	N 38° E	29
Z — Y — X — W — V	" A				Sugar	6	N 79° W	15
	"				H Oak	15	N 73 1/2° E	20 1/2
	"				B Oak	10	N 32 1/2° E	25
	"				B Gum	14	S 84 1/2° W	34 1/2
	"				Beech	9	N 40° E	28
	"				Sugar	8	N 18° E	8
	"				Beech	10	N 60° W	36
	"				"	10	N 16 1/2° E	24
	"				"	12	N 46 1/2° W	5
	"				"	14	N 75° W	11 1/2
	"				W Oak	5	N 73 1/2° E	17
	"				B Oak	6	S 72 1/2° E	33
	"				Willow	7	South	1
	"				"	8	S 13° E	6
	"				H Beech	6	S 23° W	24
	"				Elm	5	S 70 1/2° E	48 1/2
	"				S Ash	5	N 7° W	36
	"				Beech	2	N 88 1/2° W	40 1/2
	"				Poplar	12	N 50 1/2° W	3
	"				Beech	12	N 18 1/2° E	22
	"				H Oak	14	East	10
	"				Beech	14	S 63° W	19 1/2
	"				Blk Oak	7	N 57 1/2° W	17 1/2
	"				Hickory	4	N 21 1/4° E	25 1/2
	"				Elm	14	N 64° W	55
	"				Walnut	10	S 1 1/2° E	77 1/2
	"				White Oak	12	N 65 1/2° E	103
	"				Beech	18	S. 35 1/2° E	72
	"				W. Elm	6	N. 42° E	4-
E. A. Bourne	"	stone						
24. Le. Goss March 10 1891	"	M						
Survey for M.J. Cunningham Jr. et al.	"							
By H.A. Blumbers Apr 27 1911	"	G						
	"							
By Cass Leaser Dep	"	Q						
Sept 1914	"	stone						

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By M. Riggins	At R				Beech	—	N 2 W	32
E — D — C — B — A					"	20	S 15 W	39
6.76. " B Stone en.					"	10	S 82 E	29
F — C — H — I — K	" J	"			"	10	N 44 E	26
P — O — N — M — L	"	"			Sugar	10	N 57 E	22
O — R — S — T — U	" a	"			Beech	7	S 86 E	32
h* x a	" B	"						
Z — Y — X — W — V	" M	"			Stone		North	25
E. A. Bourne March 26 <sup>th</sup> 1881.	" M	"			"		East	25
	" M	"			Hickory	5	S 85 W	13
By G. W. Praree 5/29 1885	" K	"			H. Oak	9	N 59 W	18 1/2
	" L	"			Stone		S 44 E	15
	" L	"			"		N 31 W	28 1/2
	" L	"			Elm	10	N 73 E	20
	" R	"			Stone		S 45 E	24
	" R	"			Beech	22	S 24 W	85
	" R	"			"	30	S 26 W	15
	" R	"			Whiteoak	18	S 54 W	41
	" R	"			Stone		S 59 E	24 1/2
	" R	"			Beech	22	S 24 W	85
	" R	"			"	30	S 26 W	15
	" R	"			Sugar	30	S 26 E	63
	" R	"			Stone		S 28 W	26
For E. P. Mitchell et al.	" J	"			Beech Eng	8	N 38 W	30 1/2
Wilson Williamson John	" J	"			"	12	S 40 W	27
Strawder. E. P. Mitchell, Assts.	" J	"			Jug.	24	N 80 W	30 1/2
	" J	"			Beech	12	S 59 W	33 1/2
	" J	"			Elm	17	S 4. E	29
For A. S. Mitchell et al. "Mch. 17"	" J	Stone			Beech	22	S 8 W	32 1/2
1886 Put O'Neal J. Strawder	" J	"						
Chairman. A. S. Mitchell	" L	"			H. Oak	45	S 60 1/2 E	38
Flagman G. W. Praree Surveyor	" a	"			Beech	17	S 24 W	52
Sep. 1914	" a	"			Stone		N. 16 1/2 ft	
Witness to cor. 8 and 1	" a	"			"		S. 16 1/2 ft	
North of O. West & Co.								

E 15  
 F 23  
 G 23  
 H 23  
 I 23  
 J 23  
 K 23  
 L 23  
 M 23  
 N 23  
 O 23  
 P 23  
 Q 23  
 R 23  
 S 23  
 T 23  
 U 23  
 V 23  
 W 23  
 X 23  
 Y 23  
 Z 23

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **35** Township **12** North, Range **1W**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	<b>X</b>	<b>STONE</b>			<b>SHELL HICKORY 8"</b> <b>P. HICKORY 14"</b> <b>P. HICKORY 15"</b>		<b>SISE</b> <b>EAST</b> <b>NORTH</b>	<b>11'9"</b> <b>4'5"</b> <b>5'8"</b>	
	<b>C</b>	<b>SEE</b>	<b>SEC</b>	<b>26-X</b>					
	<i>Stone</i>	<i>1" I.P. over</i>				<i>NE corner frame house</i> <i>Corner Knob</i> <i>NW corner frame house</i>		<i>S 35 W</i> <i>S 70 W</i> <i>70 7"</i>	<i>57' 8"</i> <i>16' 6"</i> <i>70' 7"</i>
	<i>Stone</i>	<i>1" I.P. over</i>				<i>W cherry</i> <i>B. Walnut</i> <i>B. Walnut</i>		<i>S</i> <i>E</i> <i>N 35 W</i>	<i>32' 8"</i> <i>11' 3"</i> <i>21' 8"</i>
<i>Stone</i>	<i>1" I.P. over</i>				<i>HACK BERRY</i> <i>SHANK</i> <i>T.W. P.</i>		<i>E</i> <i>W</i> <i>N 35 W</i>	<i>25' 8"</i> <i>24' 8"</i> <i>17' 11"</i>	

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.
By M. Riggins	At R				Beech	—	N 2 W	32
	"	B Stone em.			"	10	S 82 E	29
	"	I " "			Sugar Beech	10	N 44 E	26
	"	a " "						
	"	B " "						
	"	M " "				Stone		North
E. A. Bourne March 26 <sup>th</sup> 1881.	"	M " "			"		East	25
By G. W. Pearce 5/29 1885	"	K " "			Hickory	8	S 85 W	13
	"	L " "			N. Oak	9	N 54 W	18 1/2
	"	R " " Perpetrated			Stone		S 44 E	15
	"	R " " Perpetrated			"		N 31 W	28 1/2
	"	R " " Perpetrated			Elm	10	N 73 E	20
	"	R " " Perpetrated			Stone		S 45 E	24
	"	R " " Perpetrated			Beech	22	S 4 W	85
	"	R " " Perpetrated			"	30	S 60 W	105
For E. P. Mitchell et al. Wilson Williamson John Strauder. E. P. Mitchell, Ass'ts.	"	R " " Perpetrated			Walnut	18	S 54 W	41
	"	R " " Perpetrated			Stone		S 59 E	20 1/2
	"	R " " Perpetrated			Sugar	30	S 66 E	63
	"	R " " Perpetrated			Stone		S 48 W	26
	"	R " " Perpetrated			Beech Eng	8	N 38 W	30 1/2
For A. S. Mitchell et al. Mch. 17 <sup>th</sup> 1886 Pat O'Neal J. Strauder Chairman. A. S. Mitchell Magman G. W. Pearce Surveyor Sep. 1917 Witness to cor. 8 <sup>th</sup> rd North of O. West & Lake	"	R " " Perpetrated			"	12	S 40 W	27
	"	R " " Perpetrated			Jug.	24	N 80 W	33 1/2
	"	R " " Perpetrated			Beech	12	S 59 W	33 1/2
	"	R " " Perpetrated			Elm	17	S 4 E	29
	"	R " " Perpetrated			Beech	22	S 8 W	32 1/2
Sep. 1917 Witness to cor. 8 <sup>th</sup> rd North of O. West & Lake	"	R " " Perpetrated			N. Oak	45	S 60 1/2 E	38
	"	R " " Perpetrated			Beech	17	S 29 W	52
	"	a " "			Stone		N. 16 1/2 ft	
	"	" " "			"		S. 16 1/2 "	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36

Township 12

North, Range 1 West

5  
 6  
 E  
 23  
 F  
 P  
 Q  
 Z  
 N  
 C  
 S  
 7  
 2

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.
<p><i>By K. J. Conroy</i></p> <div style="text-align: center;"> <p>E — D — C — B — A</p> <p>                 </p> <p>F — C — H — I — K</p> <p style="margin-left: 20px;"><i>x<sub>B</sub></i>   <i>a<sub>X</sub></i>   <i>e</i></p> <p>                 </p> <p>P — O — N — M — L</p> <p>                 </p> <p>Q — R — S — T — U</p> <p>                 </p> <p>Z — Y — X — W — V</p> <p><i>By J. Butler</i></p> </div>	at C				Beech	18	N 85 E
	"	M	Stone		Ash	3	N 46 W
	"	"	"		Beech	15	S 36 E
	"	D	"		Driftwood	3	N 10 W
	"	G	"		Ash	8	N 58 E
	"	"	"		"	5	S 50 W
	"	"	"		Beech	4	S 7 E
	"	N	"		Sugar	30	N 22 E
	"	"	"		"	24	N 33 W
	"	I	"		Hickory	7	S 64 E
	"	"	"		Maple	20	S 86 W
	"	A	"		Beech	10	N 22 E
	"	"	"		"	8	S 46 1/2 W
	"	a	"		Ironwood	6	S 81 W
	"	"	"		Beech	3	S 10 1/2 E
"	B	"		Willow in Creek	8	S 65 W	
"	"	"		"	8	S 55 W	
"	B	Stone		W. Walnut	5	N 71 W	
"	A	"	err.	do	—	N 45 1/2 W	
"	"	"		Stone		West	
"	"	"		"		South	
"	I	"		W. Walnut	5	N 8 E	
"	"	"		G Ash	3	N 52 W	
"	"	"		Sugar	16	S 20 1/2 E	
"	c	"		Beech	20	S 40 1/2 E	
"	"	"		G Ash	4	S 56 1/2 W	
"	d	"		Beech	6	N 9 1/2 W	
"	"	"		W. Oak	36	S 37 E	
<p><i>G. W. Pearce 3/1886 for G. W. Mitchell et al. and March 17<sup>th</sup> 1886</i></p>	"	"		Stone	108	W of Sec 15, 11 W.	Beech 22 N 32 1/2 W
	"	"		"	From old witness		Ash 15 S 52 W
	"	X	STONE			ASH	11" SW
	"	"	"			ASH	8" S 80 W
	"	"	"			CORNER POST	10" EAST

FROM MORGAN CO SURVEYOR'S OFFICE

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 12 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.
	at C				Beech	18	N 85 E
	"	M Stone			Ash	3	N 46 W
	"	J	"		Beech	15	S 26 E
	"	G	"		Dogwood	3	N 10 W
	"	F	"		Ash	8	N 58 E
	"	E	"		"	5	S 50 W
	"	D	"		Beech	4	S 7 E
	"	C	"		Sugar	30	N 22 E
	"	B	"		"	24	N 33 W
	"	A	"		Richory	7	S 64 E
	"	X	"		Maple	20	S 86 W
	"	Y	"		Beech	10	N 22 E
	"	Z	"		"	8	S 46 1/2 W
	"	a	"		Ironwood	6	S 81 W
	"	b	"		Beech	3	S 10 1/2 E
	"	B Stone	"		Willow in Creek	8	S 65 W
"	a	"		"	8	S 55 W	
"	J	"		Walnut	5	N 71 W	
"	I	"		do	-	N 45 1/2 W	
"	H	"		Stone	-	West	
"	G	"		"	-	South	
"	F	"		W. Walnut	5	N 8 E	
"	E	"		G Ash	3	N 52 W	
"	D	"		Sugar	16	S 20 1/2 E	
"	C	"		Beech	20	S 40 1/2 E	
"	B	"		G Ash	4	S 56 1/2 W	
"	A	"		Beech	6	N 9 1/2 W	
"	X	"		W. Oak	36	S 37 E	
"	Y	"		Stone 108 1/2 W of Sec 15, 11 W.	22	N 32 1/2 W	
"	O	"		From old witness	15	S 52 W	
"	X	STONE		ASH	11"	S 5 W	
"				ASH	8"	S 9 W	
"				CORNER POST	10"	EAST	

G. W. Plaree 27/1886 for J. W. Mitchell et al. and March 17/1886

MORGAN CO SURVEYOR'S OFFICE