

1.36
 2.00
 3.36
 4.72
 6.08

	a	a	B	B	C	c	D	d	E	e	A	f	J
y	22.58	40	37.75		37.75		32.3-		32.65		37.90		37.12
g	23.28		80.62		80.24		79.00		79.28				
x		7	5	8	5	9	5	10	5	11	5	12	
h	23.20	40	80.60		80.17		80.00		79.96				
w	18	4	17	4	16	4	15	4	14	4	13		
k	24.00		80.70		80.00		80.75						
v	18	3	20	3	21	3	22	3	23	3	24		
l	24.00		81.00		80.20				79.21		79.60		
u	30	2	29	2	28	2	27	2	26	2	25		
m		6	81.10		4		80.50		78.50		79.70		
n	31	1	32	1	33	1	34	1	35	1	36		
s	25.37												

Township 13 North Range 2 East

1.36
 2.00
 3.36
 4.72
 6.08

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 13 North, Range 2 East

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.	
at	U	Wackberry 18	N-W	30	at	L	Beech	18	N24W	22
		Buckeye 10	N40E	32			"	24	S50E	28
	a					I	"	27	S6E	22
	B	Beech 10	S58W	16			"	18	N27E	12
		" 4	N50E	12		M	"	9	N51E	7
	B						"	8	S41W	16
	C	W Beech 4	N35E	33		m	"	36	N28W	27
		" 5	S26W	16			"	21	S42E	5
	c					N	"	10	N65W	26
	D	" 10	S59W	35			"	27	S51E	7
		" 10	N31E	42		n	"	36	N28E	21
	I						"	18	S36W	15
	E	Sugar 10	N41E	12		O	Elm	20	S34E	20
		Beech 24	S32W	34			Poplar	36	N35E	27
	e					o	Sugar	9	N52E	8
	F	Elm 40	S64W	21		P	Wickory	9	S81W	20
		B. Walnut 36	N64E	13		P	Beech	12	N65W	13
	f						Wackberry	9	S88E	23
	G	Elm 12	S21E	25		P	Beech	15	S57E	34
		Wackberry 12	N44E	41			"	8	N22W	10
	g	" 18	N7W	20		Q	"	9	N70W	30
		Beech 15	N55E	10			"	12	S78E	24
	H	Wackberry 20	N83W	43		q	B. Ash	9	N45W	22
		B. Oak 20	S66E	36			"	9	S2E	8
	h	Wackberry 12	S45E	13		R	Wackberry	20	S72W	5
		Wickory 9	N26W	9			"	18	N40E	20
	I	Sugar 15	N38E	32		r	Walnut	27	N25W	54
		" 6	S20W	4			Wackberry	9	S46W	18
	i	Sycamore 40	S68W	10		S	Beech	9	N57W	34
							"	15	S76E	16
	K	Beech 24	S43W	12		S	Wackberry	18	N73W	26
		" 10	N39E	47			B. Oak	27	S17E	10
	k	B. Oak 27	S27W	6		v	Beech	7	N37W	4
		Sugar 8	N30E	22			"	12	S64E	49
						v				

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Corners on White River Township

13


North, Range

2 East

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
At 1	Maple	9	S 77 W	9	At 18	Willow	8	S 30 W	20
	Elm	6	S 86 E	9					
" 2	Hackberry	21	S 21 E	7	" 19	"	—	N 72 W	21
	Hackberry	18	N 31 W	23					
" 3	Willow	8	N 35 W	6	" 20	Maple	3	S 27 E	4
	Sycamore	7	S 16 E	50		"	5	N 37 W	4
" 4	Beech	6	S 33 W	15	" 21	Willow	10	N 39 E	6
	Hackberry	6				Maple	5	S 28 W	70
" 5	Sycamore	10	N 53 W	9	" 22	Sycamore	24	S 34 W	14
	Cottonwood	7	S 16 E	50		"	18	S 61 E	22
" 6	Sycamore	18	S 22 W	8	" 23	W Beech	6	S 31 W	17
	"	24	N 39 W	18		Hackberry	7	N 47 E	10
" 7	"	10	North	43	" 24	Sycamore	30	S 54 E	12
	Hackberry	10	N 54 W	23		"	12	S 36 W	12
" 8	"	26	N 15 E	27	" 25	"	6	S 83 E	8
	"	18	S 4 E	90		"	6	N 47 W	15
" 9	Willow	3	S 19 W	13	" 26	Willow	3	S 70 W	10
						Ash	14	N 33 E	28
" 10	"	7	N 76 W	10					
	"	6	S 9 E	14					
" 11	"	4	N 80 W	11					
	"	5	East	3					
" 12	Sycamore	40	S 74 E	9					
	"	37	S 74 W	9					
" 13	"	10	S 64 W	21					
	Maple	30	N 69 E	16					
" 14	Sycamore	7	S 40 E	4					
	"	8	N 11 W	17					
" 15	Beech	10	N 14 W	20					
	Coffinut	6	South	8					
" 16	Ironwood	7	S 43 E	22					
	Hickory	4	S 85 E	13					
" 17	Willow	12	N 82 W	7					
	"	6	S 8 E	10					

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 1 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By </p>	At N	Stake			Beech	18	S 40° E	32 1/2
	" O	"			Locust	24	N 65° E	31
	" C	Stru			Haw	6	N 25° W	82
	" Y	"			Oak	36	S 25° E	16
	" O	"			Haw	4	N 39° E	5
	" J	"			Korubram	7	S 10° E	4
	" M	"			Elm	12	N 37° E	8 1/2
	" B	"			Korubram	6	N 68° W	10
	" a	"			Mulberry	12	S 80° E	98
					Oak	20	S 10° E	6 1/2
					W Oak	3	N 32° W	2 1/2
					do	40	S 27° W	27
					Horny Locust	18	S 15° W	22
					B Walnut	-	N 47 1/2° E	38
By William F Smith 1825+26-35 for Fred Tullis.	F	original Stone			E. Well point 6"	1 1/2"	N 50° E	20 ft
from P. to L. bearing N 88° E distance of 81.57 chains. over run divided equal for the 4 quarters.	S	Concrete Block			Concrete Block	South		12 ft
original stone was found at N, 30' under ground and was replaced by large stone	N	original Stone			Concrete Block	South		12 ft
original stone was found at M, under ground, and was in the correct place.	M	original Stone			stone	West		15 ft
					1 1/2" dia. well point	N 27° W		12 ft
					Concrete Block	South		12 ft
					N.W. cor of concrete foundation of L 118	S. 4° E		30 1/2 ft
					1 1/4" dia. well point	N 0° W		23 ft
	Z	SEE SEC 12			E stone			
	P	12' BEST SPIKE			W. Well point 14"			16'
					P POLE		NW	20'
					12' BEST SPIKE		W	14'
		SEE PAGES FOLLOWING						36

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Locations on White River Township

13

North, Range 2 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
at 1	Maple	9	S 77 W	9	at 18	Willow	8	S 30 W	20
	Elm	6	S 86 E	9					
2	Hackberry	21	S 21 E	7	19	"	—	N 72 W	21
	Haulberry	18	N 31 W	23					
3	Willow	8	N 35 W	6	20	Maple	3	S 27 E	4
	Sycamore	7	S 16 E	50		"	5	N 37 W	4
4	Beech	6	S 33 W	15	21	Willow	10	N 39 E	6
	Hackberry	6				Maple	5	S 28 W	70
5	Sycamore	10	N 53 W	9	22	Sycamore	24	S 34 W	14
	Cottonwood	7	S 16 E	50		"	18	S 61 E	22
6	Sycamore	18	S 22 W	8	23	W Beech	6	S 31 W	17
	"	24	N 39 W	18		Hackberry	7	N 47 E	10
7	"	10	North	43	24	Sycamore	30	S 54 E	12
	Hackberry	10	N 54 W	23		"	12	S 36 W	12
8	"	26	N 15 E	27	25	"	6	S 83 E	8
	"	18	S 4 E	90		"	6	N 47 W	15
9	Willow	3	S 19 W	13	26	Willow	3	S 70 W	10
						Ash	14	N 33 E	28
10	"	7	N 76 W	10					
	"	6	S 9 E	14					
11	"	4	N 80 W	11					
	"	5	East	3					
12	Sycamore	40	S 74 E	9					
	"	37	S 74 W	9					
13	"	10	S 64 W	21					
	Maple	30	N 69 E	16					
14	Sycamore	7	S 40 E	4					
	"	8	N 11 W	17					
15	Beech	10	N 14 W	20					
	Coffinut	6	South	8					
16	Ironwood	7	S 43 E	22					
	Hickory	4	S 85 E	13					
17	Willow	12	N 82 W	7					
	"	6	S 8 E	10					

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 2 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Dimm.	Courses	Dis.
<p style="text-align: center;">By J. Headley</p>	At O Stone cor.				Beech	18	N 35 E 17	
	" M " "				"	12	S 65 E 75	
	" " " "				Buckeye	6	N 22 E 45	
	" " " "				Baldsh	2	N 47 W 37	
	" " " "				Bd about	30	S 57 W 122	
	" " " "				R Elm	12	N 37 E 82	
	" " " "				Stone		West	21 1/2
	" " " "				"		South	21
	" " " "				Beech	24	S 57 E 43	
	" " " "				"	20	N 15 W 61	
<p style="text-align: center;">J. Headley</p>	" P " "				"	12	S 50 W 63	
	" " " "				"	18	S 47 E 66	
	" " " "				Hickory	—	N 84 3/4 W 53	
	" " " "				Bd about	30	S 57 W 122	
	" " " "				Beech	22	N 57 W 122	
	" " " "				"	20	N 21 E 70 1/2	
	" " " "				Sugar	18	N 18 W 19	
	" " " "				Walnut	36	S 65 W 11	
	" " " "				Beech	18	N 1 E 55	
	" " " "				Sugar	20	North	34
	" " " "				Beech	32	S 15 E 34	
	" " " "				"	18	North	19
	" " " "				"	18	S 75 E 29	
	" " " "				"	18	N 38 E 17	
	" " " "				"	12	S 65 W 70	
G. W. Pearce Mar 7 th 1887	" N Stone cor.				Elm	15	S 18 1/2 W 40 1/2	
" " " "	" f " 24.32 chs S of B				Hickory	18	N 83 3/4 W 83	
" " " "	" g " 24.32 chs S of N				Beech	28	S 54 E 42	
" " " "	" " " "				Stone		North	25
" " " "	" " " "				"		South	20
<p style="text-align: center;">By Carl O. Silbirt May 15. 1904</p>	" r 1.00 ch East of S				Stone		East	35
	" T Stone				"		West	35
	" W. Iron Stake				"		"	25

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **2** Township **13** North, Range **2 E.**

REMARKS, &c., &c.
 By Wilbur F Smith Oct. 1952
 G.D. Canatsey and 12 Rec'ds Rests.
 for Forrest G. Miller. 5th Subdivision



D to O 2464 ft.
 P to O 1326 ft.
 F to P 1337 ft.
 F to E 1127 ft.
 Z to P 2674 ft.
 Z to E 5139 ft.

Canatsey. Aug. 11-1953
 for Forest Miller

Moore
 Holloway 1989

Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
E	Stone			{ Ash 8" S.E.		36'5"	
				{ Hickory 4" West		23'0"	
2	Stone	330'	E of E	{ Sugar 26" West		35'0"	
				{ Sugar 18 S.E.		26'9"	
D	Stone	1326'	E of E	{ Hackberry 30" West.		16'6"	
				{ Twin Walnut 8" N 86° E		47'6"	
C	Stone	2652'	E of E	{ W. Cherry 12" S.W.		16'8"	
				{ Sugar 18" N.W.		14'3"	
O	Stone			{ Elm 24" East		17'2"	
				{ W. Cherry 28" N.E.		12'3"	
P	Stone			{ N.E. cor. of Barn Foundation		S-W 80'4"	
				{ Weeping Willow 24" N. 15° W		42'8"	
F	Stone			{ B Walnut 8" N. 15° W		28'6"	
				{ Maple 6" S. 63° E		17'0"	
Z	Stone			Sugar 20" S. 9° W		43'6"	
				Walnut 20" N. 71 1/2° W		15'4"	
N.	old stone			stone		North 9'	
				Walnut 10"		N.E. 27'	
E	Stone			TRIPLE Ash 12"		S.E. 36'0"	
				Utility pole		S 75° W 23'9"	
				Corner Post		N 60° W 24'8"	
P	Stone			SE cor. FRAME HOUSE		N 75° W 24'6"	
				NE cor. HOUSE		N 30° W 50'0"	
				CORNER post		EAST 6'8"	
V				SEE SEC 12 E-stone			
Z	STONE			Maple 12" N 62° W		38'2"	
				SE cor. Foundation House		60'8"	
				Utility pole		S 38° E 15'9"	
F	IP			B WALNUT 14" N 30° E		46'6"	
				Maple 12" S 60° E		13'6"	
				SW cor House		S 70° E 40'8"	
M	12" ROAT SPIKE IN CR RD			HACK BERRY 24" N.E.		21'	
				SE CORNER OF ...		NW 66'3"	

PAGES FOLLOWING SEC 26

1000
 1010
 1020
 1030
 1040

2
 3
 4
 5
 6

Sec 2

13N

R2

Smith 71 C old stone - sugar 20" NW 14
W CHERRY 12" SW 15½

Smith 71 I old stone side of Post

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.	
<p style="text-align: center;"><i>By W Headley</i></p>	At E	Stru cor.			Sugar	15	S 25 E	6	
	"	N	" "			"	5	N 20 W	31
	"	M	" "			Beech	6	S 40 W	7
	"	"	" "			"	10	N 31 E	32
	"	"	" "			Sugar	20	N 21 E	17
	"	B	" "			Beech	6	S 21 E	4
	"	"	" "			"	15	N 35 E	12
	"	"	" "			"	—	S 20 W	30
	"	K	" "			"	22	N 52 E	73
	"	"	" "			"	15	North	115
<p style="text-align: center;"><i>B. J. Butler</i></p>	"	G	" "		"	8	N 35 E	20	
	"	"	" "		Oak	22	N 7 N W	18	
	"	V	" "		Beech	18	S 39 E	38	
	"	"	" "		"	8	N 39 W	49	
	"	"	" "		"	24	S 32 E	84	
	"	"	" "		W Oak	24	N 26 1/2 W	54	
	"	R	" "		Beech	22	S 70 1/2 W	60	
	"	"	" "		Bl Walnut	12	N 57 E	57	
	"	A	" "		Sugar	24	N 57 1/2 E	10	
	"	"	" "		"	20	S 73 1/2 E	22	
<p style="text-align: center;"><i>Wm Headley</i></p> <p style="text-align: center;"><i>Mc Nabt</i></p>	"	Y	" "		G. Ash	9	S 30 W	29	
	"	"	" "		"	18	S 33 E	22	
	"	a	" "		Beech	18	S 22 W	59	
	"	"	" "		"	20	N 42 E	20	
	"	H	" "		"	30	N 83 W	20	
	"	"	" "		"	10	N 52 E	22	
	"	c	" "		Elm	3	S 34 E	8	
	"	T	" "		Beech	18	S 74 E	10	
	"	"	" "		Sugar	12	N 25 W	4	
	"	e	" "		"	12	S 12 W	17	
<p style="text-align: center;"><i>Wm Headley</i></p>	"	"	" "		Beech	12	N 14 E	20	
	"	f	" "		Sugar	12	N 45 E	18	
	"	"	" "		N Walnut	4	N 73 W	10	
	"	g	" "		Sycamore	6	S 75 E	4	
	"	"	" "		B Walnut	22	N 27 W	2	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
of Wm. Hadley map on opposite page 1883 NW 1/4 Sec 3 T. 13 N. R. 2 E S. Swope Acres 65.14 1045 ch. East of W 2.15 ch. East of T E.P.C. C to N. = 37.65 as Found 6-2-86 RZM	A	Stone cor.			S. Ash	24	N 86 W	8
	B	" "			Sugar	6	North	18
	C	" "			B. Walnut	36	N 89 1/2 W	52
	D	" "			Ash	24	South	2
	E	" "			Sugar	24	N 51 1/2 E	15
	F	" "			"	20	N 73 1/2 E	22
	G	" "			walnut	30"	N. 31 W	32 1/2
	H	" "			"	18"	S. 26 W	57
	I	" "			Hackberry	6"	South	58
	J	" "			B. Walnut	12	N 68 E	71
	K	" "			Hickory	25	N 75 W	69
	L	" "			Elm	6	N 70 E	19
M	" "			Stone		West	30	
N	" "			Elm	8	East	123	
O	" "			Sugar	20"	S 7 W	48 1/2	
P	" "			walnut	20"	N 77 1/2 W	150 1/2	
Q	" "			Sugar	8"	S 65 1/2 E	76 1/2	
R	" "			Plum	10"	S 73 W	107 1/2	
S	" "			walnut	16"	N. 88 1/2 E	32 1/2	
T	" "			Maple	12"	S. 9 W	38 1/2	
U	" "			Haw	10"	N. 82 W	48 3/4	
V	" "			Haw	12"	N 65 1/2 W	74"	
W	" "			Hackberry	6"	N 77 1/2 W	67 1/2	
X	" "			Hackberry	20"	N. 85 W	80 1/4	
Y	" "			Rock	30"	East	8 1/2	
Z	" "			No vertical N.W. cor. of corner foundation S. 40 S			107 1/2	
aa	" "			Silver Poplar	10"	N. 76 W	14 1/2	
ab	" "			Elm	40"	N. 42 E	128"	
ac	" "			Stone		N 60 W	49 1/2	
ad	" "			Stone		North	25	
ae	" "			Walnut	4"	West	22	
af	" "			SE corner foundation House			88 1/2	
ag	" "			House	14"	N. 32 W	52 1/2	
ah	" "			Whitely pole		N 76 W	49 1/2	

2
 0
 4
 8
 12
 16
 20
 24
 28
 32
 36
 40
 44
 48
 52
 56
 60
 64
 68
 72
 76
 80
 84
 88
 92
 96
 100

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 4

Township 13


North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Aces.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By J. W. Keating</p> <p>B. F. Butler</p>	W M	Stone cor.			Hickory	18	N 40 E	37 1/2
	" B	" "			Beech	16	S 73 W	24
	" Y	" "			"	20	N 57 E	3
	" O	" "			W Oak	36	S 68 W	26
	" L	" "			Beech	8	West	2
	" A	" "			Hickory	15	N 80 E	20
	" K	" "			Beech	12	S 23 E	18
	" d	" "			"	10	N 69 W	7
	" b	" "			"	24	North	10
	" c	" "			"	18	N 68 W	24
	" f	" "			"	18	S 28 1/2 E	25
	" g	" "			W Oak	20	S 82 1/2 E	40
	" h	" "			do	24	N 56 1/2 E	66
	" i	" "			B Walnut	8	West	90
	" j	" "			do	3	N 58 W	13
	" k	" "			"	2 1/2	S 21 1/2 E	16 1/2
	" l	" "			Beech	18	N 31 1/2 W	19 1/2
	" m	" "			Sugar	12	S 73 W	39 1/2
	" n	" "			Beech	18	S 63 1/4 E	35 1/2
	" o	" "			"	22	S 40 W	90
" p	" "			W Oak	24	S 61 E	57	
" q	" "			"	18	N 9 E	28	
" r	" "			"	15	S 73 1/2 E	34	
" s	" "			Stone		East	15	
" t	" "			"		South	15	
" u	" "			G Ash	8	S 28 E	60 1/2	
" v	" "			Stone		West	15	
" w	" "			B Walnut	8	S 33 1/4 W	57 1/2	
" x	" "			Poplar	5	N 31 1/2 E	49	
" y	" "			Elm	3	N 82 W	124	
" z	" "			Sugar	20	S 73 E	82	
" a	" "			B Walnut	4	N 73 1/2 W	113	
" b	" "			Stone		West	33	
" c	" "			Elm	7	S 1 W	93	

Perpetrated by Robt
M^{rs} Pheters June 4th 1890

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 4 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By Can Haase Oct. 11-16 	At γ stone cor.				Walnut	14	N. 28 $\frac{3}{4}$ E.	55.12 $\frac{1}{2}$
	(x is 6.00 ch. North of X)				"	12	S. 45 $\frac{1}{2}$ E.	141.70
	At δ stone cor.				Poplar	22	N. 83 W.	138.25
	(d is 13.98 ch. East of X)				B. Walnut	17	N. 78 $\frac{1}{2}$ E.	104.82
	At ϵ stone cor.				stone		West	16.5
	(t is 6.00 ch. North and 13.98 ch. East of X).							

4th Blund
Sept. 26-31

7.50 ch
North of X
Harrow
North

Walnut 12 S 60 $\frac{1}{2}$ E 305 $\frac{1}{2}$

- C Stone {
 - Shell Hickory 2" North 4' 5"
 - Maple 10" West 45' 8"
 - Hackberry 7" S 85 E 3' 8"
- V SEE SEC 9-A
- Z SEE SEC 9-A

Z
O
A
E

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 5 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center; font-size: 1.2em;">By <i>Wm Headley</i></p>	At D	Stone cor.			Sugar	3	S 40° E	7	
	"	O	"		Beech	10	S 80° W	29	
	"	"	"		Sugar	8	South	34	
	"	Y	"		Beech	10	N 26° W	20	
	"	"	"		Sugar	6	N 65° W	25	
	"	"	"		"	6	S 50° E	36	
	"	"	"		"	9	N 25° W	25	
	"	"	"		"	9	S 68° E	17	
	"	R	"		Beech	12	S 41° E	4	
	"	"	"		"	18	N 76° E	23	
	"	J	"		P Oak	24	S 31° E	78	
	"	"	"		Beech	6	N 58° E	17	
	"	"	"		Sugar	7	N 13° E	16	
	"	"	"		Walnut	—	N 43 1/2° W	23 1/2	
	"	"	"		Sugar	—	N 25 1/2° E	27	
<p><i>W Hiatt Mar 22nd 1883</i></p> <p><i>Robt M. Pheeters June 4th 1840</i></p> <p><i>By H. A. Blunk Nov. 1909</i></p> <p style="text-align: center;">" " "</p> <p><i>Wilbur F Smith July 8 1952</i> E. E. Combs & A. Reeves heirs. For R. T. Coyle</p> <p>N to N' 589 ft.</p> <p>N to N' 303 ft.</p> <p>N to O 1386'</p> <p>N' to O 494'</p> <p>N to S 1339 ft.</p> <p>S West to E of S.R. #144 688 ft.</p>	"	"			Elm	8	N 66° E	19 1/2	
	"	"			W. Oak	15	S 77° E	65 1/2	
	"	"			W. Walnut	20	N 42 1/2° E	18	
	"	"			Sugar	18	N 24° W	31 1/2	
	"	"			Stone		N 88° E	44	
	"	"			Sugar	23	N 41° W	81	
	"	"			Elm	28	N 43 1/2° W	81	
	"	R	re-witnessed			Beech	20	S. E.	68
	"	"				"	10	S. W.	78 1/2
	"	"	re-witnessed			poplar	6	west	64
	"	"				Sugar	12	east	95
	"	"				Beech	6	S. W.	49
	"	N	old stone			B. Walnut	6"	N. E.	16'-2"
	"	"				B. Walnut	14	S. W.	78'-6"
	"	"	3/4" Galv. Pipe in 1/2 of County Rd			1 1/4" Pipe		South	15'-0"
"	"	3/4" Galv. Pipe in 20' of Road			3/4" Pipe SW. on Prop. Line	18"	SW.	15'-6"	
"	"				Elm	20"	S. E.	20'-10"	
"	S	old Stone			Cluster of Hedge Apples		West	11'-3"	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 5 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
D—C—B—A C—H—I—K O—N—M—L R—S—T—U Y—X—W—V	at N	STONE 1 1/2" BESIDE			SW cor House W side road NW cor House Walnut	3" 8"	S 70 W	107' 9" 145' 6" 46' 10"
	R	old STONE removed			Utility pole Shell Bakery Maple	6" 14"	N 70 E S 60 W N 40 W 55'	22' 9" 29' 6" 35' 2"
	V		222		SEC 9 - E			

Z
O
P
Q
R
S
T
U
V
W
X
Y

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 6 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inp.	Bearing Trees.	Diam.	Courses.	
<p style="text-align: center;">By J. Keadley</p>		At A Stone cor.			W Oak	24	N47W 1/2	
					do	30	S54E 6	
			" C " " x			W Elm	2	N50E 7
			" L " "			do	1 1/2	N77W 3
						W Oak	24	S1 1/2 W 15
			" O " "			do	-	N12W 7
			" M " "			B. ash	20	S51E 20
			" N " "			Beech	24	N83 1/2 W 66
			" O " "			Hickory	18	N54W 7
			" M " "			Ash	6	N69E 20
			" IT " "			Sugar	18	S29E 17
			" D " " Cross			Beech	12	N5W 14
			" R " "			"	15	West 8
			" O " "			Hickory	22	S87 1/2 E 6
			" P " "			Sugar	18	S43E 3
					Beech	-	S23W 4	
					"	4	N79 1/2 E 16	
<p>By Hugh Johnson, Mar. 22-1901 for D. Johnson, J. D. Carter et al.</p>		" a " " 2 ch. c. of 6"			Focust	10	S55W 15	
		" L " "			"	3	East. 33	
					Ash	4	S34 1/2 E 63	
					Walnuts	4	S59E 8	
<p>By H. A. Blumh. Aug 23-1932 n is 18.16 ch. East of N. m is 9.82 ch. South of n</p>		" stone			Apple	6"	N81W 4	
		" stone			Apple	6"	N44E. 5	
		" stone			Electric pole		S65E. 14	
		A LARGE STONE			CORNER POST		SW 1-	
					UTILITY POLE		E 1-	
					UTILITY POLE		S 297	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 7

Township 13

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	
<p style="text-align: center;">By J. Keadley</p>	At g Elm cor.				Elm	15"	West	
						"	15"	S 10° E
						Stone		North
						"		East
						B. Walnut	5"	N 14° W
						Cherry	10"	N 14° E
						Stone		N 40° W
						B. Walnut	5"	N 21° W
						Beech	12"	S 49° E
						B. Walnut	10"	S 52° W
					Sycamore	50"	N 76° E	
					Sugar	20"	S 30° W	
					B. Walnut	10"	N 42° E	
					Sycamore	8"	N 84° W	
					Stone		East	
					"		West	
					B. Walnut	16"	N 88 1/2° W	
					Beech	15"	S 50° E	
					B. Walnut	15"	S 48 1/2° E	
					Stone		East	
					"		South	
					"		N 10° E	
					Coffee Nut	7"	N 7° W	
					Stone		South	
					Orange	18"	N 49 1/2° W	
					Elm	15"	S 13 1/2° E	
					Fern	7"	S 35 3/4° E	
					End of N. E. corner		S 74 1/2° W	
					Windy			
					Elm	26"	West	
					B. Walnut	10"	S. 51 1/2° W	
					Cone Corpost.		S. 60° E.	
					Center of		West	
					Top of Boulder			
<p>By Cor-House Deputy for Earle O. Gilbert Aug 31. 1/2 1907</p>	J.	Stone						
	x	"						
	c	"						
	d	"						
	e	"						
	f	"						
	g	"						
	h	"						
	i	"						
	j	"						
	k	"						
	l	"						
	m	"						
	n	"						
	o	"						
	p	"						
	q	"						
	r	"						
	s	"						
	t	"						
	u	"						
	v	"						
	w	"						
	x	"						
	y	"						
	z	"						
<p>By H. A. Blunk, Apr. 2-1918 Leathers Partition</p> <p>m is 29.87 1/2 ch. N of W and 10.64 ch S of M.</p> <p>w is 12.16 N. of W</p> <p>By Wilbur F. Smith Co. Surveyor H. A. Blunk & A. Rees as Agents. For Smith March 20 1951</p> <p>m-13 10.64 ch South of M.</p>	m	Iron bolt						
	w	Stake						
	M	Stone						
	m	1/2 Galvanized pipe						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 8

Township 13

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<p style="text-align: center;">By <u>Wm Hadley</u></p> <table border="1" style="margin: auto; border-collapse: collapse; text-align: center;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>C</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table>	E	D	C	B	A	F	C	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	at <u>W Stone cor.</u>				Beech	22	S 47 E	34
	E	D	C	B	A																												
	F	C	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
	Z	Y	X	W	V																												
		"	a	"	"	"	8	N 28 W	43																								
		"	"	"	"	"	18	S 80 E	20																								
		"	B	"	"	Sugar	—	N 30 W	17 1/2																								
		"	"	"	"	Beech	6	N 18 W	6																								
	"	Y	"	"	Sugar	18	S 28 E	11 1/2																									
	"	"	"	"	"	10	S 85 W	17																									
	"	E	"	"	Beech	20	N 69 E	14																									
	"	"	"	"	Sugar	12	S 16 E	45																									
	"	O	"	"	Elm	12	S 60 W	56																									
	"	"	"	"	Sugar	13	N 42 E	23																									
	"	"	"	"	W Oak	6	S 41 W	4																									
	"	"	"	"	B. Locust	6	N 56 W	41																									
	"	"	"	"	Sugar	12	N 43 E	43 1/2																									
	"	"	"	"	"	10	N 29 1/2 W	20																									
	"	"	"	"	W Oak	22	S 8 E	22																									
	"	"	"	"	Stone		S 82 W	36																									
	"	"	"	"	"		North	27																									
	"	"	"	"	Blueberry		N 38 1/2 W	64 1/2																									
	"	"	"	"	"		S 25 1/2 W	8 1/2																									
	"	"	"	"	Wild Cherry		S 77 E	18 1/2																									
	"	"	"	"	Lat 70 Boulder		+ S.W	35 1/2																									
	"	"	"	"	"		+ S.E	30																									
	"	"	"	"	1 1/2" IP		North	30'																									
	"	"	"	"	1 1/2" IP underground		South	15'																									
	"	"	"	"	SW cor House		N 35 E	27 3/4																									
	"	"	"	"	14" shell Hickory		N 40 W	56 1/2																									
					Sycamore		26" South	20'																									
					Sycamore		6" S.W.E	40'																									
					1 1/2" IP		WEST	20'																									
					Wildcherry	10"	South	12 1/2																									
					Maple	8"	N 20 W	47 1/2																									
					Hackberry	14"	WEST	3 1/2																									
					OK <u>I</u> STONE																												
					6-28-88																												

B. J. Butler

1874
 S. Hiatt Mar. 21st 1883
 By Carr Hoare Dept.
 Mar. 17-1913
 n is 16.00 d. south of N.
 n is 16.10 d. south of a

R. Holloway 1970 at L stone 1 1/2" IP beside

Not correct R 6-28-88
 4" High
 COPPER
 PILLER ENGRAVED

OK I STONE
 6-28-88

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **8** Township **13** North, Range **2E**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>R Holloway 1970</p>								
	at K	1" IP			SE cor House		N35°W	133' 0"
					NW cor Brick House		S20°E	213' 4"
					1" IP			26' 11"
					1" IP 6" underground		North	12' 8"
	M	STONE R.R. bands 1" IP					South	30'
	S	STONE			Locust 4"		S5°E	4' 9"
					WILDcherry 2"		S80°W	8' 6"
	X							
	B				SEE SEC 17-C			
					" " 9 E"			

7/14
1/2

Z
O
E

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

9

Township

13

North, Range 7 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By M^o Mubb + 3</p>	A	W M Stone			W Oak	20	S 27 E	34
	B	"	"		Stone		N 40 E	33
	C	"	"		Sugar	20	S 42 E	63
	D	"	"		"	10	N 82 W	35
	E	"	"		Beech	20	N 49 1/2 W	78
	F	"	"		W Oak	20	N 44 E	138
	G	"	"		Beech	22	North	10
	H	"	"		"			
	I	"	"		"			
	J	"	"		"			
<p>S. White Feby 17th 1883</p>	K	O Stone			Stone			30
	L	"			"		East	25
	M	"			"		Sugar	18
	N	"			"		N 10 E	95
	O	"			"		"	
	P	"			"		"	
	Q	"			"		"	
	R	"			"		"	
	S	"			"		"	
	T	"			"		"	
<p>By H. A. Blunk Feb. 15-1883 p. is 23.13 ch North of P.</p>	U	Stone in Road			Stone		South	25
	V	"			"		"	
	W	"			"		"	
	X	"			"		"	
	Y	"			"		"	
	Z	"			"		"	
	A	"			"		"	
	B	"			"		"	
	C	"			"		"	
	D	"			"		"	
<p>By J. Smith Feb 22-21 for E. Keller through McClunton By H. A. Blunk, Jun. 15-1882 & Survey for Wm A. Shepherd.</p>	E	Stone 20E 50. in East 21			Stone West		North 88 1/2 W	90 1/2
	F	"			" East		South 88 1/2 W	2 1/2
	G	"			"		East	25.66
	H	"			"		East	25.66
	I	"			"		East	25.66
	J	"			"		East	25.66
	K	"			"		East	25.66
	L	"			"		East	25.66
	M	"			"		East	25.66
	N	"			"		East	25.66
<p>Earle O. Gilbert H. A. Blunk. 8-19-188</p>	O	Stone Iron Rod in Road. N=25.79 ch. N of N.			Stone		West	31.11
	P	"			"		West	31.11
	Q	"			"		West	31.11
	R	"			"		West	31.11
	S	"			"		West	31.11
	T	"			"		West	31.11
	U	"			"		West	31.11
	V	"			"		West	31.11
	W	"			"		West	31.11
	X	"			"		West	31.11
<p>By H. A. Blunk, Jun. 15-1882 & Survey for Wm A. Shepherd.</p>	Y	Stone Iron Rod in Road. N=25.79 ch. N of N.			Stone		West	31.11
	Z	"			"		West	31.11
	A	"			"		West	31.11
	B	"			"		West	31.11
	C	"			"		West	31.11
	D	"			"		West	31.11
	E	"			"		West	31.11
	F	"			"		West	31.11
	G	"			"		West	31.11
	H	"			"		West	31.11
<p>By H. A. Blunk, Jun. 15-1882 & Survey for Wm A. Shepherd.</p>	I	Stone Iron Rod in Road. N=25.79 ch. N of N.			Stone		West	31.11
	J	"			"		West	31.11
	K	"			"		West	31.11
	L	"			"		West	31.11
	M	"			"		West	31.11
	N	"			"		West	31.11
	O	"			"		West	31.11
	P	"			"		West	31.11
	Q	"			"		West	31.11
	R	"			"		West	31.11

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 9 Township 13 North, Range 2E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	1967 N	STONE 16" STONE 16" underground IP ON TOP			R/W MARKER		N86E 15'7"	
					SE cor Black Building		N45W 92'2"	
					utility pole		WEST 26'2"	
		at O	STAVE		SW cor House		N30E 107'7"	
					corner post		SOUTH 17'	
					corner post		North 15'7"	
		S	3" IP		NE cor Tile House		S30W 169'4"	
					utility pole		N70W 22'	
					1" I Rod 1 1/2' above ground		S80E 42'6"	
		Y	1" IP 6" under Road.		WALNUT	10"	N40E 26'	
				corner post		North 15'		
				corner post		South 17'9"		
	C	IRON PIPE SET BY HORSE						
DAKE SUB →	E	LONG GATE ROD BRICK SET ON END			PURPLE		NW 75'	
					DAK	12"	N11E 67.3'	
					SUGAR	12"	E11E 81'	
					14' EAST OF FENCE			
	D	SEE SEC 8-L"						
	V	SEE SEC 16-A"						
	X	SEE SEC 16-C"						
	F	SEE SEC 8-K"						

10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 13 North, Range 2 East.

Corners.	Bearing Tress.	Diam.	Courses.	Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.
U	Beech	12	S 25 E	18					
	W. Oak	26	N 52 W	15					
ut u									
"	Beech	12	S 25 W	37					
	"	20	N 35 E	6					
"									
"	Beech	18	N 70 E	35					
	"	28	S 27 E	46					
"									
"	Sycamore	28	South	12					
	"	24	N 1 W	6					
"									
"	Beech	10	N 17 E	10					
	"	28	S 27 W	22					
"									
"									

200
 21
 22
 23
 24
 25

26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 13 North, Range 2 East

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
11.25.26.35.36.	Beech	12	S 80 E	21	At 16.17.20.21.	Beech	10	S 30 E	10
	"	20	S 10 E	23		"	5	N 27 W	10
23.24.25.26.	Ash	11	N 74 E	12	" 8.9.16.17.	"	20	S 79 E	16
	"	11	S 25 W	13		Sugar	6	N 66 W	17
13.14.23.24.	In River				" 4.5.8.9.	Beech	24	S 40 E	44
						"	11	N 66 W	8
11.12.13.14.	B. Ash	18	S 40 E	17	" 29.30.31.32.	Ironwood	6	N 89 E	28
	Cherry	40	N 61 W	17		Beech	18	N 77 W	22
1.2.11.12.	Hackberry	18	N 47 W	27	" 19.20.29.30.	W. Beech	6	N 79 W	4
	Beech	10	N 65 W	9		Buckeye	4	S 72 E	14
26.27.34.35.	"	24	N 46 E	27	" 17.18.19.20.	Beech	12	N 55 E	17
	Sugar	36	S 43 W	21		"	12	N 76 W	23
22.23.26.27.	Hickory	12	N 47 E	6	" 7.8.17.18.	Beech	8	S 60 E	6
	Walnut	30	N 52 W	22		Sugar	20	N 57 W	20
14.15.22.23.	Hickory	10	S 5 E	30	" 5.6.7.8.	Ash	28	S 50 E	4
	Elm	40	S 34 W	14		Beech	26	N 58 W	35
10.11.14.15.	Beech	15	S 88 E	36					
	"	12	S 80 W	20					
2.3.10.11.	Elm	7	N 41 E	12					
	Ash	48	S 80 W	36					
27.28.33.34.	"	10	S 51 E	25					
	Hackberry	24	N 75 W	33					
21.22.27.28.	Beech	15	S 89 E	19					
	"	18	S 35 W	26					
15.16.21.22.	"	24	N 34 E	24					
	Sugar	10	S 3 W	16					
4.10.15.16.	Hogwood		N 65 E	22					
	Sugar	6	S 40 W	28					
3.4.9.10.	Beech	11	S 71 E	20					
	Hickory	15	N 54 W	11					
28.29.32.33.	"	15	S 20 E	24					
	Beech	18	N 35 W	22					
20.21.28.29.	"	14	N 70 E	25					
	Hickory	18	N 96 W	13					

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 13 North, Range 2 East

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>From M to A</i>					<i>From A to W</i>				
at 1	Elm	40	N30W	27	at 5	Beech	12	N76E	9
	Beech	10	N83E	12		"	10	N83W	32
" 2	"	10	N29E	14	" 6	Maple	15	S57W	6
	"	6	S85W	3		Sycamore	12	N33E	35
" 3	Ash	18	N16W	11	<i>A to E</i>				
	Walnut	18	S14E	75	at 1	Willow	10	N39E	6
" 4	Beech	11	S21E	25		Maple	5	S28W	70
	"	12	N21W	26	" 2	Ash	7	North	10
" 5	"	10	S60E	46		Beech	30	S40W	47
	"	4	S80W	21	" 3	Sugar	6	N79W	22
" 6	"	10	N1W	33		"	12	S75E	35
	"	20	S5E	30	" 4	Poplar	30	S68E	16
<i>L to O</i>						Beech	12	N39W	20
at 1	Sugar	15	S39E	16	" 5	"	10	S21W	5
	"	10	N39W	19		W Oak	8	N10E	21
" 2	Elm	10	S41W	19	" 6	Sugar	10	S70W	50
	"	6	N50E	31		Beech	24	N84E	27
" 3	Ash	30	S89W	28	<i>L to J</i>				
	"	12	N50E	50	at 1	Buckeye	10	S64E	16
" 4	Beech	6	S80E	12		"	12	N78W	35
	"	18	N29W	20	" 2	Beech	18	N66E	22
" 5	"	15	N83E	25		"			
	"	3	S72W	9	" 3	Ironwood	4	S20E	4
" 6	"	7	S35W	19		Beech	20	N30W	37
	"	18	N56E	21	" 4	Sugar	6	S46E	6
<i>K to N</i>						"	7	N15W	26
at 1	"	6	N5E	10	" 5	Beech	4	S55E	18
	"	6	N48W	7	" 6	"	6	N64W	19
" 2	Buckeye	18	S32E	4		"	6	S7E	13
	"	18	N68W	13		Sugar	4	S14W	24
" 3	Sugar	24	S48W	44	<i>O to J</i>				
	Ash	26	N39E	34	at 1	Beech	12	N25E	10
" 4	Beech	10	S44E	36		"	18	S10W	16
	"	24	N38W	44					

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 13 North, Range 2 East

Corners.	Bearing Tress.	Diam.	Courses.	Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.
nu Q to					nu Q to S				
at 2	Ash	10	N37W	4	at 6	Sugar	10	S68W	24
	Hackberry	12	S47E	25		Elm	11	S50E	16
3	Beech	20	S70E	35	" R to E				
	"	4	S75W	10	at 1	Ash	6	N55E	23
4	Buckeye	10	N55E	17		Beech	5	S36W	34
	Sugar	15	N54W	4	" 2	Sugar	6	N82E	18
5	Beech	40	S70W	9		Logwood	3	N81W	4
	"	30	East	25	" 3	B Oak	15	N75W	21
6	Ash	4	N39E	27		Beech	15	S87E	30
	"	12	S22W	20	" 4	"	6	N71E	20
nu P to					" 5	W Oak	24	S67E	21
at 1	"	10	N35W	12		Beech	6	N71E	20
	Beech	12	S23E	8	" 6	"	10	N88W	22
2	W Beech	10	N80E	22		"	20	N4W	38
	Beech	24	N34W	31	"	Hickory	10	S10W	10
3	Sycamore	10	N44W	20	" S to B				
	Elm	4	S58E	12	at 1	Sugar	18	N16E	17
4	Beech	3	S37W	12		Beech	15	S44W	40
	"	12	N28E	20	" 2	"	18	N2W	28
5	Elm	36	S57W	20		Ash	7	S2E	31
	Sugar	8	N39E	36	" 3	Beech	26	N70W	33
6	Beech	20	N55W	25		Ash	30	N83E	26
	"	12	S25E	23	" 4	Beech	10	Corner	
nu Q to					"	"	20	S11E	30
at 1	Hickory	12	S30W	37	"	"	18	N19E	21
	Hackberry	18	N1W	67	" 5	"	12	N21E	16
2	Ash	25	N66W	5	"	"	10	S7W	25
	Sugar	15	S50E	35	" 6	"	20	N55E	24
3	"	6	N28E	19	"	"	18	South	10
	"	12	S17W	25					
4	Beech	6	N57E	10					
	Logwood	5	N30W	25					
5	Sugar	7	N82W	11					
	Ash	24	S87E	39					

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 10 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>Wm Hadley</u>	<u>at W</u>	<u>Stone</u>			<u>Sugar</u>	<u>18</u>	<u>N 18 W</u>	<u>6</u>
<u>E — D — C — B — A</u>	<u>" J</u>	<u>"</u>			<u>Beech</u>	<u>5</u>	<u>S 33 E</u>	<u>14</u>
<u>F — G — H — I — K</u>	<u>" S</u>	<u>"</u>			<u>Sugar</u>	<u>20</u>	<u>N 11 E</u>	<u>10</u>
<u>P — O — N — M — L</u>	<u>" S</u>	<u>"</u>			<u>"</u>	<u>15</u>	<u>N 30 E</u>	<u>6</u>
<u>O — R — S — T — U</u>	<u>" S</u>	<u>"</u>			<u>B. Walnut</u>	<u>24</u>	<u>N 20 W</u>	<u>56</u>
<u>Z — Y — X — W — V</u>	<u>" S</u>	<u>"</u>			<u>Stone</u>		<u>N 86 E</u>	<u>34</u>
	<u>" S</u>	<u>"</u>			<u>Lynx</u>	<u>22</u>	<u>S 24 1/2 W</u>	<u>29</u>
	<u>" S</u>	<u>"</u>			<u>Elm</u>	<u>24</u>	<u>N 18 1/2 E</u>	<u>11</u>
	<u>" S</u>	<u>"</u>			<u>Beech</u>	<u>-</u>	<u>N 30 1/2 W</u>	<u>13</u>
	<u>" S</u>	<u>"</u>			<u>W. Oak</u>	<u>30</u>	<u>N 65 W</u>	<u>34</u>
	<u>" S</u>	<u>"</u>			<u>Buckeye</u>	<u>-</u>	<u>N 53 1/2 W</u>	<u>42</u>
	<u>" S</u>	<u>"</u>			<u>Hickory</u>	<u>-</u>	<u>N 75 1/2 W</u>	<u>23</u>
	<u>" S</u>	<u>"</u>			<u>B. Walnut</u>	<u>-</u>	<u>S 18 E</u>	<u>222</u>
	<u>A</u>	<u>SEE</u>	<u>2-2</u>					
	<u>E</u>	<u>SEE</u>	<u>9-A</u>					
	<u>L</u>	<u>1" IRON 2 Rod</u>			SE cor Westcome Bridge rail SW cor EAST cor Bridge rail which pole cor post in one EAST 19' 8" WEST 20' 6"			
	<u>N</u>	<u>stone</u>			Thorn 9" S 75 E 4' 3" Oak 9" North 25' 6" SYCAMORE 10" S 45 E 19' 11"			
	<u>Z</u>	<u>SEE</u>	<u>SEC</u>	<u>16-A</u>				
	<u>D</u>	<u>SEE</u>	<u>SEC</u>	<u>3-Y</u>				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 11 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Ilu.	Bearing Trees.	Diam.	Courses.
By M ^{rs} Nabb	At E Stone				Buckeye	18	S 67 W 2
					"	4	S 20 W 1
					Cherry	12	N 68 W 10
					Sugar	22	N 68 E 6
					Walnut	18	N 73 W 4
					Stone on lower		N 35 E 10
					Elm	52	N 6 E 4
					Beech	22	S 40 E 4
					Sugar	24	S 5 E 6
					Stone		S 35 E 4
					"		N 45 E 36
					"		South 2
					"		North 30
					" on lower		West 2
					"		East 21
					"		West 3
					"		North
					Walnut	2 1/2	S 5 W
					Hickory	18	S 89 E
					Walnut Stump		N 17 W
					Stone		North
					Walnut	8"	N 71 E, 2
By H. A. B. Lamb, Jan. 4, 1943	h is	STONE					
Survey for Townsend and David	15.00 chs.	of A.					
Brown							
h is 16.00 ch south of C.	h						
9.5' East of Line EF C-H							
	A	SEE	12-E				
	E	SEE	2-Z				
	L	SEE	12-P				
	P	SEC	SEC 10 "L"				



By H. A. B. Lamb

By H. A. B. Lamb, Jan. 4, 1943
Survey for Townsend and David
Brown
h is 16.00 ch south of C.
9.5' East of Line ~~EF~~ C-H

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 12 Township 3 North, Range 11 East

REMARKS, etc., etc.	Corners	Stone Mark	Area	Dist.	Bearing from	Dist.	Courses
<p>By J. Headley at 11 stone</p> <p>15 1/2</p> <p>10 1/2</p> <p>5 1/2</p> <p>3.30 ch</p> <p>27 ch</p> <p>3.30 ch.</p> <p>By J. H. G. B. Hunt Dec. 6 - 1912</p>	<p>E</p> <p>F</p> <p>G</p> <p>H</p> <p>I</p> <p>K</p> <p>L</p> <p>M</p> <p>N</p> <p>O</p> <p>R</p> <p>S</p> <p>T</p> <p>U</p> <p>V</p> <p>W</p> <p>X</p> <p>Y</p> <p>Z</p>	<p>Stone</p> <p>Concrete Black with large iron center about 4 ft above ground</p> <p>concrete Black</p> <p>IRON PIPE</p> <p>STONE 2 ANGLE IRON 6" BORED</p> <p>STONE</p> <p>IRON PIPE</p>	<p>15</p> <p>10</p> <p>5</p> <p>3.30 ch</p> <p>27 ch</p> <p>3.30 ch.</p> <p>6</p>	<p>11311</p> <p>11326</p> <p>11446</p> <p>East</p> <p>North</p> <p>South</p> <p>515W</p> <p>E</p> <p>WEST</p> <p>80W</p> <p>EAST</p> <p>N70E</p> <p>EAST</p> <p>WEST</p> <p>E</p> <p>515W</p> <p>11</p>	<p>54</p> <p>27</p> <p>27</p> <p>20ft.</p> <p>3.30 ch.</p> <p>3.30</p> <p>95'3"</p> <p>25'0"</p> <p>107'4"</p> <p>20.8'</p> <p>15'0"</p> <p>76'5"</p> <p>12'9"</p> <p>15'1"</p> <p>25'</p> <p>95'3"</p> <p>107'4"</p>		
<p>R Holloway 1970</p>							

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 13 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hud.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>Ger. W. Pearce</i> June 7th 1886</p> <p><i>F., C. H. and N. were</i> <i>by C. G. H. Goss, May 6, 1896</i> <i>perpetuated by H. A. Blunk</i> <i>20-1919.</i> <i>23.74 south of N.</i> <i>H. G. Blunk - Aug 20-30</i></p>	At Walnut Stake				Locust 20		N 28 3/4 W	54
	F.	Stake			Locust 24		S 28 W	61 1/2
	C.				Hickory 30		N 7 1/2 E.	20 1/2 "
	H.				Sycamore 36		N. 89 1/4 W.	110 1/2 "
	N.	<i>cor. in pond.</i> <i>stone set East Galks</i> <i>and this stone witnessed by</i>			Elin.	20	S. 49 1/2 W.	42
	"	Walnut Stake			Sycamore 5		S 4 1/2 E.	29 1/2 "
	"				Stone		South	25
	P	<i>old stone</i> <i>perpetuated</i>			Maple 14"		N 73 1/2 W.	44 "
	A	stone			" 15"		N. 21 E.	50 1/2 "
	P	SEE SEC 14-L			Buckeye 24"		N. 87 1/2 E.	31 1/2 "
				Locust 8"		S 42 1/2 E.	29 "	
				BWalnut 14"		N 36 W	7 1/2 "	
				Iron fence post		Guard spic Hickory 8"	EAST 26 8"	
						spic Hickory 12"	S 10 E 33 8"	

17.15
18.15

Z
O
P
S
T
U
V

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 14

Township 13

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By W. Hadley</p>	At A	Stone			B. Ash	10	N 40 W	4
	"	O	"		"	10	N 58 E	5
	"	"	"		Beech	12	S 65 E	26
	"	"	"		Sugar	15	S 40 W	40
	"	"	"		Corner in White River.			
	"	P	Stone		Beech	14	S 86 E	32 1/2
	"	M	"		"	14	S 14 E	32
	"	"	"		Stone		West	30
	"	"	"		"		North	22
	"	L	"		Pin Oak	36	N 45 W	46
<p>By H. A. Blunk app. 12-1915</p> <p>Sept. 13-1929</p> <p>Dis + 37 1/2 ch. North of center of Mansville + Kaverly Road.</p> <p>NEW SET-^{CONC}stone is at edge of SR 144 at station 347+79 SET IN CONC. R. Holloway 1969</p>	"	B.	stone		R. Elm	—	S 45 W	40
	"	B	"		H. Locust	16	S 30 E	47
	"	"	"		oak	30	N 2 1/2 W	116 1/2
	"	"	"		emerald black		East	35
	"	"	"		stone		South	36 1/2
	"	L	STONE		CONC HIGHWAY MARKER		N 45 W	67 3/4
	"	"	"		"		"	72 1/4
	"	"	"		1" IRON PIPE		S 15 W	94 1/2
	"	"	"		1/2 Road 144		NORTH	20'
	"	"	"		Riv. oak post		N 30 E	117 1/2
"	"	"		Riv. oak post		N 30 W	124.0'	
"	"	"		1" IRON PIPE		S 15 W	95.0'	
"	P	SEE SEC 15	"L"					
"	W	SEE SEC 23	"B"					


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 15

Township 13

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>Wm. H. Dudley</u>	<u>at Y</u>	<u>Stone</u>			Poplar	24	S 36° E	7
	<u>at Z</u>	"			Hickory	15	N 80° W	10
	<u>at A</u>	"			Beech	24	S 30° E	39
	<u>at B</u>	"			"	12	S 28° W	53
	<u>at C</u>	"			Sugar	18	N 49° W	7 1/2
	<u>at D</u>	"			"	24	South	24
	<u>at E</u>	"			Beech	18	S 69° E	75 1/2
	<u>at F</u>	"			Hickory	2	N 14° E	20
	<u>at G</u>	"			Sugar	14	S 25° W	35
	<u>at H</u>	"			"	16	N 82° W	48
	<u>at I</u>	"			"	20	N 48° E	33
	<u>at J</u>	"			Beech	20	S 20° W	40
	<u>at K</u>	"			W Oak	60	S 74° E	52
	<u>at L</u>	"			Sugar	12	N 73° E	10
	<u>at M</u>	"			"	10	S 39° E	41
	<u>at N</u>	"			Beech	20	S 40 1/2° E	45 1/2
	<u>at O</u>	"			Stone		North	30
	<u>at P</u>	"			Beech	18	N 61° W	22
<u>Be. 2 lines 7 miles long.</u>	<u>M</u>	"			Sugar	14"	S. E	54 ft.
<u>App. 40-50 ft. from center of road.</u>	<u>L</u>	"		re-witnessed	persimmon	20"	S 28° E	65 ft.
	<u>N</u>	"		established	TWIN MAPLE	20"	N. 20 1/2° W	70.75 ft.
	<u>M</u>	"		1" IRON PIPE	N. END of East Head road		S 29° 19' 18" W	
	<u>N</u>	"		original stone	N. " " West		S 56° W 19' 18"	
	<u>1</u>	"		Old stone	Sugar	26"	S. 8° W.	13.5 ft.
	<u>2</u>	"		Stone	SP. Hickory	20"	N. 13° E	21.7 ft.
	<u>3</u>	"		Stone	TWIN Maple	8"	N 10° W	8.5 ft.
	<u>4</u>	"		Stone	Maple	9"	West.	14.5 ft.
	<u>5</u>	"		Stone	Hickory	12"	N 10 1/2° W	3 1/2 ft.
	<u>h</u>	"		stone	"	10"	East.	3 1/4 ft.
	<u>c</u>	"		stone	W. Cherry	8"	N. W.	44'
					+ on Cement Block		South	24'



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **15** Township **13** North, Range **2 East**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<div style="display: flex; align-items: center;"> <table border="1" style="border-collapse: collapse; text-align: center; margin-right: 20px;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>C</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> </div>	E	D	C	B	A	F	C	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	at L	Buried Stone 1" IP OVER			Maple Hackberry	24" 4"	S 45° E S 25° E	4' 9" 7' 0"
	E	D	C	B	A																												
	F	C	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
	Z	Y	X	W	V																												
	N	1" IP			Shell Hickory Maple Maple	4" 9" 12"	N 85° W N 65° E N 50° W	14' 9" 36' 8" 54' 3"																									
	M	ENGRAVED STONE 1" IP OVER			Maple NW cor Barn EAM	4" 7"	N 45° E S 60° E N 10° W	39' 2" 72' 9" 4' 0"																									
	E																																

M. S. J.

Z
O
P
E
X
E


SEE SEC 16 "A"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 16 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Ilun.	Bearing Trees.	Diam.	Courses.	Dist.
By W ^m Hadley	At A	Stone			Ash	24	S 30 W 78	
E — D — C — B — A					"	20	N 16 E 67	
F — G — H — I — K	a	"			G Ash	12	N 19 W 30	
P — O — N — M — L	b	"			Hickory	8	N 82 W 27	
O — R — S — T — U	c	"			"	4	S 64 W 10	
Z — Y — X — W — V.	d	"			Elm	24	N 68 E 17	
	e	"			W Oak	24	N 70 W 24	
	f	"			Beech	21	S 54 W 26	
	g	"			Hickory	22	S 14 W 52½	
	h	"			G Ash	12	N 19 W 30	
	i	"			Hickory	20	N 62½ E 23	
	j	"			Sugar	12	S 30½ E 71	
	k	"			Ash	—	S 11 W 12	
	l	"			Hickory	20	N 36 E 34½	
	m	"			W Oak	36	N 35½ E 100	
	n	"			Stone		N 67½ E 27	
	o	"			B Hickory	20	S 77½ W 40	
	p	"			W Oak	24	S 22½ E 187½	
	q	"			" "	36	S 23½ W 61½	
	r	"			Beech	30	East 4	
	s	"						
	t	"			Stone		S 30 E 20	
	u	"			W Oak	30	N 63 E 23½	
	v	"			Stone		N 35 E 40	
	w	"			Hickory	22	N 33 E —	
	x	"			Beech	5	S 33 W 30	
	y	"			"	20	S 40½ E 45½	
	z	"			Stone		North 30	
	aa	"			Hickory	5	N 63 E 26	
	ab	"			Stone		S 15 W 23½	
	ac	"			"		N 7½ E 14	
	ad	"			B Oak	24	N 58 W 103	
	ae	"			Hickory	18	N 20 E 78	

By W^m Hadley
 " H. J. Craig
 J. W. Pearce



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 16 Township 13 North, Range 7 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p><i>G.W. Pearce</i> <i>See map on opposite page</i></p> <div style="display: flex; justify-content: space-around; text-align: center;"> <div style="border: 1px solid black; padding: 2px;">C</div> <div style="border: 1px solid black; padding: 2px;">H</div> <div style="border: 1px solid black; padding: 2px;">I</div> <div style="border: 1px solid black; padding: 2px;">K</div> </div> <div style="display: flex; justify-content: space-around; text-align: center; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">O</div> <div style="border: 1px solid black; padding: 2px;">N</div> <div style="border: 1px solid black; padding: 2px;">M</div> <div style="border: 1px solid black; padding: 2px;">L</div> </div> <div style="display: flex; justify-content: space-around; text-align: center; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">R</div> <div style="border: 1px solid black; padding: 2px;">S</div> <div style="border: 1px solid black; padding: 2px;">T</div> <div style="border: 1px solid black; padding: 2px;">U</div> </div> <div style="display: flex; justify-content: space-around; text-align: center; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">Y</div> <div style="border: 1px solid black; padding: 2px;">X</div> <div style="border: 1px solid black; padding: 2px;">W</div> <div style="border: 1px solid black; padding: 2px;">V</div> </div>	<p><i>A</i> 6</p> <p><i>P</i></p> <p><i>O</i></p> <p><i>A</i></p> <p><i>C</i></p> <p><i>D</i></p>	<p><i>Stone</i></p> <p><i>IRON PIPE</i></p> <p><i>Blk of cont. 1/2" IP Beside</i></p> <p><i>STONE 1" IP OVER</i></p> <p><i>SEE SEC 9-Y</i></p>			<p><i>Poplar</i></p> <p><i>Hickory</i></p> <p><i>ASH</i></p> <p><i>WALNUT</i></p> <p><i>ASH</i></p> <p><i>S.B. Hickory</i></p> <p><i>HACKBERRY</i></p> <p><i>WALNUT</i></p> <p><i>Spic Hickory</i></p> <p><i>Hackberry</i></p> <p><i>utility pole</i></p> <p><i>SE cor House</i></p> <p><i>utility pole</i></p>	<p><i>18"</i></p> <p><i>12"</i></p> <p><i>8"</i></p> <p><i>15"</i></p> <p><i>8"</i></p> <p><i>19"</i></p> <p><i>12"</i></p> <p><i>20"</i></p> <p><i>6"</i></p> <p><i>12"</i></p> <p><i>utility pole</i></p> <p><i>utility pole</i></p>	<p><i>267°E</i></p> <p><i>233W</i></p> <p><i>N85E</i></p> <p><i>S50W</i></p> <p><i>N3E</i></p> <p><i>WEST</i></p> <p><i>N5E</i></p> <p><i>S2E</i></p> <p><i>S45E</i></p> <p><i>South</i></p> <p><i>S75W</i></p> <p><i>N50W</i></p> <p><i>S75E</i></p>	<p><i>41'</i></p> <p><i>87'</i></p> <p><i>18'10"</i></p> <p><i>52'</i></p> <p><i>13.0'</i></p> <p><i>6'6"</i></p> <p><i>9'0"</i></p> <p><i>24'4"</i></p> <p><i>29'0"</i></p> <p><i>52'11"</i></p> <p><i>92'7"</i></p> <p><i>82'5"</i></p> <p><i>152'5"</i></p>	

12/13

Z
O
P
F
D
E
R

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section . 18 Township 13 North, Range 2 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="font-size: 1.2em; margin: 0;">By Wth Hardley</p>	at O Stone				Sycamore	24	East	8
	" a "				Hickory	8	N 65 E	5
	" b "				Sycamore	12	N 86 E	20
	" c "				"	10	N 11 E	38
	" d "				Offspring	—	S 20 W	37 1/2
	" e "				B Walnut	6	N — E	133
	" f "				"	2	N 36 W	25 1/2
	" g "				Mulberry	2	S 52 W	40.
	" h "				S. Ash	2	N 73 1/2 W	42
	" i "				"	1	S 47 1/2 W	31
<p style="font-size: 1.2em; margin: 0;">B. H. Butler</p>	" j "			"	7	S 46 1/2 E	6 1/2	
	" k "				"	8	N 25 1/2 W	8
	" l "				Elm	6	N 45 1/2 E	6
	" m "				S. Ash	6	S 41 1/2 W	13
	" n "				Stone		S 45 W	34
	" o "				B Walnut	36	S 6 W	29
	" p "				Elm	14	S 82 E	20
	" q "				Maple	10	N 23 W	39 1/2
	" r "				Cottonwood	4"	N 70 W	42 ft
	" s "				El. Right Pole		N 10 E.	91 1/2
<p>By H. C. Blankenship, 24-1885</p> <p>Z is 1804 ft. North and 300 ft. East of Z</p> <p>True c. 1. 50 ft. East of Z in Creek</p>	X	Stake			Hickory	26"	N 65 E.	22 1/2
	O	Stake			Maple	18"	N 27 1/2 W,	11 1/2
	Z	Stake			Box Alder	15"	S 73 W.	18 1/2
	N.	old Stone			El. Right Pole		N 14 E	50 1/2
					Stone		S 45 W,	22 1/2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 20 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;"><i>By Wm Hudley</i></p>	A	Stone			Beech	6	S80E	11
	B	"	"		"	8	S47W	11
	C	"	"		"	20	N15E	21
	D	"	"		Sugar	5	South	22
	E	"	"		"	16	S21W	7
	F	"	"		"	12	N15W	30 1/2
	G	"	"		Beech	18	S70W	2
	H	"	"		"	22	S60E	31
	I	"	"		"	10	S60E	18
	K	"	"		"	16	S80E	13
	L	"	"		"	5	N70W	19
	M	"	"		"	6	N32W	13
	N	"	"		Buckeye	4	S28E	4
	O	"	"		Hickory	2	N28E	8
	P	"	"		Sugar	15	North	9
Q	"	"		Ironwood	2	S33E	27	
R	"	"		Buckeye	5	N12E	17	
S	"	"		Beech	8	S45E	67 1/2	
T	"	"		Stone		S30W	33	
U	"	"		Stone		S30W	33	
V	"	"		Corner post		N2W	5	
W	"	"		Corner post		N26 1/2 E	77 1/2	
X	"	"		Elm	10"	S45W	110	
Y	"	"		Corner post		N2W	84	
Z	"	"		Corner post		N2W	17 1/2	
				Corner post		North	15 1/2	
				utility pole		S60W	28 1/2	
				corner post of chain link fence		N2E		
				Hackberry	3"	N75E	3 1/2	
				Hackberry	3"	N45W	6 1/2	
				utility pole		S45E	23 1/2	
				utility pole		N35E	26 1/2	
				SE cor Brick House		N30W	8 1/2	

E. A. Bourne
By H. A. Plunk, Jun 29-23

R. Holloway 70

SEE SECTION 21 1/4

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 21 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>1st Mrs Hadley</u>	at N. Stone				G. Ash	8	East	8
	"	M "			Beech	6	S60W	10
	"	B "			Oak	6	N62E	11
	"	O "			"	-	N69W	22
	"	"			Beech	26	N26W	21
	"	"			Elm	20	S17E	51
	"	"			Hickory	30	S40E	15 1/2
	"	"			"	18	N40W	22
	"	"			"	22	N25W	22
	"	"			"	22	S56W	15
	"	"			W Oak	36	S80 1/2 W	7
By <u>B. F. Butler</u>	"	B "			Stone	8	S4 1/2 E	21 1/2
By <u>H. A. Blunk 3/29 09</u>	G	reintroduced stone			"		N47 3/4 W	50
	H	stone			"		S47 3/4 E	32
					"		N75 3/4 W	1
					"		S72 3/4 E	55
<u>C N 77 1/2 E of N. 1.60 ch</u>	C	"			"		S10E	19
<u>d 12.58 and 1.57 E of M</u>	d	"			"		N9 1/2 W	25
<u>H. A. Blunk, July 25-1927</u>					"		N89 3/4 W	22
	O	stone			"		N81 1/2 E	21
By <u>H. A. Blunk - Feb 24-1935</u>	X	stone			stone		South	14 1/2
<u>X is 17.247 ch. North of X</u>					stone		West	28 1/2
<u>J is 21.92 ch. East of X</u>	J	stone			stone		East	16 1/2
					stone		North	25
					stone		South	25
	N	stone in road 1" IP over			stone 3" IP NW cor House		EAST	168"
					SE cor House		N45E	906"
							N80W	1190"
	P	stone 8" under 1" IP over			Shell Hickory	6"	N85W	157"
					OAK	10"	South	190"
					OAK	4"	N20W	2310"
<u>R. Holloway "70"</u>	O	stone 6" under 1" IP over			Twin shell Hickory	8"	N45E	228"
					OAK	26"	EAST	010"
					Shell Hickory	4"	N60W	3211"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

Township

North, Range

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	W	$\frac{1}{2}$ " $\frac{1}{2}$ " IP in Rd.			$1\frac{1}{2}$ " IP 1" IP		South 25' 0" North 19' 0"	

3-5-17
 20-18

Z
 O
 N
 M
 L
 K
 J
 I
 H
 G
 F
 E
 D
 C
 B
 A


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *22* Township *13* North, Range *2 East*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>M^e Mabbs</i></p>	UT	N Stone			Sycamore	40	N 43 W	29
	"	"			Locust	22	N 53 W	67
	"	"			B Walnut	18	N 26 W	7
	"	"			Hickory	20	N 41 W	9
	"	"			Locust	18	N 18 E	118
	"	"			B Oak	20	N 18 1/2 E	111
	"	"			B Ash	18	N 14 E	26
	"	"			"	20	N 46 W	34
	"	"			Beech	18	N 83 W	44
	"	"			B Ash	5	N 30 W	11 1/2
<p>By <i>Hz. R Johnson</i> <i>May 10th 1899</i></p>	"	"			Sugar	7	N 14 E	16
	"	"			W Walnut	7	N 72 W	102
	"	"			Stone	-	South	25
	"	"			Do	-	North	25
	"	"			Do	-	South	25
<p>By <i>C & Gilberk</i> <i>Mar. 17th 1903</i></p>	"	"			Do	-	North	37
	"	"			Do	-	East	25
	"	"			Do	-	South	25
	"	"			Do	-	North	37
	"	"			Do	-	East	25
	"	"			Do	-	South	25
	"	"			Do	-	North	37
	"	"			Do	-	East	25
<p><i>R Holloway 1970</i></p>	O	1 1/2" 1/2" Red Beside			Blu.	17	N. 28 E	21 1/2
					Stone.		S. 26 1/4 E	22
	x	Stone bolder N. 1/2. X. 706 ch E. 70.			W Blu	5	S. 1/2 E.	30
					Do.	4	N. 53 1/2 E.	33
	y.	22.98 East of O. Stone bolder.			Blu	10	N 66 3/4 E	11
					"	7	N 19 E.	33
	R.	Sand stone			Blu.	8	N 37 1/2 W	43 1/2
					Sycamore	8	N 25 1/2 E	40 1/4
					wildcherry	10"	N 85 E	136"
					Hard maple	8"	N 50 W	271"
				BEECH	3"	N 30 W	250"	
				Box Elder	2"	S 45 W	13"	
V	stone 1 1/2" 1/2" Beside			Box Elder	3"	South	15' 4"	
				Hackberry	16"	West	466"	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 23 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Ilun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>Wm. Hudley</u>	<u>A</u>	<u>N Stone</u>			<u>Hickory</u>	<u>10</u>	<u>S 34 E</u>	<u>28 1/2</u>
	<u>B</u>					<u>20</u>	<u>N 48 W</u>	<u>25</u>
	<u>C</u>				<u>Hackberry</u>	<u>6</u>	<u>S 14 W</u>	<u>21</u>
	<u>D</u>				<u>Hickory</u>	<u>15</u>	<u>N 5 E</u>	<u>15</u>
	<u>E</u>				<u>White</u>	<u>20</u>	<u>N 60 E</u>	<u>18</u>
	<u>F</u>				<u>Sycamore</u>	<u>40</u>	<u>N 57 W</u>	<u>22</u>
	<u>G</u>				<u>Beech</u>	<u>6</u>	<u>S 65 E</u>	<u>6</u>
	<u>H</u>				<u>Ash</u>	<u>12</u>	<u>N 19 W</u>	<u>28 1/2</u>
	<u>I</u>				<u>Beech</u>	<u>8</u>	<u>N 30 W</u>	<u>64</u>
	<u>K</u>				<u>Maple</u>	<u>4</u>	<u>N 57 W</u>	<u>47 1/2</u>
	<u>L</u>				<u>Elm</u>	<u>6</u>	<u>S 68 E</u>	<u>42</u>
	<u>M</u>				<u>Stone</u>		<u>South</u>	<u>25</u>
	<u>N</u>				<u>Beech</u>	<u>30</u>	<u>N 20 1/2 E</u>	<u>64</u>
	<u>O</u>				<u>Catawba</u>	<u>15</u>	<u>N 8 E</u>	<u>57</u>
	<u>P</u>				<u>Catawba</u>	<u>15</u>	<u>S 49 E</u>	<u>64</u>
	<u>Q</u>				<u>Stone</u>		<u>West</u>	<u>25</u>
	<u>R</u>				<u>Ash</u>	<u>15</u>	<u>S 74 W</u>	<u>97</u>
	<u>S</u>				<u>Walnut</u>	<u>14</u>	<u>N 1 1/2 W</u>	<u>65</u>
	<u>T</u>				<u>Beech</u>	<u>18</u>	<u>S 24 W</u>	<u>77</u>
	<u>U</u>				<u>Hackberry</u>	<u>6</u>	<u>N 70 E</u>	<u>137</u>
	<u>V</u>				<u>Sycamore</u>	<u>36</u>	<u>N 78 W</u>	<u>1120</u>
	<u>W</u>				<u>Hackberry</u>	<u>6</u>	<u>N 38 W</u>	<u>208</u>
<u>Hezekiah Johnson</u> <u>Nov. 15th 1849</u>	<u>a</u>							
	<u>b</u>							
	<u>c</u>							
	<u>d</u>							
	<u>e</u>							
	<u>f</u>							
	<u>B</u>	<u>1 1/2" IP High</u> <u>(20' North River Bank)</u>						
<u>Moore & Holloway 1910</u>	<u>M</u>	<u>stone 2 1/2" High</u> <u>1" IP beside</u>			<u>SE cor Base THOMAS WATSON Monum (North)</u>			<u>43 7</u>
					<u>SW cor Base JESSE W. HARTON Monum (N 74 E)</u>			<u>40 9</u>
					<u>NE cor Base BARLOW ALDRICH Monum (N 80 W)</u>			<u>52 10</u>
	<u>Z</u>	<u>SEE SEC 22 "V"</u>						
<u>June 23, 1982 by County</u> <u>June 23, 1982 by crew</u>	<u>E</u>	<u>STONE FOUND</u>			<u>conc. mon</u> <u>by IRON</u>		<u>assumed</u> <u>508-31-22W 9.18</u> <u>assumed</u> <u>551-22-55W 11.56</u>	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24 Township 13 North, Range 2E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<div style="text-align: center;"> <p>E — D — C — B — A</p> <p>F — C — H — I — K</p> <p>P — O — N — M — L</p> <p>O — R — S — T — U</p> <p>Z — Y — X — W — V</p> </div>	Z	3/4" I.P.			CORNER WOOD POST UTILITY POLE UTILITY POLE		NE SE SW	43.6' 31.1'

Z
O
P
F
X
E

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 25 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By <u>Wm Hadley</u></p> <p>By <u>Frank Smith</u> <u>Surveyor of Morgan County</u> <u>April 2 1919 - 1919</u></p> <p><u>Carl Hoate - Dec 13 - 1913</u></p>	AT O Stone				Beech	12	N17W	21	
	" B "				"	5	S17E	17	
	" M "				"	15	N53W	43 1/2	
	" N "				"	22	N4E	48	
	" "				Sugar	15	S34E	14	
	" "				"	22	N40W	24	
	" "				stone			North 14 1/2	
	" "				stone			South 21 1/2	
	<p>a inches west of A</p> <p>b " 20 " South a</p> <p>c " 2 " west b</p> <p>d " 10 " small c</p> <p>e c 11 ch East d</p>								
		A	SEE	SEC		24-"V"			
	C	SEE	SEC		24-"X"				
	E	SEE	SEC		24-"Z"				
	N	5" OAK (1" PIPE OVER)			SPINDLE	9"	N42E	36 1/2	
					TW MAPLE	8"	N80W	25 1/2	
					W OAK	14"	E	37 1/2	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27

Township 13

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;"><i>By Wm Hadley</i></p> <p>H.A. Blunk Oct 2-1940 a is 18.00 ch. west of A. By W.F. Smith 9-6-51 For Ed Elliott. V west to E of State Highway No. 37 = 19.29 ch. Wilbur F Smith Nov 15-1952 For Inpls. Power & Light Co. E. O. Carnotsey & A Reeves Ass'ts.</p>	At G	Stone			Walnut 24		N 37° W	113
	O				B. Oak 15		N 44° E	183
	a				Hickory 3		N 10° E	24
	b				Locust 15		S 15° E	38
	A	B			R. Walnut 18		S 2° W	106 1/2
					Stone		West	100
					Bush 8		N 18° E	70
					Hickory 10		N 28° W	26
			old stone		Stone		West	50 1/2
					Gas Pipe		South	105 1/2
		a	stone		Cottonwood 18		S 8° W	51 1/2
					Stone		East	12' 8"
		V	Large stone		Hickory 24"		North	100 ch.
		x	Gas Pipe		43.00 ch west of V			
					Set At Edge of River:			
	u	Cor. Post.		25.66 chs North of V				
	Q	3/4 Steel Rod.		E 1/4 m 24" North			1 ft.	
	Q	East To Section Line		5391 ft.				
	V	SEE	SEC	26-Z				
	A	SEE	SEC	22-V"				
	V	SEE	SEC	26-Z"				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<p>By <i>Wm Hadley</i></p> <table border="1" style="margin: 10px auto; border-collapse: collapse;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <p style="text-align: right;"><i>J. Hadley</i></p> <p><i>Heiram J. Cerney</i></p>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	At K Stone				Beech	22	North	19
	E	D	C	B	A																												
	F	G	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
	Z	Y	X	W	V																												
	" B "					"	15	S16W	43																								
	" N "					W. Walnut	4	S77W	53																								
	" O "					B "	22	S40E	44																								
	" D "					Beech	10	N22E	12																								
" S "					"	20	S5E	34½																									
" L "					Sugar	12	S14W	17½																									
" J "					"	18	East	18																									
" I "					G. Ash	10	West	27																									
" U "					"	24	S10E	10½																									
" Q "					Beech	16	N29E	11																									
" R "					"	15	S70E	11																									
" Y "					Elm	20	N72W	29																									
" X "					Hickory	10	S24E	10½																									
" V "					Elm	30	N46E	20½																									
" T "					"	18	S63E	15																									
" S "					Bush	12	S20E	26																									
" R "					"	12	N36W	27																									
" Q "					Sycamore	6	N45W	29																									
" P "					Poplar	48	S35E	76																									
" O "					Stone		South	30																									
" N "					"		East	20																									
" M "					Beech	12	N55E	2																									
" L "					Stone		South	13½																									
" K "					"		N50E	12																									
" J "					"		West	6 rods																									
" I "					Mulberry	5	S30E	11																									
" H "					Walnut	5	S50W	20																									
" G "					Two Maple																												
" F "					N.E. & S.E.	16		4																									

Survey June 14th 1877 for
D. Ely et al

NOTE:

This survey by Miller & Cerney
see 22nd District; see 22nd

6 rods E of A Stone
65 " S of above "
Shower #31½ E 37¾ rods "

Stone cor 3.07 chains E of Nth
Line through center of section
on or near White River

W. H. Miller Surveyor

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28 Township T 13 N North, Range R 2 E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By <u>Carle O. Gilbert</u> <u>Mar. 17, 1908</u></p> <div style="text-align: center;"> <p>E — D — C — B — A</p> <p>F — G — H — I — K</p> <p>P — O — N — M — L</p> <p>O — R — S — T — U</p> <p>Z — Y — X — W — V</p> </div> <p><u>Wilbur F Smith Nov. 14-52</u> <u>for Indpls. Power & Light Co.</u></p>		<u>B. Stone</u>			<u>Stone</u>		<u>South</u>	<u>33</u>	
							<u>North</u>	<u>258</u>	
			<u>W. Sand stone marked x</u>			<u>W Oak</u>	<u>14</u>	<u>S 89 W</u>	<u>71.</u>
						<u>Do.</u>	<u>20</u>	<u>N. 54 W</u>	<u>68.</u>
			<u>W. Stone</u>			<u>W. Oaks</u>	<u>16.</u>	<u>N. 34 1/2 W</u>	<u>7.</u>
						<u>Stone</u>		<u>West</u>	<u>23.</u>
			<u>Q. Stone ^{fold no} marked x</u>			<u>Stone</u>		<u>West</u>	<u>23.</u>
						<u>Do.</u>		<u>East</u>	<u>27.</u>
			<u>P. Perp Stone.</u>			<u>Stone</u>		<u>East</u>	<u>23.</u>
			<u>T Stone - steel post set in conc.</u>					<u>S.W.</u>	<u>1 ft.</u>
								<u>T to W. 20.00 chs.</u>	
								<u>B SEE SEC 21 W</u>	

D-175
A-10

Z
O
P
F
E
D
C
B
A

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *29* Township *13* North, Range *2 East*


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
By <i>Wm. Hudley</i>	<i>At a stone</i>				<i>Beech</i>	<i>22</i>	<i>West</i>	<i>2</i>	
	<i>B</i>				<i>"</i>	<i>-</i>	<i>N 86 E</i>	<i>24</i>	
	<i>"</i>	<i>"</i>			<i>"</i>	<i>12</i>	<i>N 80 E</i>	<i>13 1/2</i>	
	<i>"</i>	<i>B</i>			<i>Sugar</i>	<i>15</i>	<i>North</i>	<i>22</i>	
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>20</i>	<i>N 50 W</i>	<i>21</i>	
	<i>"</i>	<i>"</i>			<i>"</i>	<i>20</i>	<i>N 30 E</i>	<i>25 1/2</i>	
	<i>"</i>	<i>L</i>			<i>Sugar</i>	<i>18</i>	<i>N 33 W</i>	<i>26</i>	
	<i>"</i>	<i>"</i>			<i>"</i>	<i>15</i>	<i>N 32 E</i>	<i>14</i>	
	<i>"</i>	<i>M</i>			<i>Beech</i>	<i>22</i>	<i>West</i>	<i>2</i>	
	<i>"</i>	<i>"</i>			<i>"</i>	<i>20</i>	<i>N 20 E</i>	<i>"</i>	
	<i>"</i>	<i>R</i>			<i>"</i>	<i>18</i>	<i>N 16 1/2 E</i>	<i>20</i>	
	<i>"</i>	<i>"</i>			<i>W. Oak</i>	<i>24</i>	<i>N 39 E</i>	<i>168</i>	
	<i>"</i>	<i>E</i>			<i>Buckeye</i>	<i>10</i>	<i>N 28 1/2 E</i>	<i>50</i>	
	<i>"</i>	<i>"</i>			<i>Cherry</i>	<i>15</i>	<i>N 70 E</i>	<i>50</i>	
	<i>"</i>	<i>"</i>			<i>Large Boulder</i>	<i>22</i>	<i>N 85 1/2 E</i>	<i>88 1/2</i>	
	<i>Survey for E. & C. Co.</i>	<i>X</i>	<i>stone</i>			<i>Sycamore</i>	<i>24</i>	<i>N 12 W</i>	<i>35'</i>
	<i>Line of W. & C. Co. & W. & C. Co. Survey</i>					<i>Maple</i>	<i>8"</i>	<i>S. 22 1/2 W</i>	<i>55-0'</i>
<i>4 1/2 - 1975</i>					<i>Buckeye</i>	<i>30</i>	<i>S 40 E</i>	<i>32-7'</i>	
	<i>C</i>	<i>stone</i>	<i>2 1/2</i>	<i>20</i>					
	<i>X</i>	<i>STONE</i> <i>(2" IRON OVER)</i>			<i>UTILITY POLE</i>		<i>N 35 W</i>	<i>223</i>	
					<i>MAPLE</i>	<i>16"</i>	<i>S 22 1/2 W</i>	<i>579</i>	
					<i>HACKBERRY</i>	<i>48"</i>	<i>S 46 E</i>	<i>317</i>	
	<i>B</i>	<i>SEE SEC 20 W</i>							
	<i>W</i>	<i>SEE SEC 32 D</i>							
<i>P.O.H. '72</i>	<i>A</i>	<i>I.P.</i>	<i>24</i>	<i>I.P.</i>			<i>SOUTH</i>	<i>12'0"</i>	
					<i>POUR POLE</i>		<i>N 60 W</i>	<i>82'10"</i>	
<i>A.O.H. '72</i>	<i>L</i>	<i>IRON STAKE</i>			<i>20R PST</i>		<i>SOUTH</i>	<i>8'1"</i>	
					<i>BRACE PST.</i>		<i>EAST</i>	<i>8'1"</i>	
					<i>ASH</i>		<i>N 45 W</i>	<i>6'4"</i>	

RECORD OF SURVEYS IN MORGAN COUNTY, MONTANA

Section 30 Township 13 North, Range 2 East

REMARKS, &c., &c.

By E. A. Bourne



Matt Matthews

FOUND
1472

By Tom Hase, Nov. 1911 (disrich. east of P) Iron Pipe
(e. 10.59 Ch. North of U) Iron Pipe
By H. A. B. Lumb 3/30-1940
Sewing for Furey Griggs Et Al.

Q is 17.00 ch. west of A.
M is 2.56 ch. East of M

Canatsey, 9/1-1954

Remarks, &c., &c.	Corners.	Stone Mark.	Acres.	Illus.	Bearing Trees.	Diam.	Courses.
At A	A	Stone			Stone	6	S 30 W
"	"	"			"	8	South
"	"	"			"	12	N 17 E
"	"	"			Elm	30	N 73 W
"	"	Stone			Sycamore	20	N 70 W
"	"	"			"	3	S 80 E
"	"	"			Walnut	24	N 69 W
"	"	"			"	22	N 58 W
"	"	"			Sugar	9	N 26 1/2 W
"	"	"			Birch	18	S 85 1/2 W
"	"	"			Stone	6	N 12 E
"	"	"			Walnut	3	S 40 E
"	"	"			"	7	N 12 W
"	"	"			Stone	3	N 12 E
"	"	"			"	7	N 49 W
"	"	"			"	2	N 40 E
"	"	"			"	2	N 55 W
"	"	"			"	7	South
"	"	"			Black Walnut	7"	S 71 1/4 W.
"	"	"			White Elm	5	S 80 W.
"	"	"			Iron Pipe		West
"	"	"			"		East
"	"	"			Stone		S 30 W
"	"	"			Concrete base for post		N 87 W
"	"	"			Stone		S 20 W
"	"	"			Stone		West
"	"	"			Stone		East
"	"	"			UTILITY POLE		S.W.
"	"	"			power pole		S.E.
"	"	"			Post in Conc.		N.W.
"	"	"			Stone		S. 30 W
"	"	"			Cor post		WEST
"	"	"			Cor post		S 80 E
"	"	"			utility pole		S 40 E

Replumb
Concrete base for post
Crunch
Stone
Stone
Stone
UTILITY POLE
power pole
Post in Conc.
Stone
Cor post
Cor post
utility pole

"

N

1" IR & RD

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 13 North, Range 2E

1714
181

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<p style="text-align: center;">Rdlt 72</p> <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>C</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table>	E	D	C	B	A	F	C	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	M	<p style="text-align: center;">IRON STAKE.</p> <p style="text-align: center;">STONE (1 P OVER)</p>			<p>3/4 IP</p> <p>3/4 IP</p> <p>TR MAPLE</p> <p>HACKBERRY 10"</p> <p>POPLAR 8"</p> <p>POPLAR 12"</p>		<p>EAST 15'</p> <p>WEST 15'</p> <p>S40E 18'10"</p> <p>S10W 10'5"</p> <p>N50E 14'0"</p> <p>S75W 30'3"</p>	
E	D	C	B	A																													
F	C	H	I	K																													
P	O	N	M	L																													
O	R	S	T	U																													
Z	Y	X	W	V																													

Z
O
P
E
Y

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 30 Township 13 North, Range 2E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<div style="display: flex; align-items: center;"> <table border="1" style="border-collapse: collapse; text-align: center; margin-right: 10px;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <div style="font-size: 2em; margin-right: 10px;">W</div> <div style="font-size: 2em;">P</div> </div>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V		STONE & Rd 1" IP Beside			1" IP cor post utility pole		N60W North SSE	29' 16'8" 15'4"
	E	D	C	B	A																												
	F	G	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
Z	Y	X	W	V																													
		ENGRAVED STONE (1/4 IP. BESIDE)			5 ECDS "L" STONE SULPHUR W. FERRY COTTONWOOD		S W W V	136.0 7'3" 4'2" 22'0"																									

7
6
5
4
3
2
1

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 31 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inch.	Bearing Trees.	Diam.	Courses.	Dist.
By _____	At B Stone				Beech	6	S 73 E	6
					"	4	N 57 W	19
	" M "				"	3	S 31 E	21
					"	10	N 55 W	30
	" U "				"	20	S 50 W	31
	" a "				W Elm	5	S 50 1/2 W	47
	" b "				Beech	22	N 16 1/2 W	85
	" c "				Hickory	18	S 45 W	33
	" e "				Beech	22	N 41 1/2 W	23
	" f "				W Oak	24	S 1 W	83 1/2
	" g "				"	24	N 75 1/2 E	90
	" h "				Beech	12	S 35 E	69
	" i "				Stone		South	30
	" j "				"		N 40 E	30
	" k "				"		S 67 E	29 1/2
	" l "				"		S 63 W	27
	" m "				"		N 35 W	30
	" n "				"		S 60 E	40
	" o "				"		N 45 E	30
	" p "				"		S 45 E	30
	" q "				"		West	25
	" r "				"		South	20
	" s "				"		N 28 W	24
	" t "				"		S 28 E	20
	" u "				"		North	27
	" v "				"		South	30
	" x "	Old Stone			(old)		S. 60 E	40
	" y "				"		West	25
	" z "	B	32 1/2	52 1/2	30" W			

Survey for Amanda Grego et al.
 Oct 29-1902 - H. J. Johnson Surveyor
 Co. 125 N. 13 E. Range 2 East
 By E. H. Conditary

X Old Stone

B 32 1/2 52 1/2 30" W

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 32 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By Wm Headley.		AKO Stone			Beech	18	S 48 E	15'
		" O "			hackberry	15	N 4 E	3
		" G "			Elm	36	S 34 W	72
		" Y "			Buckeye	6	N 73 E	30'
		" R "			Sugar	24	N 47 W	15
		" Q "			"	20	S 14 E	22
		" N "			Hickory	24	N 81 E	11'
		" L "			Sugar	6	N 62 W	42
		" a "	122 rods S of C		Beech	4	S 50 E	4
		" b "	1213 chs. E of N		"	5	N 76 W	20
		" c "	19.75 ch. West of "O"		"	18	S 89 E	14
		" d "	19.75 ch. W. of "D"		"	24	S 24 E	43
		" e "	55 ch. S. & 75 ch. W. of "d"		"	6	S 34 E	1
		" o "			"	10	N 35 E	10'
		" p "			Sycamore	4	S 81 1/2 W	21 1/2
		" q "			Walnut	3	S 22 1/2 E	12
	Survey for A. J. Gregory et al Aug. 24 th & 25 th 1886. W. A. Farwell F. W. Cobble, Chairman. A. Gregory Hagman F. W. Pearce Surveyors		" N "		Stone			North 2 m 50
		" "		"			West 3 m 50	
		" "		"			South 2 m 50	
		" "		"			East 3 m 50	
		" "		"			South 2 m 50	
		" "		Beech	22	Westing	39	
Survey for Amanda Gregory et al Oct. 29, 1902. Hayk Johnson Surveyor		" c "		Stone			West	103
		" d "		Ash	5		East	36
		" e "		"	18	S 35 W		20
		" o "		Oak	18	N 45 W		46
		" p "		"	-	N 30 W		34
		" q "		Ash	12	S 3 W		23 1/2
		" r "		Walnut	4		East	18
Survey for S. H. Rieken and Albert Gregory July 26, 1906 Carl O. Gilbert Surveyor		" g "	Stone		1/4 Gaspipe		North	24 ft
		" h "		"	1/4 Gaspipe		South	22 ft
		" i "		"	Poplar	12	S 37 W	15.2 ft

446 Map 1/2 S. 69 W. 9 1/2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

Township

North, Range

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>Canatsey 1/3 16.65 S. of P. 1928</p>	<p>7 1. 2.</p>	<p>stone stone Stone</p>	<p>49.96 1 16.65</p>		<p>N. of Z Twin Hickory Hickory Twin ash Elm</p>	<p>20" 8" 24"</p>	<p>S. 85 W North West S. W.</p>	<p>17 20 13 1/2 13 1/2</p>

Z
O
P
F
X
E

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 32 Township 13 North, Range 2W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	C	SEE SEC			29 - "X"			
	D	1" IN C/L			RD - HACKER			
	G	1" I.P.			HACKBERRY	10"	N10E	7'4"
	O	STONE (1" PIPE OVER)			BULKEYE	10"	S45E	2'0"
	O				BULKEYE	4"	SW	12"
	O				HACKBERRY	12"	W	47'6"
	O				HACKBERRY	18"	N	28'7"
	O				ASH	36"	S1W	14'7"

Z
O
P
F
Y
E

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 33 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
		177 Stone			Sycamore	24	N 61° E	16
		" A "			Buckeye	9	N 25° W	22 1/2
		" V "			Haw	7	S 69° E	43 1/2
		" L "			Buckeye	9	N 4° E	46 1/2
		" "			"	8	N 67° W	43
		" "			Walnut	18	N 17° W	18
		" a "			Sycamore	6	S 66° W	41
		" "			Stone		N 32 1/2° E	27
		" "			"		S 32 1/2° W	32
		" B "			"			
	" c "			"				
	" d "	on River bank			Blackberry	15	S 13° W	100
	" e "	3.50 ch. west of B. Stone			W. Blue	6	N 89 3/4° W	9 1/2
	" f "	Stone 11.83 ch. E of B			Syc.	8	S 46 1/2° E	29 1/2
	" g "	Stone			Oak	10	S 8° E	22
	" h "	Stone			Stone - W		North	25
	" i "	Stone			W. Blue	20	S 41° W	11 1/2
	" j "	Stone			Do.	6	N 62° W	36 1/2
	" k "	Stone			W. Blue	36	S 78 3/4° E	25
	" l "	Stone			Do.	11	S 28 3/4° W	46
	" m "	Stone			Stone		North 32 1/2° E	27
	" n "	Stone			"		South 32 1/2° W	32
	" o "	Stone			Iron Pipe		North	10 ft
By Wm. Miller - 6-14-27		6 rods East of C Stone						
Estimated entered on Dec. 25		65 rods East of A Stone						
For 6 1/2 acres		Thence S 87 1/2° E 37 3/4 rods			Mulberry	5'	S 30° E	14
					Walnut	5'	S 50° W	20
		Stone corner 3,074 E of N and South line						
		through center of section on N line - which River						
		two Maple NW and SE.						4

By Carle O. Hilbert.
Mar. 17, 1905

By Wm. Miller - Aug 19 - 27
H. A. Plunk. Mar 8 - 23

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<div style="text-align: center;"> </div>	A	M Stone			Ash	15	West	1 1/2
	B	"	"		Hickory	3	N 70 E	2
	C	"	"		B Walnut	6	N 18 W	22
	D	"	"		Buckeye	-	N 82 W	30 1/2
	E	"	"		Mulberry	18	N 33 W	5 1/2
	F	"	"		Buckeye	5	N 70 W	42 1/2
	G	"	"		"	10	N 62 E	17
	H	"	"		Elm	10	N 58 E	23
	I	"	"		Walnut	18	N 35 W	6 1/2
	J	"	"		Ash	15	N 20 W	70
	K	"	"		Stone		East	20
	L	"	"		"		South	20
	M	"	"		B Walnut	14	N 87 E	14 1/2
	N	"	"		"	20	N 28 W	22 1/2
	O	"	"		Buck	7	N 18 E	37
P	"	"		Locust	16	N 4 E	85	
Q								
R								
S								
T								
U								
V								
W								
X								
Y								
Z								
A		SEE SEC 26-Z						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 35 Township 13 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.																									
<p style="text-align: center;">By</p> <table style="margin: auto; border-collapse: collapse;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <p style="text-align: center;">Jerry Woodley</p> <p style="text-align: center;">Moore</p>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	a	M			Sugar	18	N75W	13
	E	D	C	B	A																												
	F	G	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
	Z	Y	X	W	V																												
	"	O	Stone			Buckeye	10	N80E	17																								
	"	S	"			Sugar	8	North	3																								
	"	8	"			"	22	N65E	3																								
	"	W	"			Hickory	24	N86E	51																								
	"	V	"			Beech	24	N67W	26																								
	"	M	"			Sugar	20	S20W	9																								
	"	U	"			Beech	10	N72W	12																								
	"	Q	"			Elm	20	S42E	26																								
	"	M	"			Ash	6	S35W	22																								
"	B	"			W. Beech	8	N50 1/2 E	29																									
"	R	"			Sugar	22	N34 1/2 E	37																									
"	Q	"			Beech	10	S48W	108																									
"	Q	"			Buckeye	6	S77W	132																									
"	Q	"			Beech	10	S48W	108																									
"	Q	"			Sugar	-	South	30																									
"	Q	"			Beech	10	North	19																									
Wilbur F Smith April 19-51 for Lee Rasmusen	M	Stone			Twin Elm	18'	N 18 1/2 E	4'																									
E.D. CANATSEY. Aug. 16-1957 for Lee Rasmusen	A.	1/2 Shaft.			B. Walnut	12'	S 13 1/2 W	12'																									
	A.	1/2 Shaft.			Stone		East	20																									
	E	SEE	SEC	26-Z	Maple	8"	N. 62° E	47.1																									
	C	SEE	SEC	26 "X"																													

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 13 North, Range 7 East

REMARKS, &c., &c.



By _____
 Benj. F. Butler
 Chas. H. Goss Surveyor, for
 George Wright and Frank
 Sacket Feb'y 17th 1892. Present
 George Wright, Frank Sackett,
 Wright Sackett, Val. Wiley, R. S.
 Wherick, Milton Saylor et al.
 Jasper Saylor } Chairman
 Jasper Kidwell }
 Jacob Dresser, Flagman
 By H.A. Blunk, May 29-18
 Wm. E. Braun et al.
 By Gilbert

Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
AM	Stone			Sugar	16	N18W	16
" B	"			"	6	N6E	28 1/2
" C	"			Beech	22	S31W	11
" D	"			"	18	S5E	21
" E	"			"	6	N69W	6 1/2
" F	"			"	20	S53W	14
" G	"			"	10	N43E	32
" H	"			"	9	S53W	21 1/2
" I	"			"	12	N64W	50
" J	"			Hickory	3	S26E	50 1/2
" K	"			"	20	N74E	35
" L	Engraved			Beech	15	N29W	39 1/2
" M	"			Elm	20	N5 1/2 E	42
" N	"			Beech	28	South	26
" O	"			"	16	N11 1/2 W	6
" P	"			Red Oak	3	S40E	8 1/2
" Q	"			Stone		South	15 1/2
" R	"			"		West	11
" S	"			Big Boulder		S56W	50
" T	"			Blk. Walnut	3	S67 1/2 W	5 1/2
" U	"			Blackberry	5	N50W	6 1/2
" V	"			White Elm	8	N4W	10
" W	"			Stone		N 7 1/2 East	17 1/2
" X	"			NE. cor of old brick school		98 W	90 1/2
" Y	"			House		S 29 W	11 1/2
" Z	"			stone cor. Cement Post		South 45 1/2	27 1/2
				Pine Tree		South 37 1/2	35 1/2
				NE cor House		S 28 W	90 1/2
				cor post in conc.		S 47 E	25 1/2
				utility pole (under ground tele marker)		N 40 E	26 1/2
				BESIDE			

1968 - 1972

N 1 1/2 P in Rd

utility pole (under ground tele marker) N 40 E 26 1/2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **36**

Township **13**

North, Range **2 E**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.		
	<p>'68-72 O</p>	STONE			wildcherry 24" East 18'4" sycamore 4" S85°W 35'10" WALNUT 10" S10W 36'11"					
		L	RR SPIKE			- SW COR CONC PORCH				
						- BENT STORE N46°E	27'0"			
						- NE COR FR HOUSE	S60W	55'8"		
				- COR POST	S32E	31'10"				
	I.				- IRON ROD - ON WEST CORNER LINE AT					
					- CORNER OF SUB (SEE P. 1200					
					- SOUTH OF TOP OF SECTION)					
					- NW COR BR VENEER HSE	520E	75'2"			
					- SE COR FR HOUSE	N45W	101'6"			
					- CORNER POST (SET IN CONC.)	S	15'0"			

Z
O
E
I
E
F