

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 11

North, Range 1 West

Corners.	Bearing Tress.	Diam.	Courses.	Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.
At A	Hickory Oak	18 30	N66E S76W	24 41	at K	Beech Hickory	10 27	S16W S69W	19 10.7
" B	Poplar Beech	18 18	N43W S68E	11 18	" K	Beech W Beech	24 5	N72E S13W	22 10.2
" C	Beech do	12 18	S28W N78E	11 27	" L	Beech Hickory	10 18	N62E S53E	07 15.8
" D	Beech do	18 28	S62E S61W	30 20	" L	Sugar Beech	8 12	S69E N30E	09 16.4
" E	B Gum Beech	10 5	S25W S4E	20 28	" M	Sugar Beech	15 5	S15E N84W	25 20.5
" F	Beech do	16 7	S21W S34E	20 28	" m	Oak W oak	20 10	N61E S4W	10 15.7
" G	Beech do	10 30	N82E S84W	10 26	" N	Beech do	9 12	S25W N3E	10 31.2
" g	Lycamoon do	10 15	S9W N40W	10 10	" "	Hickory B Walnut	18 23	S7W N64E	15 30.8
" He	Cottonwood do	18 24	N16W S41E	22 15	" O	Hickory B Gum	9 24	N53E S55W	13 27.7
" h	Hackberry do	12 18	N70W N50E	--- 42	" o	Hickory do	8 11	S11W N16W	31 7
" I	W. Beech Beech	10 30	N89E N79W	28 38	" P	Beech W oak	18 18	West N62E	39 36.2
" i	Sugar do	12 24	S57E S78W	26 33	" p	Dogwood W oak	9 30	N42W S64E	05 27.5

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township //

North, Range / West

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
At Q	Hackberry	11	N 71 E	16					
	do	7	S 60 W	33					
" g	Beech	12	N 71 E	09.					
	Hickory	18	S 15 E	18					
" R	Hickory	18	N 70 E	36					
	W oak	27	S 77 W	33					
" r	Beech	30	N 76 W	32					
	do	24	N 33 W	35					
" S	Poplar	12	N 52 W	25					
	W oak	20	S 48 E	15					
" d	W oak	12	S 74 W	22					
	do	30	N 57 E	27					
" J	Beech	12	S 76 E	25					
	do	12	S 59 W	35					
" W	Dogwood	6	S 61 W	16					
	do	4	N 21 E	20					
" V	Elm	12	S 42 E	22					
	Hackberry	8	N 32 E	21					
" H	Ash	13	S 65 E	16					
	Maple	6	N 55 E	40					
" H	Beech	24	N 31 E	15					
	do	14	S 42 E	25					
" G	Beech	16	S 68 E	35					
	Hornbeam	4	N 65 E	20					

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Section Corners Township 11 North, Range 1 West

Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.
	11.25.26.35.36	Beech	18	N 77 W	14	at 15.20.21.22	Red Bud	6	S 88 E	20
		do	18	S 75 W	10		Buckeye	14	N 65 W	27
	23.24.25.26	Beech	16	N 34 E	24	9.10.15.16	Beech	22	N 77 E	30
		do	19	S 59 E	32		do	18	S 76 W	52
	13.14.23.24	Hackberry	12	N 36 W	05	3.4.9.10	Beech	20	N 81 E	50
		Hickory	18	S 53 E	22		do	21	S 34 W	18
	11.12.13.14	Buckeye	5	S 43 E	08	28.29.32.33	Beech	22	N 9 W	19
		Sugar	16	N 54 W	26		Ash	16	S 27 E	14
	1.2.11.12	Sugar	8	S 67 W	15	20.21.28.29	Beech	36	N 28 W	16
		Beech	4	N 58 E	10		Cherry	1	S 43 E	2
	26.27.34.35	Dogwood	3	N 55 W	51	16.17.20.21	Mulberry	16	N 26 W	34
		Hickory	12	S 53 E	38		do	18	S 70 E	37
	22.23.26.27	Beech	8	S 30 E	15	8.9.16.17	Sugar	16	N 26 E	07
		do	18	N 52 W	54		W Walnut	5	S 27 W	22
	14.15.22.23	Hackberry	18	N 56 E	11	4.5.8.9	Box Alder	12	S 34 E	15
		Sugar	26	S 42 W	42		Elm	5	N 66 W	28
	10.11.14.15	Hackberry	10	N 61 W	21	29.30.31.32	Beech	5	N 49 E	10
		Bush	6	S 45 E	18		Dogwood	5	S 85 W	15
	2.3.10.11	Beech	22	N 30 W	07	19.20.29.30	Box Alder	12	S 32 E	10
		Kornbeam	6	S 39 E	20		Walnut	12	S 83 W	27
	27.28.33.34	Dogwood	3	N 23 E	16	17.18.19.20	Hackberry	8	N 73 E	14
		do	4	S 61 W	05		W Oak	24	S 64 W	22
	21.22.27.28	Maple	18	N 11 W	12	7.8.17.18	Elm	1	N 80 W	04
		do	18	S 19 E	20		Ash	1 1/2	S 39 E	06

FIELD NOTES OF MORGAN COUNTY, INDIANA.

--Half Mile Corners-- Township 11 North, Range 1 West

Corners.	Bearing Tress.	Diam.	Courses.	Dist.	Corners.	Bearing Tress.	Diam.	Courses.	Dist.
Mt. 11-1	Beech	6	N49E	10	Hot Gat 1	Beech	24	N63E	05
	Sugar	18	S23W	12		do	20	S33W	31
" 2	Beech	6	N68W	18	" " 2	do	28	S66E	25
	Dogwood	5	S42E	23		Hickory	3	N70W	20
" 3	Ironwood	3	S45W	17	" " 3	Beech	8	N35E	20
	Dogwood	4	N88E	27		Hornbeam	5	S32W	14
" 4	Beech	16	S70W	10	" " 4	Beech	12	N44W	05
	do	12	N3W	30		do	20	S18W	26
" 5	do	4	N73E	08	" " 5	Boak	14	N36W	11
	Sugar	16	S22E	24		W oak	14	S52E	20
" 6	Dogwood	5	S41W	20	" " 6	Hickory	20	S51W	05
	W oak	26	N67E	16		Boak	3	N43E	11
Hot Gat 1	Beech	18	S70W	15	Hot Gat 1	Beech	8	N41E	05
	W oak	16	N25W	08		do	5	S20W	20
" 2	W oak	22	N46E	11	" " 2	do	14	Corner	
	Sugar	4	S57W	18		do	10	N71W	32
" 3	Poplar	36	S65W	14	" " 3	W oak	2	S37W	14
	Ironwood	3	N48E	15		Sugar	18	N40E	04
" 4	Beech	14	S33W	11	" " 4	Beech	4	N11W	11
	Buckeye	6	N84E	20		do	18	N31E	30
" 5	Ash	4	S11E	20	" " 5	Buckeye	4	N48E	16
	Beech	17	N24W	28		Sugar	18	S34W	28
" 6	Red Bud	6	N20E	27	" " 6	Hornbeam	4	S88E	10
	Buckeye	14	N29W	24		do	6	N33W	18

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Leaf Nule Corners Township 11

North, Range 1 West

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
P. to Cat 1	Beech	13	N 43 W	16	Rt. Co 1	W Oak	16	S 63 E	16
	do	20	N 81 E	25		Hickory	3	N 88 E	6
" 2	Dogwood	8	N 57 W	27	" 2	S Oak	48	N 29 E	10
	Beech	10	S 34 E	10		Sugar	18	N 64 W	10
" 3	W Oak	22	N 46 -	11	" 3	Cotton wood	4	N 51 W	12
	Sugar	4	S 54 W	18		do	3	S 30 E	14
" 4	Hickory	18	N 22 E	11	" 4	Leumbran	4	N 27 W	4
	Buckeye	6	S 21 W	14		Sugar	14	N 88 E	25
" 5	Elm	14	N 4 E	04	" 5	Beech	20	N 76 W	18
	Buckeye	6	S 21 W	14		do	14	S 23 E	9
" 6	Dogwood	4	N 32 E	14	" 6	do	20	N 23 E	12
	Beech	17	S 45 W	46		do	24	N 87 E	16
Q to Dat 1	Beech	11	S 74 W	19	St. Cat 1	Poplar	4	S 35 W	12
	Dogwood	3	N 68 E	16		Hickory	3	N 42 E	6
" 2	Dogwood	4	N 36 E	18	" 2	Sugar	16	S 59 W	6
	Beech	16	S 76 W	16		Beech	20	N 72 E	19
" 3	Sugar	26	N 53 E	17	" 3	Cotton wood	14	N 27 E	14
	Leumbran	6	S 83 W	21		Locust	3	N 15 W	18
" 4	Sugar	16	N 20 W	10	" 4	S. Elm	14	N 34 W	10
	B Oak	3	N 18 E	16		B. Ash	20	S 34 E	8
" 5	Beech	26	N 53 W	28	" 5	Beech	18	N 34 E	6
	Locust	18	N 72 E	21		do	16	N 58 W	50
" 6	Hickory	17	S 54 E	15	" 6	Sugar	18	N 42 W	4
	Cycamon	70	N 23 W	12		Hickory	3	- - -	-


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section /

Township //

North, Range / West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By B. F. B.	At N				4 Elm	8	N 87 W	13
					do	27	S 13 W	32
	" No	Stone			Sugar	14	S 42 3/4 E	30
					Stone		N 0 1/2 W	17 1/2
	" S	Stone			do		East	15
					do		North	15
	" a	Stone			Elm	8	N 31 W	20 1/2
	" L				do	4	N 66 1/2 E	7
					Black Walnut	3	S 66 W	26 1/2
	" b ✓	Stone			Stone		South	15
					do		West	15
	" c	Stone			do		West	15
					do		North	15
	" d	Stone			do		South	15
					do		East	15
					do		East	10 1/2
					do		North	15
					do		West	15
Canatsey - June - 15 - 1954	" e	old stone - 30' Elm 2' East			Stone		North	15
					do		West	15
					do		North	15
					do		West	15
By G. A. Pearce 3/1/86	" G	Stone			do		South	15
					do		East	15
	" H	Stone			Beech	28	N 88 E	25
	" I	Stone			Stone		South	22
					do		North	11 1/2
	" J	Stone			do		East	15
					do		North	15
9.87 1/2 W of D	" m	Stone			Oak	28	N 78 1/2 E	34
8.00 S of m	" n	Stone			Beech	24	West	26 1/2
9.87 1/2 S of D	" x	Stone			2 Bricks		South	18 1/2
By Earl Haake Sept. Aug 15-11					2 do		West	19
	" N	Gas pipe			Poplar	10	N 33 W	35
					Black Oak	17	S 32 1/4 E	40
Established July 27 1939	" H				Gas pipe	1 1/2"	S 30 E	1.44
By William F. Smith	" "				" "	1 1/2"	N 30 W	1.08
	" "				Walnut	18"	N 30 W	1.32
	" "				3/4" Rock		South	1.32




RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

Township

North, Range

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
3	Canafsey = 1985		State Highway marker.			Maple	6"	N.W.	31.8'
2 1/2			I at N. edge pavement			Q. Pavement Rt. ANG.			12.1'
0									
7 1/2									
5									
5									
5 1/2									
7									
6 1/2									
5									
15									
15									
15									
15									
15									
10 1/2									
14									
10 1/2									
15									
15									
25									
22									
11 1/4									
15									
15									
34									
26 1/2									
18 1/2									
19									
38									
48									
1.44									
1.01									
1.31									
1.37									



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *2*

Township *11*

North, Range *1 West*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	<i>N</i>	<i>Stone</i>			<i>Hickory</i>	<i>3m</i>	<i>N. 30 W</i>	<i>28</i>	
					<i>W. Beech</i>	<i>4m</i>	<i>N 22 E</i>	<i>52</i>	
		<i>I</i>	<i>Stone</i>			<i>Beech</i>	<i>16</i>	<i>S 16 W</i>	<i>43</i>
					<i>Hickory</i>	<i>4</i>	<i>S 20 E</i>	<i>57</i>	
		<i>F</i>	<i>Stone</i>			<i>Beech</i>	<i>10</i>	<i>N 37 W</i>	<i>28</i>
					<i>Beech</i>	<i>12</i>	<i>N 12 E</i>	<i>16</i>	
		<i>H</i>	<i>Stone</i>			<i>Beech</i>	<i>4</i>	<i>N 4 W</i>	<i>30</i>
					<i>Beech</i>	<i>5</i>	<i>S 31 W</i>	<i>29</i>	
		<i>D</i>	<i>Stone</i>			<i>W. Walnut</i>	<i>10</i>	<i>S 63 W</i>	<i>12</i>
					<i>Sugar</i>	<i>3</i>	<i>S 10 E</i>	<i>29</i>	
<i>By B. L. B.</i>	<i>at N</i>	<i>Stone</i>			<i>W. Walnut</i>	<i>6</i>	<i>N 45 E</i>	<i>1 1/2</i>	
"	<i>Y</i>	<i>Stone</i>			<i>Y Ash</i>	<i>8</i>	<i>S 50 E</i>	<i>52</i>	
"	<i>L</i>	<i>Stone</i>			<i>Sugar</i>	<i>15</i>	<i>S 36 1/2 W</i>	<i>57</i>	
<i>J. Hudley</i>	<i>a</i>				<i>Stone</i>		<i>West</i>	<i>15</i>	
"	<i>H</i>				<i>do</i>		<i>S 16 1/2 W</i>	<i>2 1/2</i>	
<i>By G. H. Pearce</i>	<i>He</i>	<i>Stone</i>			<i>Beech</i>	<i>9</i>	<i>S 3 E</i>	<i>10</i>	
"	<i>H</i>				<i>Sugar</i>	<i>24</i>	<i>N 10 E</i>	<i>24</i>	
"	<i>He</i>				<i>Sugar</i>	<i>6</i>	<i>N 69 E</i>	<i>25</i>	
"	<i>I</i>	<i>do</i>			<i>Beech</i>	<i>23</i>	<i>S 5 E</i>	<i>23</i>	
"	<i>I</i>	<i>do</i>			<i>do</i>	<i>16</i>	<i>N 77 W</i>	<i>57 1/2</i>	
"	<i>Me</i>	<i>do</i>			<i>do</i>	<i>18</i>	<i>N 42 1/2 E</i>	<i>47</i>	
"	<i>Co</i>	<i>do</i>			<i>do</i>	<i>20</i>	<i>S 47 E</i>	<i>34 1/2</i>	
"	<i>Co</i>	<i>do</i>			<i>Hickory</i>	<i>12</i>	<i>N 59 W</i>	<i>40 1/2</i>	
"	<i>Co</i>	<i>do</i>			<i>Beech</i>	<i>20</i>	<i>S 24 1/2 W</i>	<i>21</i>	
"	<i>Co</i>	<i>do</i>			<i>do</i>	<i>18</i>	<i>N 56 W</i>	<i>44 1/2</i>	
"	<i>Co</i>	<i>do</i>			<i>do</i>	<i>12</i>	<i>S 62 E</i>	<i>24 1/2</i>	
"	<i>D</i>	<i>do</i>	<i>7 1/2 links W of Vin Sec</i>		<i>do Sug.</i>	<i>12</i>	<i>N 10 1/2 W</i>	<i>35 1/2</i>	
"	<i>Co</i>	<i>do</i>			<i>Beech</i>	<i>30</i>	<i>N 84 1/2 E</i>	<i>78 1/2</i>	
"	<i>B</i>	<i>do</i>			<i>Lycust</i>	<i>12</i>	<i>N 23 1/2 E</i>	<i>22 1/2</i>	
"	<i>A</i>	<i>do</i>			<i>Sugar</i>	<i>36</i>	<i>S 43 1/2 W</i>	<i>41</i>	
					<i>S. Stone</i>		<i>West</i>	<i>25</i>	
					<i>do</i>		<i>South</i>	<i>30</i>	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **2** Township **11N** North, Range **11W**

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
28	By G. P.	At G	Stone			Sugar	16	S 10 E	29
52						do	16	N 15 W	65
43		" J	Stone			Beech	10	N 37 W	28
57		" K	do			do	12	N 12 E	16
28		" K	do			Stone		West	18
16						do		South	22
3 1/4		M	Stone			Beech	7	S 32 W	13
29						Sugar	4	South	2 1/2
12		J	old stump			Sugar	9"	South 8 1/2' 1/2"	
29						Elm	10"	N 45 W, 16"	
1 1/2	By H. A. Blumh Feb 16-32	H.	old stump			Walnut	10"	South 7' 1/2"	
52	By Kraszofski Disberry					Sugar	15"	North 60"	
7	is 9.84 ft. North of J	i	stone			Yew Oak	18"	S 20 1/2 W, 115' 9"	
15	is 9.84 North of H.	4	stone			Rail Horse	6"	N 40 E, 33 1/2'	
17 1/2	H. A. Blumh, Feb. 17-1932	X	stone generally black 20"			9' 1/2"	14"	N 28 E, 79' 1/2"	
10						Stone generally black		N 14 E, 35 1/2'	
44		E	STONE					West 20' 1/2"	
5						RED OAK	10"	NORTH	24 1/2"
3						SHELL HICKORY	6"	S 75 E	34' 0"
7 3/4		Y				RED OAK	18"	S 15 E	19' 6"
17						HACKBERRY	8"	E	28' 11"
4 1/2						HACKBERRY	6"	N	4' 8"
10 1/2						ASP	4"	N 60 W	16' 10"
21		X	SEE	SEC 11 - C					
4 1/2									
1 1/2	Gene Patterson Survey	K	1 1/2 Iron Pipe			Corner Post Round Fence Corner Post		E	32' 9"
5 1/2	"	"	(STONE) 1" Pipe over					S 41 W	35' 7"
8 1/2	"	"				Poplar	12"	N 85 W	20' 3"
2 1/2	"	"				Poplar	7"	S 35 E	37' 9"
1	"	"				SASSAPARILLA	6"	N 60 E	18' 5"
5	"	I	STONE (1" Pipe over)			CATALPA	20"	S	4.0'
0	SEE AFFID SEC 3 1/4					MAPLE	14"	S	4.0'
						SPRING H.	10"	S 25 W	35' 0"
						MAPLE	6"	S 20 E	54' 6"

Sec 2 T12N 11W? R1W

at Y STORE 8" HACKBERRY E 28'11"
6" HACKBERRY N 4'8"
4" ASH N60W 16'10"

E
P
O
N


U

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *3*

Township *11*

North, Range *1 West*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>By J. F. Butler</i></p>  <p style="text-align: center;"><i>16</i></p>	<i>At</i> ✓				<i>Elm</i>	<i>15</i>	<i>N 40 E</i>	<i>75</i>
	<i>B</i>				<i>Poplar</i>	<i>22</i>	<i>S 60 W</i>	<i>71</i>
	<i>I</i>	<i>Stone</i>			<i>H Oak</i>	<i>20</i>	<i>N 5 E</i>	<i>16</i>
	<i>He</i>				<i>do</i>	<i>40</i>	<i>S 62 1/2 W</i>	<i>3 1/2</i>
	<i>He</i>				<i>Maple</i>	<i>9</i>	<i>S 5 W</i>	<i>15</i>
	<i>He</i>				<i>Oak stump</i>	<i>27</i>	<i>N 7 W</i>	<i>26</i>
	<i>He</i>				<i>do</i>	<i>48</i>	<i>S 65 E</i>	<i>25</i>
	<i>He</i>				<i>Sugar</i>	<i>6</i>	<i>N 9 E</i>	<i>24</i>
	<i>He</i>				<i>oak</i>	<i>2</i>	<i>N 2 E</i>	<i>8</i>
	<i>N</i>	<i>Stone</i>			<i>Woak</i>	<i>40</i>	<i>S 50 E</i>	<i>89</i>
	<i>L</i>				<i>do</i>	<i>24</i>	<i>S 31 E</i>	<i>120</i>
	<i>He</i>	<i>Stone</i>			<i>Beech</i>	<i>24</i>	<i>S 45 W</i>	<i>46</i>
	<i>He</i>				<i>H Walnut</i>	<i>10</i>	<i>S 3 E</i>	<i>73</i>
	<i>He</i>				<i>Beech</i>	<i>10</i>	<i>S 43 W</i>	<i>5 1/2</i>
	<i>He</i>	<i>do</i>			<i>Sugar</i>	<i>12</i>	<i>S 62 E</i>	<i>40</i>
<i>S</i>	<i>do</i>			<i>do</i>	<i>12</i>	<i>North</i>	<i>104</i>	
<i>S</i>	<i>do</i>			<i>Beech</i>	<i>24</i>	<i>N 56 E</i>	<i>97</i>	
<i>S</i>	<i>do</i>			<i>H Walnut</i>	<i>12</i>	<i>N 56 1/2 E</i>	<i>189</i>	
<i>S</i>	<i>do</i>			<i>do</i>	<i>18</i>	<i>S 52 E</i>	<i>252</i>	
<i>H</i>	<i>do</i>			<i>Beech</i>	<i>18</i>	<i>N 22 E</i>	<i>24</i>	
<i>H</i>	<i>do</i>			<i>do</i>	<i>—</i>	<i>N 19 1/2 W</i>	<i>34 1/2</i>	
<i>K</i>	<i>do</i>			<i>Sugar</i>	<i>20</i>	<i>S 48 W</i>	<i>53</i>	
<i>K</i>	<i>do</i>			<i>do</i>	<i>8</i>	<i>S 38 1/2</i>	<i>52</i>	
<i>S</i>	<i>do</i>			<i>Beech</i>	<i>12</i>	<i>N 42 E</i>	<i>13</i>	
<i>S</i>	<i>do</i>			<i>do</i>	<i>10</i>	<i>N 41 W</i>	<i>23</i>	
<i>S</i>	<i>do</i>			<i>H Walnut</i>	<i>18</i>	<i>S 61 E</i>	<i>229 1/2</i>	
<i>S</i>	<i>do</i>			<i>H Oak</i>	<i>40</i>	<i>S 62 1/2 W</i>	<i>3 1/2</i>	
<i>S</i>	<i>do</i>			<i>H Walnut</i>	<i>8</i>	<i>S 13 1/4 E</i>	<i>55</i>	
<i>X</i> ✓				<i>Elm</i>	<i>12</i>	<i>S 14 1/2 E</i>	<i>31</i>	
<i>S</i>	<i>Stone</i>			<i>Hackberry</i>	<i>2</i>	<i>S 87 1/4 W</i>	<i>59</i>	
<i>S</i>	<i>Stone</i>			<i>Old Beech</i>	<i>34</i>	<i>N 19 1/2 W</i>	<i>34 1/2</i>	
<i>S</i>	<i>Stone</i>			<i>do</i>				
<i>B.</i>	<i>Bug Apple</i>			<i>Beech</i>	<i>15</i>	<i>S 11 W</i>	<i>67 1/2</i>	
<i>V</i>	<i>Stone</i>			<i>Beech</i>		<i>South</i>	<i>57 1/2</i>	
<i>V</i>	<i>Stone</i>			<i>Elm (Stone)</i>	<i>15</i>	<i>N 40 E</i>	<i>75</i>	
<i>V</i>	<i>Stone</i>			<i>Stone</i>		<i>S 6 1/4 E</i>	<i>21</i>	
<i>V</i>	<i>Stone</i>			<i>do</i>		<i>10 E</i>	<i>16</i>	

*By Michael Hease
May 12 - 1894*

By H. A. Blush Dec 2-18

By County May 14 1928

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3

Township T11

North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
canatsey - 1955	U	old stone at N.W. cor. cemetery			Wild Cherry 24" W. oak 40"	" "	North N.E.	66.1 40.4																									
<div style="display: flex; align-items: center;"> <table border="1" style="border-collapse: collapse; text-align: center; margin-right: 10px;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>C</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <div> <p style="font-size: 2em; margin: 0;">A</p> <p>SEE SEC 2-E</p> </div> </div>	E	D	C	B	A	F	C	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V								
E	D	C	B	A																													
F	C	H	I	K																													
P	O	N	M	L																													
O	R	S	T	U																													
Z	Y	X	W	V																													
IP+LCO (Reg McCracken 2-87)	X	Copper weldrod set in concrete buried 8" below road surface			Sq. conc. post Twin Cherry Wood Cor. Post	14" 20" 8"	N 69 W S 36 W S 89 E	29.76 41.10 26.02																									
IP+LCO (Reg McCracken 2-87)	N plus 16.5'S	Copper weld rod set in concrete flush with road			PK Nail in Gate post Stub pole PK nail in utility pole		N 34 W N 51 E S 86 E	44.04 58.29 44.39																									
IP+LCO (Reg McCracken 2-87)	P	Standard concrete monument stamped BM # 84 Buried 12"			PK nail utility pole PK nail infence post PK nail infence post		N 84 W N 39 W N 32 E	50.78 46.82 41.94																									

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *4*

Township *11*

North, Range *1 West*


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.
<p><i>B. J. Kealey</i></p> <p><i>By G.A.P. 1888</i></p>	<i>At D v</i>				<i>Beech</i>	<i>9</i>	<i>N 60° E</i>	<i>23</i>
	<i>Chaug " N v</i>				<i>do</i>	<i>15</i>	<i>West</i>	<i>11</i>
	<i>" Y v Stone</i>				<i>Poplar</i>	<i>16</i>	<i>S 38° W</i>	<i>35</i>
	<i>" O v</i>				<i>W Oak</i>	<i>18</i>	<i>West</i>	<i>90</i>
	<i>" F' v Stone</i>				<i>Ash</i>	<i>5</i>	<i>N 21° E</i>	<i>55</i>
	<i>" a v Stone 12 45° E of R</i>				<i>Beech</i>	<i>10</i>	<i>N 18° W</i>	<i>57</i>
	<i>" S v Stone</i>				<i>W Oak</i>	<i>36</i>	<i>S 41° W</i>	<i>35</i>
	<i>" b v Stone 12 45° W of P</i>				<i>Beech</i>	<i>7</i>	<i>S 82° E</i>	<i>26</i>
	<i>" R v Stone</i>				<i>W Oak</i>	<i>24</i>	<i>S 35 1/2° E</i>	<i>33</i>
	<i>" S v Stone</i>				<i>do</i>	<i>—</i>	<i>N 28° E</i>	<i>45</i>
	<i>" e v</i>				<i>Ash</i>	<i>5</i>	<i>S 38 1/2° W</i>	<i>20</i>
	<i>" d v</i>				<i>W Oak</i>	<i>14</i>	<i>N 71° W</i>	<i>25</i>
	<i>" c v</i>				<i>Ash</i>	<i>14</i>	<i>S 42° E</i>	<i>22</i>
	<i>" e v</i>				<i>do</i>	<i>14</i>	<i>S 15 1/2° W</i>	<i>56 1/2</i>
	<i>" d v</i>				<i>Stone</i>		<i>South</i>	<i>25</i>
<i>" e v</i>				<i>do</i>		<i>East</i>	<i>20</i>	
<i>" e v</i>				<i>W Oak</i>	<i>20</i>	<i>S 23° E</i>	<i>20 1/2</i>	
<i>" e v</i>				<i>Stone</i>		<i>East</i>	<i>20</i>	
<i>" e v</i>				<i>R Elm</i>	<i>12</i>	<i>N 37° 30' E</i>	<i>72 1/2</i>	
<i>" e v</i>				<i>Ash</i>	<i>15</i>	<i>S 80° 15' E</i>	<i>52</i>	
<i>" e v</i>				<i>Red Oak</i>	<i>7</i>	<i>N 25° 40' E</i>	<i>25</i>	
<i>" e v</i>				<i>W Oak</i>	<i>19</i>	<i>N 54° 12' W</i>	<i>15</i>	
<i>" e v</i>				<i>H Oak</i>	<i>5</i>	<i>N 28° 13' E</i>	<i>30</i>	
<i>" e v</i>				<i>Lycium</i>	<i>18</i>	<i>South</i>	<i>34</i>	
<i>" e v</i>				<i>Hickory</i>	<i>21</i>	<i>N 69° 26' E</i>	<i>50</i>	
<i>" e v</i>				<i>H Oak</i>	<i>45</i>	<i>N 38° 40' E</i>	<i>69 1/2</i>	
<i>" e v</i>				<i>Swamp Oak</i>	<i>9</i>	<i>S 11° 4' W</i>	<i>22</i>	
<i>" e v</i>				<i>Ash</i>	<i>8</i>	<i>S 53° 30' W</i>	<i>96</i>	
<i>" e v</i>				<i>Sour Oak</i>	<i>4</i>	<i>S 85° W</i>	<i>63</i>	
<i>" e v</i>				<i>Gray Ash</i>	<i>3</i>	<i>S 80° E</i>	<i>27 1/2</i>	

H. A. Blunk Feb. 21-1911
J. F. Duehworth Partition.

t-16.32 1/2 T concrete block

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 4 Township 11 North, Range West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
		O ^v Stone			Beech 10		N60W	46	
					Gum 22		N27E	48	
			B ^v Stone			W. Oak 16		N38W	9 1/2
						W. Oak 18		S65W	20 1/2
			N ^v Stone			Ash 18		N47W	19 1/2
						W. Oak 20		S65E	8"
			M ^v Stone			Beech 15		N. 12W	26"
						Beech 5		S79W	14"
			S ^v Stone			W. Oak 16		N27E	40
						Elm 2		S50W	5 1/2
		R ^v Stone			Red Oak 20		S23E	20 1/2	
					Poplar 10		N3W	37	
Mike Haase 5/11/94		W ^v Stone			Hickory 12		N74W	75 1/2	
					Hickory 15		S36E	41	
		U ^v Stone			T. Oak 24		N23E	36	
					T. Oak 20		N87 1/2 W	100 1/2	
Wilbur F Smith Per. Heirs of M. Hamilton Est and William Cain Heirs of Trust Co. May 1 - 1935		T ^v Stone							
Distance from M to B is 31 ft (fractional section)		M ^v Stone	17 center of do. H&A way		Ash 20"		S55W	39 1/2"	
					Post		North	16 6"	
is 66 ft East of E.		B ^v Stone	ON TP LINE		White oak 20"		S77 1/2 E	50 1/2"	
					Elm & oak 12"		N56 1/2 E	25 ft.	
		I ^v Stone			black oak 14"		N21E	58 ft.	
					Hickory 14"		N18W	45 ft.	
		C ^v Stone			Black oak 5"		S19 3/4 E	10 1/2"	
		S	STONE		1" IRON PIPE		S30W	12 1/4"	
					1" IRON PIPE		S30E	11 1/4"	
					Both Stone + reference below same depth				

SEE AFTER SEC. 36

Sec 4 - T11N - R1W

Corner

Reginald McCracken
1985

C — B — b — A

IP+LCO (Reg McCracken 2-87)

Copper Disk
B-~~P~~ in Concrete

b - Copper Disk in Concrete

N - standard concrete monument
stamped BM #80

M standard concrete
monument stamped B #81

Reference

Bearing

Distance

Reference	Bearing	Distance
PK Nail in Concrete	N 46° 36' 01" E	31.76'
"	S 44° 50' 26" W	16.78'
"	N 72° 29' 33" W	25.09'
"	S 33° 16' 01" W	25.10'
PK Nail in corner fence Post	N 41 W	23.04'
PK Nail in 3 φ P-Pole	S 01 W	13.35'
Power Pole (3 φ line) 6" Elm	S 87 W N 6 E	42.00'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **5**

Township **11**

North, Range **1 West**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Di.
<p><i>By Moon</i></p>	At O v				Sugar	8	N65E	44
	" H v				R Oak	24	N78E	72
	" J v				Hickory	4	S35W	90
	" K v				Apple	10	N60W	134
	" L v				R Oak	30	S60E	30
	" M v				W Oak	36	N22E	44
	" N v				B Walnut	2	S25E	71
	" O v				Beech	8	N57 1/2 W	24
	" P v				do	22	S27W	42
	" Q v				Sugar	2	S70W	9
	" R v				Beech	18	S84E	10
	" S v				Stone		S45W	28 1/2
	" T v				do		N45W	29
	" U v				do		N45W	28 1/2
	" V v				do		S45W	28
<p><i>By Elizabeth Johnson. Nov. 6th 1899</i> <i>For Ray Township, H. J. Kellum et. al.</i> <i>Assistants J. L. Decreat</i> <i>J. B. Walters.</i></p>	" Y v				Sugar	15	S74E	47 1/2
	" Z v				Coffey nut	8	S57 3/4 W	38 1/2
	" A v				Beech	22	N25E	78
	" B v				do	13	S43 1/2 E	73
	" C v				Stone		East	25
	" D v				do		North	25
	" E v				White Beech	4	N57 1/2 E	10
	" F v				dogwood	3	N23W	24
	" G v				Coffeenut	8	S 1 E	27
	" H v				Walnut	8	N 87 W	25
" I v				Stone		S 45 1/2 E	47	
" J v				do		N 40 E	48	
" K v				do		West	6	
" L v				do		East	52	
" M v				B. Hickory	3	S 24 1/2 E	34	
" N v				Poplar	3	N 8 E	34	
" O v				Apple-tree	3	S 47 1/2 E	9	
" P v				B Hickory	7	S 15 E	25	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 5 Township 11 North, Range West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	M	Stone			W. Oak	24"	S 13 W	67'
	M	Stone			B. Oak	8"	S 59 E	13'
	L	old stone			Sugar	9"	S 47 1/2 E	74'
	M	old stone			Sycamore	2 1/2"	N 34 E	37 1/2'
	M	old stone			Apple tree	12"	S 41 E.	43 1/2'
	M	old stone			Walnut	8"	N 89 1/2 E.	37 1/2'
	M	old stone			Beech	24"	S 8 E.	29 1/2'
	M	old stone			Sugar	8"	N 85 1/2 W.	19'
	M	old stone			Not witness			
	M	old stone			Not witness			
IP+LCO (Reg McCracken 2-87)	F	Copper Weld rod set in concrete stamped BM #17			Maple	8"	N 61 W	7.15'
IP+LCO (Reg McCracken 2-87)	O	Standard concrete Monument stamped BM #15			Hickory	14"	S 79 E	16.00'
IP+LCO (Reg McCracken 2-87)	X	12-A standard Concrete monument			Red Oak	20"	S 65 E	4.57'
(these are ref. marks corner fell in 26" red oak)	X	12-B standard Concrete monument			Twin Trunk Tree		N 59 E	24.13'
	X				tree in fence	8"	N 29 W	25.25'
	X				Center of Iron rod near fence corner		S 64 W	10.72'
	X				Sassafras	12"	S 10 E	29.65'
	X				White oak	24"	S 75 W	18.23'
	X				Red oak	26"	N 05 E	8.64'
	X				Red oak	26"	S 10 E	8.71'
	X				White Oak	24"	S 35 W	30.40'
	X				White Oak	15"	N 59 W	40.05'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **6** Township **11** North, Range **1 W**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>H.A. Blunk 9/20-1931</p> <p style="font-size: small;">C to A 2746.6' C.D. MILLER 2-16-66'</p>	E	Old Stone			Sugar	6"	S 85° E.	36.66'
	P	Iron Pipe			Beech	7"	S 70° W.	75.11'
	e	Iron Pipe			Ash	6"	N 77° W.	10.11'
	d	Iron Rod in Road			Poplar	4"	N 92 1/2° W.	30 1/2'
	f	Iron Rod			White Oak	10"	N 27 1/2° W.	20.11'
	d	Iron Rod			Hickory	5"	N 53 1/2° E.	16 1/2'
	f	Iron Rod			White Oak	10"	N 16° W.	51.11'
	V	Old Stone			White Oak	4"	N 22 1/2° E.	62 1/2'
	Z	Old Stone Found			Black Oak	16"	S 78° W.	35 1/2'
	X	1 1/2" PIPE 6' Long: 2 1/2 feet Above Ground.			Hickory	12"	N 31° W.	72.11'
	a	1 1/2" PIPE well point 10.6 Rods North of X			North side of Concrete post.			
	d	1 1/2" PIPE well point S.E. 1/4			Iron Gate stop 24" Long East 18" Angle iron 24" Long West 18"			
	N	Old Stone Found			Sycamore	8"	S. E.	51.8"
	C.	IRON PIPE			Hickory	10"	N. 15° E	12.4"
	B.	IRON PIPE 1320' W. of A			Hickory	10"	N. 20° W	27.0"
Z	SEE SEC 7 - E			B. Hickory	12"	N. 30° W.	31.0"	
				B. Hickory	14"	South	11.4"	
				B. OAK	9"	WEST	16.4"	
				N.W. cor. Conc. Bl. Blks		315°	66.6"	
				Hickory	12"	N 80° W	9.0'	
				"	10"	N 65° E	16.0'	


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 7 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	At Me				Beech	6	N150°E	7 1/2
					do	24	S57°W	24 1/2
					Hickory	4	North	11
					Elm	7	N57°W	23
					Beech	18	North	9 1/2
					Nicople	4	East	40 1/2
					do	18	N47°W	15
					Ash	3	S88°W	15
					do	3	S23°W	15
					W Beech	3	S85°E	6
				H Oak	10	N23°E	14	
				do	12	S39°W	23	
By H. J. Shuman, Feb. 1901	B	Stone Reburied.			Stone	-	West	25
	L	" 1/2 from B to N 2046			Sycamore	-	N27°W	23
					Stone	-	N30 1/2°E	36
					do	-	East	36
By Can Haase. Feb. 15-1917	M	stone in ditch			Elm	18	S. 9° E.	88 1/2
					Turkey Oak	12	N. 11° E.	91
(w is 46 rds. North of W)	" w	pump point			Elm	6	N. 3 1/4° E.	66 1/2
(v " " " " " V)	" v	stone			Cedar	4	N. 58° W.	26
(l " 56 " South " L)	" l	"			Sugar	11	N. 11 3/4° W.	259
(m " 56 " " " M)	" m	"			Scrub oak	3	S. 24 1/4° E.	6-7'
	" T	"			Sycamore	21	S. 2° E.	104
(Cor. No. 1 (N.W. cor. school lot) is 2.605 ch. East of W.	" 1	put stone on top of old corner			Sycamore	24	N. 45 3/4° E	
	" V	perpetuated			do			
By H. A. Blank Nov-21-1917	P	Stone concrete foundation of Hault			Walnut	10	N 61° E	216
					do	8"	S.W. 8 1/2° E	72
n = 16.34 1/2 ch. North of P.	n	in line bet. F and E. no near witnesses in road.						
	e	stone perpetuated			Sweet Gum	18	N 80° W	59
By Wilbur F Smith May 7-51 for Warthern & Shuler	N	old stone Found			Elm	6"	S. 40° W	1'-6"
					Elm	16"	N. 70° W	7'-10"
For Corners E, C and A see Section 6	H	1 1/2" Pipe				20.47 ch	North of N	and
H to C 20.47 ch	I	Pipe in ditch			Stone		East	36 LKS
H to K 40.56 ch.	K	old stone Found			2' deep JACKOAK	12"	West	22 LKS

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 8 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center;">By H. Keadley</p> 	at No				Oak	20	N65W	25	
		a				Beech	5	S24W	90
		b				Walnut	3	S60W	36
		c				do	3	N22W	67
		d				Oak	22	N14W	13
		e				Sugar	5	S39W	8
		f				Hickory	6	S43E	62
		g				Walnut	4	S88 1/2 W	47
		h				do	18	N4W	90
		i				do	-	S80 1/2 W	150
		j				Sugar	6	S70W	20 1/2
		k				do	5	S70E	19
		l				Ironwood	6	N71W	16
		m				Hickory	3	N38 1/2 E	10 1/2
	<p style="text-align: center;">By E. A. P. April 4/81</p>	Q	see old trees			Stone		S32W	30
R		do			do		S4 1/2 E	34	
S		do			do		S36E	30	
T		do			do		N36W	32	
U		do			do		Nuth	25	
V		do			do		South	25	
W		do			do		S43E	13 1/2	
X		do			do		N41E	16	
Y		do			do		N72W	21 1/2	
Z		do			do		S56 1/2 W	24	
<p style="text-align: center;">G. A. P. April May 1888</p>	a	do 2 nd of A			do		Nuth	25	
	b	do 2 nd of B			do		West	25	
	c	do 2 nd of C			Hickory	10	East	82	
	d	do 2 nd of D			do	18	N27E	74	
	e	do 2 nd of E			Cherry	10	N35 1/2 E	10	
	f	do 2 nd of F			Walnut	5	S9 1/2 W	13 1/2	
	g	do 2 nd of G			coffe nut	3"	East	5 1/2	
	h	do 2 nd of H			" "		N. 12 E	20 1/2	
<p style="text-align: center;">By E. O. Heibont Mar 4th 07</p>	i	Stone & 2 ch 11/2 ft.			W. Cherry	4"	S31 W.	54 1/2	
	j	"			Stone		East	30	



S. Ho,
3/16/83
L.A.P.
1888.

G v		Cherry	8	7132	
		Beech	22	737 W	5
		do	10	768 E	27
Z v	Stone	Willow	17	do	27
		Beech	18	7125 W	31
a v	do	Stone		781 1/2 W	32
		do		753 W	32
B v	do	do		728 W	32
		do		712 W	32
x v	in Road do 16 ²⁵ 71 of c	do		712 W	32
c v	do 125 E of F	do		712 W	32
d v	do 94 W of H	do		712 W	32
e v	do 17 ²⁵ 71 of 2 in Road	do		712 W	32
		do		712 W	32
U v	do	do		712 W	32
		do		712 W	32
M v	do	Ash	5	712 W	32
				712 W	32
		Willow	5	712 W	32
J v	do	Sugar	18	712 1/2 W	70
		do	18	716 1/2 E	30
E v	4 ft RR bar 7 Rail	Stone		7168 W	30
		do		742 W	35
G v	Stone	do		711 W	37
		ash	10	752 W	62
I v	do	Ash	17 1/2	787 E	29
		Hickory	24 1/2	747 1/2 W	53
f v	do 12 ⁴⁵ W of J	Beech	15	742 E	39
		Ash	8	711 1/2 E	49
L v	do 12 ¹¹ E of H	Willow	11	711 1/2 W	18
		Stone		North	50
O	Stone	do		North	25
		do		East	15
Q	do	Beech	20	728 1/2 W	16
		Ash	6	787 1/2 W	37

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *9*

Township *11*

North, Range *1 West*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;"><i>By J. Heasley</i></p>	at <i>H</i> ✓				Beech	20	<i>S 11 W</i>	98
	<i>G</i> ✓				Cherry	8	<i>N 32 E</i>	108
	<i>Z</i> ✓				Beech	22	<i>S 37 W</i>	5
	<i>B</i> ✓	Stone			do	10	<i>N 68 E</i>	29
	<i>a</i> ✓	do			Walnut	12	<i>S 30 E</i>	52
	<i>B</i> ✓	do			Beech	18	<i>N 25 W</i>	26
	<i>x</i> ✓	do			Stone		<i>S 8 1/2 W</i>	in line
	<i>e</i> ✓	do			do		<i>N 53 W</i>	22
	<i>d</i> ✓	do			do		<i>S 28 1/2 E</i>	35 1/2
	<i>v</i> ✓	do			do		South	25
<i>U</i> ✓	do			do		West	100	
<i>M</i> ✓	do			do		North	25	
<i>T</i> ✓	do			do		North	20	
<i>e</i> ✓	do			do		North	28	
<i>v</i> ✓	do			do		<i>S 25 E</i>	25	
<i>U</i> ✓	do			do		<i>S 40 W</i>	27	
<i>M</i> ✓	do			do		<i>S 10 1/2 W</i>	23 1/2	
<i>T</i> ✓	do			do		Elm	5	
<i>S</i> ✓	do			do		<i>N 2 E</i>	25 1/2	
<i>e</i> ✓	do			do		Sugar	18	
<i>v</i> ✓	do			do		<i>N 2 1/2 W</i>	70	
<i>G</i> ✓	do			do		do	18	
<i>S</i> ✓	do			do		<i>N 6 1/2 E</i>	30	
<i>T</i> ✓	do			do		Stone	<i>N 68 W</i>	35
<i>e</i> ✓	do			do		do	<i>S 42 W</i>	35 1/2
<i>v</i> ✓	do			do		do	<i>N 1 W</i>	37 1/2
<i>S</i> ✓	do			do		Ash	10	
<i>f</i> ✓	do			do		<i>S 52 W</i>	62 1/2	
<i>e</i> ✓	do			do		Ash	1 1/2	
<i>v</i> ✓	do			do		<i>S 87 E</i>	29	
<i>P</i> ✓	do			do		Nickory	24	
<i>D</i> ✓	do			do		<i>N 4 1/2 W</i>	59	
<i>e</i> ✓	do			do		Beech	15	
<i>v</i> ✓	do			do		<i>N 42 E</i>	39	
<i>P</i> ✓	do			do		Ash	8	
<i>D</i> ✓	do			do		<i>N 48 E</i>	49	
<i>e</i> ✓	do			do		Elm	1	
<i>v</i> ✓	do			do		<i>N 33 1/2 W</i>	18	
<i>P</i> ✓	do			do		Stone		
<i>D</i> ✓	do			do		North	50	
<i>e</i> ✓	do			do		North	25	
<i>v</i> ✓	do			do		East	15	
<i>P</i> ✓	do			do		Beech	20	
<i>D</i> ✓	do			do		<i>S 2 1/2 W</i>	16 1/2	
<i>e</i> ✓	do			do		Ash	6	
<i>v</i> ✓	do			do		<i>N 87 1/2 W</i>	39	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 8 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p><i>By Gibert Mar 4. 1907.</i></p>	y. v	Iron pipe	8.26 ch north and 10.00 ch west of S.		Stone		North	25' 2"	
	z. v	Iron pipe	9.87 ch north and 10.00 ch west of S.		"		East	25'	
	a. v	Stone	9.87 ch north and 20.04 ch west of S.		Iron pipe		West	25'	
	f=12.23 w of d		Concrete Black		Turkey Oak	3	South	25'	
					Iron pipe		East	25'	
	l=12.31 w of L		Concrete Black		" "	1 1/2	S 88 1/2 E	69	
					Poplar	18	N 88 1/2 W	74 1/2	
					Stone		East	24.	
	m=8.128 of L		" "		Concrete Black		North	25	
	n=14.468 of n		" "		" "		South	25	
<p><i>H. A. Blinks Feb. 21-1911</i></p> <p><i>J. F. Duckworth Partition</i></p>					" "		North	25	
					" "		South	25	
					" "		North	25	
					" "		South	25	
					Sum	22	South	16	
					Ornuberry	8	N 87 E	24.	
					B. Walnut	10	S 76 E	43	
					Hedge	3	N 35 E	24	
<p><i>By W. F. Smith</i></p> <p><i>Sept. 19-51</i></p>	A	6" Tile Filled with Concrete New Bridge			S.W. Cor of South End of East Hand rail - N.E.		17'-2"		
	Z	SEE	SEC	18-A	S.E. Cor of South End of West Hand rail - N.W.		17'-11"		
	ROD V	1" I.P. ROD			COR. POST		N	16'65"	
					UTILITY POLE		SIDE	84'7"	
					UTILITY POLE		N. 75 E	60'11"	
	ROD X	1" I.P. 1/2 ROAD			UTILITY POLE		S 25 W	36'4"	
					N.W. COR CONC. BOX COLLECTOR		S 55 E	73'0"	
					CP SR. #37		SOUTH	77'0"	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 9 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="font-size: 1.2em; margin: 0;">By J. Headley</p>	at H ✓				Beech	20	S 11 W	98
	G ✓				Cherry	8	N 32 E	108
	I ✓				Beech	22	S 37 W	5
	J ✓	Stone			do	10	N 68 E	29
	K ✓				Willow	12	S 30 E	52
	L ✓				Beech	18	N 25 W	26
	M ✓				Stone		S 88 1/2 W	in line
	N ✓				do		N 53 W	22
	O ✓				do		S 28 1/2 E	35 1/2
	P ✓				do		South	25
	Q ✓				do		West	100
	R ✓				do		North	25
	S ✓				do		South	20
	T ✓				do		North	28
	U ✓				do		S 35 E	25
	V ✓				do		S 40 W	27
	W ✓				do		S 10 1/2 W	23 1/2
	X ✓				do		N 2 E	25 1/2
	Y ✓				do		N 2 1/2 W	70
	Z ✓				do		N 6 1/2 E	30
					do	N 68 W	35	
					do	S 42 W	35 1/2	
					do	N 1 W	37 1/2	
					ash	10	S 52 W	62 1/2
					ash	1 1/2	S 87 E	29
					Hickory	24	N 47 1/2 W	59
					Beech	15	N 42 E	39
					ash	8	N 48 E	49
					Elm	1	N 33 1/2 W	18
					Stone		North	50
					do		North	25
					do		East	15
					Beech	20	S 28 1/2 W	16 1/2
					Ash	6	N 87 1/2 W	39

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 9 Township 17 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By G.H.P. (cont)	At O ✓	Stone			Oak Stone	18	N74 1/2 E S84 W	63 30
B.C. / H. Gaz. Sept 1st 1891	At h	Stone in Road			Stone		South	2.6
	" K	Stone 8" ^{with} 10 3/8" ^{width} of tree corner						
	" m	" 8" ⁱⁿ ^{&} ^{and} ^{8"} ^{width} of tree corner						
	" X	see X on preceding page						
H. A. Blunk Feb. 21-1911	i = 17.89 wgs	Concrete Block			Turkey Oak	3	N72W	7
J. F. Duchworth Partition.					Quadruple Elm		N84 1/2 W	38.
By Carr H. & H. Deft.	On = 10.10 S of N. Stone	Stone			Stone		South 13' 3"	
Apr. 27-1914	N. v	Stone			"		South 18' 1"	
o is 10.10 ch. S of O.	o v	"			Elm	5	N 5 1/2 E	8.9
					Elm	10	N 6 1/4 E	35 3/4
C. Molinelli - Aug. 1917	At E ✓ (reintroduced)	S.E. corner of S. end of						
		(Note old Bridge) West concrete parapet on bridge					North West	13.96 ft
W.F. Smith		Replaced By New structure see section 8					North east	17.27 ft
Sept 19-51	" O ✓	stone reintroduced			Oak	30	N. 74 1/2 E.	41.8 ft
					stone		West	30.0 ft
					stone		East	110.2 ft
By H. A. Blunk, Jun. 25-1921	M.	in in Dredge Ditch			"		West	110.2 ft
Corner perpetuated on account of the said ditch.	9	in in Dredge Ditch			White Oak	16"	N 89 W.	161.6 ft
					Elm stump	24"	S 88 E.	161.6
	O ✓	Stone			Beech	15	N 17 W	8
					Beech	18	S 62 E	25
	V ✓	Stone			Beech	24	S 49 E	78
					Mulberry	18	S 75 W	41
Agency High 3/83	V ✓	Stone			Stone		N 53 W	22
					Stone		S 28 1/2 E	35 1/2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *10* Township *11* North, Range *1 West*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>By H. J. Craig</i> <i>2</i></p>	<i>at L</i>				<i>Sugar</i>	<i>6</i>	<i>S 39 W</i>	<i>46</i>
	<i>a</i> ✓	<i>Stone</i>			<i>Elm</i>	<i>12</i>	<i>S 9 W</i>	<i>76</i>
	<i>b</i> ✓	<i>do</i>			<i>Hickory</i>	<i>24</i>	<i>N 34 1/2 E</i>	<i>56</i>
	<i>c</i> ✓	<i>do</i>			<i>Ash</i>	<i>6</i>	<i>S 84 1/2 W</i>	<i>46</i>
	<i>d</i> ✓	<i>do</i>			<i>B Walnut</i>	<i>12</i>	<i>S 32 W</i>	<i>45</i>
	<i>e</i> ✓	<i>do</i>			<i>B Walnut</i>	<i>12</i>	<i>S 71 1/2 W</i>	<i>90 1/2</i>
	<i>f</i> ✓	<i>do</i>			<i>B Ash</i>	<i>8</i>	<i>S 19 1/4 E</i>	<i>117</i>
	<i>g</i> ✓	<i>do</i>			<i>Beech</i>	<i>18</i>	<i>N 35 E</i>	<i>20</i>
	<i>h</i> ✓	<i>do</i>			<i>Elm</i>	<i>18</i>	<i>N 26 1/2 E</i>	<i>58</i>
	<i>i</i> ✓	<i>do</i>			<i>Beech</i>	<i>24</i>	<i>N 9 W</i>	<i>36 1/2</i>
	<i>j</i> ✓	<i>do</i>			<i>do</i>	<i>24</i>	<i>S 70 1/2 W</i>	<i>5</i>
	<i>k</i> ✓	<i>do</i>			<i>Stone</i>		<i>N 45 E</i>	<i>24</i>
	<i>l</i> ✓	<i>do</i>			<i>do</i>		<i>S 45 W</i>	<i>24</i>
	<i>m</i> ✓	<i>do</i>			<i>Sugar</i>	<i>18</i>	<i>N 10 E</i>	<i>32</i>
	<i>n</i> ✓	<i>do</i>			<i>B Walnut</i>	<i>30</i>	<i>N 25 1/2 E</i>	<i>50</i>
<p><i>By G. H. Pearce</i> <i>Apr. 1888</i></p>	<i>o</i> ✓	<i>do</i>			<i>Stone</i>		<i>West</i>	<i>50</i>
	<i>p</i> ✓	<i>do</i>			<i>do</i>		<i>North</i>	<i>50</i>
	<i>q</i> ✓	<i>do</i>			<i>do</i>		<i>S 45 E</i>	<i>30</i>
	<i>r</i> ✓	<i>do</i>			<i>do</i>		<i>N 15 W</i>	<i>30</i>
	<i>s</i> ✓	<i>do</i>			<i>Sugar</i>	<i>12</i>	<i>North</i>	<i>95 1/2</i>
	<i>t</i> ✓	<i>do</i>			<i>do</i>	<i>20</i>	<i>N 21 E</i>	<i>30</i>
	<i>u</i> ✓	<i>Stone 1/2 L to M</i>			<i>do</i>	<i>15</i>	<i>N 67 E</i>	<i>83 1/2</i>
	<i>v</i> ✓	<i>Stone</i> <i>on north face of</i> <i>cut road 90 ft</i>			<i>Ash</i>	<i>3</i>	<i>S 24 1/2 E</i>	<i>25</i>
	<i>w</i> ✓	<i>do</i>			<i>Stone</i>		<i>S 26 1/2 W</i>	<i>38</i>
	<i>x</i> ✓	<i>Stone 1/2 K to J</i>			<i>do</i>		<i>West</i>	<i>24</i>
	<i>y</i> ✓	<i>do</i>			<i>do</i>		<i>East</i>	<i>28</i>
	<i>z</i> ✓	<i>Stone 60° E of Q</i>			<i>do</i>		<i>West</i>	<i>50</i>
	<i>aa</i> ✓	<i>do</i>			<i>do</i>		<i>North</i>	<i>50</i>
	<i>ab</i> ✓	<i>Stone 60° E of P</i>			<i>Walnut</i>	<i>12</i>	<i>East</i>	<i>1 1/2</i>
	<i>ac</i> ✓	<i>do</i>			<i>Sugar</i>	<i>13</i>	<i>S 85 W</i>	<i>4 1/2</i>
<i>ad</i> ✓	<i>Stone</i>			<i>Elm</i>	<i>15</i>	<i>N 40 E</i>	<i>75</i>	
<i>ae</i> ✓	<i>do</i>			<i>Stone</i>		<i>S 6 1/4 E</i>	<i>21</i>	
<i>af</i> ✓	<i>do</i>			<i>Elm</i>	<i>6</i>	<i>S 68 1/2 E</i>	<i>90</i>	
<p><i>By G. H. Pearce</i> <i>June 7, 1888</i></p>	<i>ag</i> ✓	<i>Stone</i>	<i>9 1/2</i>	<i>S 7 K</i>				
	<i>ah</i> ✓	<i>do</i>	<i>9 1/2</i>	<i>S 7 O</i>				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 10 Township North, Range North

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<div style="text-align: center;"> <p>3 <i>B.F.B.</i></p> </div> <p>By Wilbur F Smith 4-3-51 For Paragon Electric Co. Establishing Right of Way of Road H.A. Blunk & A. Reeves Accts.</p> <p>By Wilbur F Smith June 29-51 For Mable Powers H.A. Blunk & A. Reeves Accts</p> <p><i>canatsey - 155-</i></p> <p><i>I.P. & LCO (Reg McCracken 2-87)</i></p>	N	Stone			Sugar	18"	S 67 3/4 W	9	
						Sugar	20"	N 45 3/4 W	54 1/2
						W Walnut	20"	S 20 1/4 E	60 1/2
						Beech	18"	S 73 1/2 E	74
						Stone		S 60 E	20
						Stone		N 60 E	20
		N	old stone			Hackberry	10"	South	47'6"
		M	1 1/4" Well point Established 1925 By Canatsey			Elm	18"	S 38° E.	57 LKS
						1 1/2" Pipe		N 4 1/2° W.	25 LKS.
		L	old stone			1 1/4" Steel shaft.		East	18 ft.
		"x"	old stone found			Power pole		N. E.	96 LKS
		O	stone set:			South Rail of RR.		North	109 1/2 LKS
		"n"	1 1/4 Gas pipe North side of old state Road 16.23 ch South of O			Post	12"	North	12 ft.
		R	1 1/4 Gas pipe 20.90 ch South of O						
	<p>Note: Corners L-M-N-O and K on straight line</p> <p>N to O 20.21 ch: O to K 19.70 ch.</p> <p>S Corner post 21.02 ch S of N and 20.17 East of R.</p> <p>A Stone Elm 18" North 26 L</p> <p>B. Walnut 16" S. 30 W 21 1/2</p> <p>L <i>(SHORT P. OF 1/4" (1/2" RD) I.P. & LCO)</i> CORNER W 16 AL SUB</p> <p>K <i>2 1/2" I.P. & LCO</i> W 16 AL SUB (By former Crossing)</p> <p><i>I.P. & LCO (Reg McCracken 2-87)</i> N Standard concrete monument stamped BM 89 Willow 6" S 61 W 16.89' locust 10" N 19 W 14.23'</p>								

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section // Township // North, Range / West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	In.	Bearing Trees.	Diam.	Courses.	Dist.
	By J. Keadley	At M ^v			Sugar	18	N 22 N	72
		" G ^v			"	24	S 19 W	88 1/2
		" H ^v			Beech	20	N 26 E	26 1/2
		" I ^v			Ash	15	N 77 W	40 1/2
		" J ^v			Buckeye	7	N 58 E	182
		" K ^v			B. Walnut	24	S 47 E	3
		" L ^v	Stone Cor		Walnut	10	S 28 E	70
		" M ^v			S. Ash	18	S 44 E	28 3/4
		" N ^v			Sugar	12	S 25 E	46
		" O ^v			B. Walnut	18	S 37 1/2 W	32
		" P ^v	Stone		Stone		N 25 W	33
		" Q ^v			"		N 55 E	34
		" R ^v			"		S 40 E	24
		" S ^v			B. Walnut	18	N 81 W	23
		" T ^v			"	12	S 21 W	41
		" U ^v			S. Ash	20	S 72 E	34 1/2
		" V ^v			Sugar	15	S 7 1/2 W	28
		" W ^v			Stone		S 80 1/4 W	183 1/2
		" X ^v			"		N 27 E	34 3/4
		" Y ^v			B. Walnut	18	S 57 1/4 W	31
	" Z ^v			Stone		N 24 W	23	
		" cor		"		N 55 E	24	
By E. A. Bourne	" M ^v	"		"		N 40 1/2 E	25	
By J. W. Pearce	" A ^v	"	perpetuated	"		S 66 1/2 E	25	
	" B ^v	Stone		"		S 55 E	36	
	" C ^v	Stone		Stone		S 40 W	32	
	" D ^v	"		"		N 14 E	36 1/2	
	" E ^v	"		"		S 14 W	37 1/2	
	" F ^v	"		"		North	16	
	" G ^v	"		"		East	16	
	" H ^v	"		Ash	5	S 72 1/2 W	31	
By Pearce 1888	" I ^v	"		Stone		N 47 E	41 1/2	
	" J ^v	"		Burr Oak	6	N 87 1/2 W	65	
	" K ^v	"		Elm	5	S 58 W	32 1/2	

SEC 11

111W

R1W



at C
LINDVILLE SURVEY

at N
(1329.9' N TO S)
LINDVILLE SURVEY

BROKEN CEMENT
UTILITY POLE N45W 25"
" " " " NIDE 56"
" " " " 2" PIPE CORNERPOST N20E 227

RR "T" RAIL
BURIED 18"
12" ASH NYSE 54.0'
12" HEDGE EAST 23.0'
8' DBL HEDGE E 12.0'

at X
1329.9' S TO 'X'
LINDVILLE SURVEY

IRON FENCE
POST

H

IRON PIN
(1/2" IRON PIPE ON)
TOP OF PIN
UTILITY POLE E 8'9"
30" HEDGEWAY N55W 8'1"

at S
1329.9' N TO 'S'
LINDVILLE SURVEY

STEEL FENCE
POST

- 1 POST IN CEMENT - 1014.7' E, OF "N"
- 2 STEEL FENCE POST - 1014.7' E OF "S"
- 3 STEEL FENCE POST - 1014.7' E OF "X"

at D SEE SEC 2-Y

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 12


Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	1	
<p style="text-align: center;">By Craig</p> <p style="text-align: center;">perpetuated</p>	at Nv				Buckeye	5	S 48 E	2	
	G.W.P. E v	Stone Cor			W. Walnut	12	S 73 W	3	
					Stone			S 55 E	3
		G v	" "	on level	"			S 40 W	3
					"			North	2
		O v	" "		"			South	2
					"			West	2
		I v	" "		"			N 10 W	31
					"			N 48 E	2
					"			S 43 1/2 E	2
					"			S 3 W	2
					"			West	10
					"			North	2
					"			West	3
					"			North	26
				"			East	10	
				"			South	19	
				"			West	32	
<p>Mch. 23rd 1886 Survey for A. S. Mitchell et al.</p>									
<p>By Gilbert. July 10. 1907 for C. Dickson Robert Maxwell C. Mitchell & et al.</p>	X.	concrete corner.			corners set 2 1/2 feet under ground and eight inches above				
	U.	" "							
	S.	" "							
<p>H. A. Blumh. Oct. 13-14</p>	e	concrete corners			8.38 ch. W. of L				
	w	concrete "			8.38 " W of S.				
<p>Butler</p>	O v	Stone			Stake Stone		N 55 1/2 W	46	
	H v	Stone			B. Walnut	36	S 52 3/4 E	11	
					Beech	20	N 73 E	7	
					Elm	12	North	2	
					Stone		East	15	
					Stone		North	15	
					Stone		West	22	
				Stone		North	4		
				Stone		South	2		
				Stone		West	1		

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 12 Township 11 North, Range 1W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	Dist.	
	C	STONE Buried 10" Pale of branch around stone also 3' pipe buried beside Raymond stone survey			Tw-Hackberry Shingle Walnut	18" 8"	S W	277.3" 197.5"	12.5' 11.2'	
	D	STONE (2" pipe over) also 2 window Sack weights Buried			Hackberry "	12" 8"	N E	201.2" 154.5"	8'12" 7'10" 12'6"	
	1. 2" Pipe Buried 14" also 2 Sack weights on section line		666 ft E of C Stone on Ray Means Prop.							
	2. 2" Pipe Buried 14" also 2 Sack weights		approx 25' W of corner & buried edge on Ray Means Prop.							
3. 2" I.P. one ft high		on 1/4 section line at SW corner Ray Means Prop.								
4. 2" I.P. one ft high		on 1/4 section line approx 25' of buried edge Ray Means Prop.								

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 13

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By B. A. Butler</p>	At E	Stone			Hickory	22	S 83 E	112
	" A	"			Mulberry	2 1/2	S 55 1/2 W	32 1/2
	"	"			Red Bud	3	N 51 1/2 E	19 1/2
	"	"			R. Bank Stone	50 lks west		
	"	"			G. Ash	18	N 64 E	54
	"	"			Elm	15	S 5 1/2 W	46
	"	"			Box Alder	6	N 43 E	15 1/2
	"	"			"	8	S 55 E	28
	"	"			Hackberry	12	N 3 E	20 1/2
	"	"			Red Oak	10	S 18 E	24
	"	"			Poplar	6	S 31 E	23
	"	"			B. Sugar	24	N 28 W	42
	"	"			Sugar	16	N 50 W	16
	"	"			"	16	N 40 E	56
	"	"			B. Oak	14	N 10 E	24
"	"			"	5	N 31 W	14	
"	"			Beech	24	N 15 E	30	
"	"			"	24	N 72 W	25	
"	"			B. Oak	8	N 07 W	6	
"	"			Beech	10	S 22 W	16	
"	"			"	14	N 32 E	38	
"	"			Sugar	15	S 65 W	84	
"	"			Elm	14	S 4 1/2 E	64	
"	"			Elm	10	N 22 W	4 1/2	
"	"			S.E. corner foundation		N 57 W	131	
"	"			gas-pipe		west	85 1/2	
"	"			Sugar	20	N 82 1/2 W	45	
"	"			"				
"	"			Ash	20	N 47 E	16 1/2	
By G. W. Pearce	"	"						
By H. A. Bunker - Feb 3 - 1925	"	"						
of fire V-Z 78.65 ch.	"	"						
V-X 39.32 1/2 ch; X-Z = 39.32 1/2 ch.	"	"						
	Z	gas-pipe						
	S	gas-pipe						
	P	con. Post						
	Y	gas-pipe						
	Q	gas-pipe						
	r	gas-pipe						
2.4 9.83 N and 12.59 W. of R.	"	"						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3

Township 7

North, Range 1W

REMARKS, &c., &c.	✓ Corners	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<div style="display: flex; align-items: center;"> <table border="1" style="border-collapse: collapse; text-align: center; margin-right: 10px;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <p style="margin-left: 10px;">I.P. 267' S of H CIV. DEF. FROM WOLFF 7-66</p> <p style="margin-left: 10px;">I.P. 557.5' S. of H</p> </div>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V	✓ H X 1/2" PIPE	IRON PIPE 1/2" PIPE			ASH POPLAR Maple Maple Hickory	14" 4" 7" 7" 8"	EAST WEST S20W S70W N20W	12.5' 11.2' 8'12" 7'10" 12'6"
	E	D	C	B	A																												
	F	G	H	I	K																												
	P	O	N	M	L																												
O	R	S	T	U																													
Z	Y	X	W	V																													

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 14 Township 11 North, Range 1W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><i>Survey for N.P. Cunningham by C. St. Louis Deputy for O. Gilbert County X 4255 East of X Stake 1907</i></p> <p><i>Jan 1895 H.A. Blunk 1535 W X Y</i></p> <p><i>H.A. Blunk Dec 13-1912 W.P.</i></p> <p><i>W.H.</i></p> <p><i>H.A. Blunk Feb 16-1931</i></p> <p><i>H.A. Blunk June 16-1931</i></p> <p><i>July 1906 Ch. Nailly G.</i></p> <p><i>July 1906 B. Nailly F.</i></p> <p><i>H.A. Blunk Sept 6-1940</i></p> <p><i>July 21.72 Ch. North of line X</i></p> <p><i>July 21.50 Ch. West of X</i></p> </div> <div style="width: 5%; text-align: center;"> <p><i>at</i></p> </div> <div style="width: 45%;"> <p><i>E Stone corner</i></p> <p><i>X Stone</i></p> <p><i>6 Stone 5 ch East of X</i></p> <p><i>X Stake</i></p> <p><i>got pipe</i></p> <p><i>Stone</i></p> <p><i>Stone</i></p> <p><i>Stone</i></p> <p><i>Stone</i></p> <p><i>Stone</i></p> <p><i>old stump</i></p> <p><i>old stump</i></p> <p><i>old stump</i></p> <p><i>Sugar Stake</i></p> <p><i>Stone 24"</i></p> <p><i>Iron Bolt</i></p> <p><i>stake</i></p> <p><i>stake</i></p> </div> </div>									
						G. Ash	6"	N 19 1/2 E	89
						Stone		West	25-
						"		East	25-
						Iron bolt		West	25-
						" "		North	25-
						Sycamore	12	West	83
						got pipe		East	15.35
						" "		East	6.5 1/2
						Sugar	32	N 77 1/2 E	42-
						B. Oak	14	S 60 W	55-
						Buckeye		N 70 E	13
						Hackberry	18	S 21 E	13
						Beech	20	N 26 E	26 1/2
						Ash	15	N 77 W	40-
					Hickory	12	N 4 W	18 1/2	
					Cherry	6	N 47 W	31-	
					Sycamore	8	S 49 1/2 W	38-	
					Hackberry	12	South	8 ft.	
					Big Post		East	42 1/2	
					Cedar Post		S 43 E	20 1/2 ft.	
					old stump		S 19 W	21 1/2 ft.	
					Orange Orange	10"	S 51 W	7 ft.	
					Elm	24	N 2 1/2 W	4 1/2 ft.	
					Stone D		North	5.56	
					Stake G		South	14.63	
					Stone E		North	5.65 1/2	
					Stump F		South	14.63	
					Catawba	6"	S 40 W	4'-10"	
					"	9	S 39 E	4'-10"	
					Willow	3"	S, 40,	16 1/2	
					"	3"	West	3'-10"	

SEE AFTER SEC 36

RE

SEC 14 T11 RIW



C - STEEL FENCE POST

(1329.9 FROM "C" TO "H")
LINVILLE SURVEY

N - STEEL FENCE POST
LINVILLE SURVEY

H STEEL FENCE POST
1329.9 "H" TO "N"
LINVILLE SURVEY

1. STEEL FENCE POST -1014.7 E OF "C"
(W. SIDE ORIG STONE)

2 STEEL FENCE POST -1014.7 E. OF "H"

3 STEEL FENCE POST -1014.7 E OF "N"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 15 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>Briggins</i></p>	At <i>L</i>	Stone cor.			<i>B. Walnut</i>	24	<i>N 4 W</i>	47
	" <i>H</i>	Stone			<i>Hackberry</i>	18	<i>West</i>	33
	" <i>M</i>	"			<i>Hickory</i>	18	<i>N 1 1/2 W</i>	52
	" <i>N</i>	"			<i>Buckeye</i>	14	<i>N 8 W</i>	11 1/2
	" <i>O</i>	"			<i>Hickory</i>	-	<i>N 75 E</i>	16
	" <i>P</i>	"			<i>Walnut</i>	4	<i>S 24 E</i>	19
	" <i>Q</i>	"			"	4	<i>N 65 W</i>	49 1/2
	" <i>R</i>	"			<i>Hickory</i>	24	<i>East</i>	14 1/2
	" <i>S</i>	"			"	-	<i>S 84 1/2 W</i>	38 1/2
	" <i>T</i>	"			<i>Buckeye stump</i>	4	<i>N 33 W</i>	8 1/2
<p>By <i>H. A. Blunk</i> Sept. 14, 09</p> <p>Mar 18, 1911</p> <p><i>H. A. Blunk</i> - Sept. 11 - 1930</p> <p><i>L</i> is 13.54 ch. South of <i>L</i></p> <p><i>K</i> is 1.97 North of <i>K</i>.</p> <p><i>i</i> is 1.97 North of <i>J</i></p>	" <i>U</i>	"			"	4	<i>S 13 W</i>	78
	" <i>V</i>	"			<i>B. Walnut</i>	36	<i>N 57 1/2 W</i>	38
	" <i>W</i>	"			"	36	<i>East</i>	39
	" <i>X</i>	"			<i>Sycamore</i>	20	<i>N 71 1/2 E</i>	69
	" <i>Y</i>	"			<i>Iron pin</i>		<i>East</i>	15 ft
	" <i>Z</i>	"			<i>Hackberry</i>	5	<i>N 6 1/2 W</i>	17 1/2 ch.
	" <i>a</i>	"			<i>Gray Ash</i>	24	<i>West</i>	11
	" <i>b</i>	"			<i>Hedge</i>		<i>East</i>	23
	" <i>c</i>	"			<i>stone</i>		"	25
	" <i>d</i>	"			"		<i>West</i>	25
" <i>e</i>	"			<i>Hackberry</i>	10	<i>N 7 1/2 E</i>	20 1/2 ch.	
" <i>f</i>	"			<i>Walnut</i>	20	<i>North</i>	0	
" <i>g</i>	"			<i>Sand East</i>		<i>N 86 E</i>	10 1/4 ch.	
" <i>h</i>	"			<i>Sand West</i>		<i>N 84 1/2 W</i>	14 "	
" <i>i</i>	"			<i>Hackberry</i>	18	<i>S 44 W</i>	44 "	
" <i>j</i>	"			<i>Walnut</i>	16	<i>N 19 W</i>	82 1/2 "	
" <i>k</i>	"			<i>Walnut</i>	15	<i>S 2 W</i>	193 ch.	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 16

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By H. D. Craig</p>	At a stone 9 chains North of true corner				Walnut	3	N 55 1/2 W	33
	" M Stone cor.				Ash	18	N 22 E	8
	" J "				Beech	9	S 20 E	37
	" "				Uch	3	East	139
	" O Stone cor.				Hickory	4	S 35 E	115
	" "				"	6	N 70 W	51
	" G "				S. Oak	10	N 15 E	70
	" "				Sugar	7	N 21 E	51
	" "				Hickory	7	S 23 W	45
	" b "				Beech	20	S 4 W	53
	" "				Hickory	5	N 68 E	8
	" c "				Beech	9	S 32 E	24
	" d "				"	16	N 40 W	22
	" U Stone				B. Oak	30	S 54 W	57
	" J "				Hickory	20	N 19 E	34
" "				B. Oak	16	N 58 W	60	
" "				Mulberry	4	S 59 1/2 W	40	
" "				B. Oak	24	N 12 1/2 W	144	
" R "				B. Walnut	6	N 82 W	54	
" Y "				G. Ash	2 1/2	N 61 E	35	
" "				Elm	4	N 22 1/2 E	13	
" G "				G. Ash	-	N 57 1/2 W	23 1/2	
" B "				Stone		West	12 1/4	
" "				"		North	25	
" S "				"		South	35	
" C "				"		East	25	
" "				Stone		East	25	
" K "				Elm	14	S 3 W	21	
" "				"	6	N 33 E	49 1/2	
" "				"	18	S 31 E	42 1/2	
" O "				Stone		N 80 E	30	
" "				"		S 50 W	15 1/4	
" I "				"		South	25	
" "				"		West	25	

By J. S. Hoagland
B. J. Butler

E. A. Bourne

By J. W. Pearce
April + May 1888
N. M. Duckworth
Estate.

Group of Sycamore

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 17 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>J. H. Co.</u>	<u>at A V</u>				Beech	20	N 30 W	20
<u>E D C B A</u>	"	"			"	24	N 80 E	33
<u>F G H I K</u>	<u>J. Co.</u>	<u>" M</u>			Sugar	9	N 56 E	17
<u>P O N M L</u>	<u>W. Co.</u>	<u>" P Stone</u>			"	9	S 50 E	37 1/2
<u>O R S T U</u>	<u>Miller</u>	<u>" O</u>			Oak	20	S 84 E	16
<u>Z Y X V</u>	<u>Sur. fr.</u>	<u>" C</u>			Gum	10	N 30 W	14 1/2
<u>22nd 1886</u>	<u>J. Lodge</u>	<u>" K</u>			Hickory	24	N 51 E	79
	<u>et al.</u>	<u>" D</u>			Mulberry	12	S 9 W	68
	<u>W. Co.</u>	<u>" E</u>			Stone		West	25
	<u>a v</u>	<u>" 16.24 ch. W. of X</u>			Sugar	14	S 65 E	27
	<u>b. v</u>	<u>" 16.24 ch. W. of S.</u>			B. Locust	4	N 25 1/2 W	71
	<u>c v</u>	<u>" 8.46 ch. E of Z.</u>			Do	4	N 71 W	87
	<u>d v</u>	<u>" 8.46 ch. E of Q.</u>			Stone		West	15
	<u>X v</u>	<u>Perpetuated</u>			Do		South	15
	<u>X v</u>	<u>Concrete Block</u>			Bk. Locust	6	N 61 E	41 1/2
	<u>J v</u>	<u>" "</u>			Stone		East	21
	<u>Z v</u>	<u>" "</u>			Do		South	20
	<u>W</u>	<u>Stake Perpetuated</u>			Concrete Block		East	25
	<u>c</u>	<u>" "</u>			Stone		East	25
	<u>E</u>	<u>SEE SEC 18-A</u>			"		West	25
					Concrete Block		West	25
					Walnut	16	N 14 1/2 W.	61 3/4
					"	6	S 35 1/2 E	32 1/2
					Stone		North	42

Oct. 9th 1913 By W. B. Bain Dep. for H. J. Johnson,
 (Shuman Baker, Flag John Wilson)
 For Henry Ballman et al. Iron Weavers


By H. A. Black, Sept 24-18
 X is 130 ch. North of X
 is 20.31 East of X and 6 ch. West of line W-T.
 Z is 20.31 East of X and 6 ch. West of J.

By E. O. Gilbert June 5, 1907
 For 2517036 Phillip K & T. D. W 15071

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 17 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>J. K.</u>	At <u>A</u>				Beech	20	N 34 W	20
	"				"	24	N 80 E	33
	"				Sugar	9	N 56 E	17
	"				"	9	S 50 E	37 1/2
	"	Stone			Oak	30	S 84 E	16
	"				Green	10	N 30 W	19 1/2
	"				Bickory	24	N 51 E	79
	"				Mulberry	12	S 9 W	68
	"				stone		West	28
	"				Sugar	14	S 65 E	27
22 nd 1886	"				B. Locust	4	N 25 1/2 W	71
	"				Do	4	N 71 W	87
	"				Stone	-	West	15
	"				Do	-	South	15
	"				Do	-	North	23
	"				Bk. Locust	6	N 61 E	41 1/2
	"				Stone	-	East	21
	"				Do	-	South	20
	"				Concrete Block		East	25
	"				Stone		East	25
	"				"		West	25
	"				Concrete Blk.		West	25
	"				Walnut	12	N 14 1/2 W	61 1/2
	"				"	6	S 35 1/2 E	82 1/2
	"				Stone		North	21
	E		SEE	SEC 18-A				



Oct. 9th 1886 By H. B. Bain Dep. for H. J. Johnson.
 For Henry Gallman et al. Edw. Wilson

By H. A. Blush, Sept 24-18
 X is 1300 ch. North of X
 is 20.31 East of X and 6 ch West of line W-T.
 Z is 20.31 East of X and 6 ch West of J.

By E. O. Gilbert June 5, 1941
 for Bros. Patrick & T. D. Wilson

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 18 Township 11 North, Range 1 West


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By M. Riggins	At O	Stone			Sugar	4	N 51 E	11
	"	Gv			"	5	N 15 W	15
	"	To	Stone		Poplar	5	S 87 W	17 1/2
	"	"	"		B. Gum	20	S 44 W	44
	"	"	"		Stone		South	74
	"	"	"		"		S 36 E	76
	"	"	"		R. Oak	20	N 76 E	23
	"	"	"		Maple	14	S 55 E	23
	"	"	"		Poplar	10		26
	"	"	"		Walnut	6	N 42 W	34
	"	"	"		Sugar	4	S 60 W	13
J. S. Bogland	"	Gv Stone 1/8		"	4	East	38 1/2	
	"	Gv "		Ash	20	S 26 W	18	
	"	Gv "		Elm	4	N 16 W	31	
	"	Gv "		Maple	13	N 44 E	44	
	"	Gv "		R. Oak	16	S 65 E	16	
By Michael House April 7 th 1893	"	Rv Iron 3 1/2 long		7/2 in rd. 3 ft long		S 76 E	64	
W. H. Miller Survey for J. C. Wilson April 23 rd 1896	"	Mv Stone		each iron about 1 ft long		N 25 W	25	
	"	"		Locust	10	N 42 E	44	
Robert M. Pheeters, Mich 25 th 1889	"	Dv Round iron bar 1 1/2 x 2		Stone		South	15	
	"	"		"		S 53 W	25	
	"	"		Stone		N 45 W	32	
	"	"		Dead Elm	30	N 6 W	100	
By O. H. G. Jan 29 th 1896	"	a 11.85 ch 7/8 g Stone 1/2 br. Stone Coral under it		with. per 1 1/4" pipe 2-10" long		North	46	
By Frank Johnson Paragon School lot. P. M. Blankenship	"	a 1280 ch W. of A						
	"	b 446 ft. S. of a						
	"	c 324 ft. W. of b						
	"	d 446 ft. N. of c						
By Carl O. Silberh May 10. 1903	"	D Stone Marked x			Stone Marked W	West	35	
	"	"			So.	South	21	
	"	"			So	S 35 E	32	
	"	e Stone 17 Ch S of D.			Gray. Ash.	N. + E.	100	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 18 Township 11 North, Range 1W

REMARKS, &c., &c. Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.

By H. A. Blunk July 23-1911
 cor. is 173 ft. South of J&V track
 on east line



stone	stone	West	25.00
11-173 ft wgs	"	South	25.00
l=144 ft sq	"	cedar 12" N47W	66 1/2'
m=127 ft wgs	"	stone East	25.00
125.71 chs East of P	Concrete black	Concrete Black West	25.00
A	Concrete Black	" " East	50
B	old stone	Utility pole S. 46 1/2 E	27.30
H. A. Blunk May 23-1914		Tel. pole East	23.40
D	Old Stone Found. No witnesses.		
d	1" Bolt driven in E of Blacktop Road	Ash 28" N 40 E	1.00 ch.
	17.57 chs S. of D	Ash 12" North	27 LWS
		Perseimon 8" S.W.	83 LWS

pt # 2 I Bolt in Road
 NOT I STONE
 BUT 1182.5 FT
 SOUTH OF "B"
 RR SPIKE same

G. Moore
 R. Holloway "30"

A	IP OVER STONE	NW COR. BANK BLDG SW	36'4"
		FIRE PLUG NW	38'9"
		SW COR PARAGON LODGE NE	35'0"
		NW COR. BR BLDG. 540E	36'8"
		NE COR. BR. PORCH 526W 112 1/2	
		Telephone pole N59E	12'10"
		corner post East	75'5"
		6" Mulberry in Champ 4 West	75'6 1/2"
B	RR SPIKE	SE cor GARAGE N85W	50'0"
		NW cor Baseball Dugout S95E	90'9 1/2"
		NE cor cone porch S50W	67'6"

M	STONE (1" I.P. 50")	Hedge Apple 40"	N 65 1/2"
		Bolt in ground	N30E 75"
		Black stone	S30E 41.5"

1. IRON PIN ON SECTION LINE AT INTERSECTION OF SMITH ST. + UNION
 1184.8 SOUTH OF "A" STONE
 - 18" MAPLE N45E 34'0"
 - UTILITY POLE N45W 42'9"
 - NE COR. BR. BLDG. S45W 53'4"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 19 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By M. Pickett</p>	At B				Beech	24	S 74 W	25
	" A				Oak	24	N 43 E	33
	" P				Elm	4	N 20 1/2 W	31
	" O				Bx Alder	7	S 83 1/2 W	60
	" N				B. Walnut	24	S 43 1/4 W	73
	" M				Elm	24	N 34 1/2 W	161
	" L				Sycamore	40	N 40 E	169
	" K				Locust	4	N 80 E	31
	" J				Oak	24	N 23 1/2 W	107
	" I				B Oak	6	N 58 1/2 E	23
<p>By B. J. Butler</p>	" H			do	24	S 13 1/2 W	50	
	" G				Bx Alder	12	S 32 E	10
	" F				B. Walnut	12	S 71 W	78
	" E				West of A	in line		150
<p>By C. H. Goss Jan 29th 1896</p> <p>perpetuated</p> <p>Ang. K. Johnson</p>	" D				Stone		East	25
	" C				White Elm	5	N 7 E	39 1/2
	" B				Bx Alder	18	S 63	7
	" A				West			25
	"				West			38
	"				Hard Pine	10	West	1-2
	"				Stone		S 87 W	25
	"				"		N 87 E	20
	"				Stone			
	"				Stone			
<p>By C. H. Goss Sep. survey for Preley Smith 1907</p> <p>By H. A. Blunk 2/10, 1910</p> <p>May 18, 1910</p> <p>By Dan Hallays Cornet makes Exhibit of same.</p>	" X				Collon wood	8"	S 80 1/4 W	11 1/2
	" L				Sycamore	6"	S 3 1/4 W	96 1/2
	" M				Honey Locust	24	S 12 W	152
	" N				do. of cone. oak cone. piece		N	168
	" O				do.		E	25
	" P				do.	15	N 84 1/2 W	308
	" Q				do.	15	S 88 1/2 E	1-22
	" R				Collon wood	15	N 36 W	4-2 ft
" S				"		N 88 1/2 W	46 1/2	
					Tray. wh.		N. 4. W.	100

Sec. 18 T 11N R1W

Reg. McCracken
FD. 6-53
RD 2-87

Corner
Y

Reference
Ref. mon A
Ref. mon B

Bearing
S 84 W
S 23 E

Dist.
30.9'
30.05'



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 19 Township 11W North, Range 10W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>1/4 Sec 3, 14 ch. North of 7</p> <p>5 - 2.72 ch North of M</p> <p>4 W. 50 ch West of 2</p> <p>July 11-1912</p> <p>By Ed. Conaley Junett. 1925 for Presley Smith & Lawrence Hobbs.</p> <p>P (N. 75°) (concrete set in) (mail 1/2")</p> <p>J is 17.98 S. 42° W. 8 p. concrete set in mail reg. 1/2" pipe in tra.</p> <p>Containing for P.P. Smith</p> <p>July 25-1928.</p> <p>X is S. 42° 10' W - 5.00 ch of P</p> <p>L is 5.00 S. of L.</p>	<p>6</p> <p>5</p> <p>4</p> <p>(X)</p> <p>L</p> <p>X</p> <p>H</p>	<p>stone</p> <p>"</p> <p>"</p> <p>stone</p> <p>old Stone</p> <p>old stone</p> <p>1/2" iron pipe</p> <p>old Stone</p>			<p>Maple</p> <p>white Elm</p> <p>Hickory</p> <p>Maple</p> <p>concrete Black</p> <p>Buggy axle</p> <p>"</p> <p>concrete set in mail 1/2"</p> <p>well point</p> <p>ctr. Conc.</p> <p>Maple</p> <p>Stone</p>	<p>6.</p> <p>2</p> <p>18</p> <p>15</p> <p>East</p> <p>East</p> <p>54° 10' N</p> <p>N 4° 10' E</p> <p>East</p> <p>8"</p> <p>East</p>	<p>S 15° E</p> <p>82 1/2° W</p> <p>86 1/2° W</p> <p>88 1/2° E</p> <p>East</p> <p>East</p> <p>54° 10' N</p> <p>N 4° 10' E</p> <p>East</p> <p>North</p> <p>South</p> <p>East</p>	<p>54.37</p> <p>20.27</p> <p>73.2</p> <p>25.9</p> <p>2.5 lvs.</p> <p>1.18 ch</p> <p>1.00 ch</p> <p>77 lvs. 1/2</p> <p>25</p> <p>27</p> <p>25</p>

NEW REF '75 → L

RECORD OF RVEYS IN MORGAN COUNTY, INDIANA.

Section 20 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	U	6			Buckeye	6	S 89 W	24
	"	N			"	3	S 74 1/2 W	9
	"	"			"	4	N 6 E	26
	"	a			Walnut	36	North	41
	"	"			Buckeye	3	N 42 E	27
	"	D			Beech	24	S 84 E	30
	"	"			"	20	S 26 E	49
	"	O			Elm	24	N 48 E	59
	"	B			Buckeye	4	S 11 E	60
	"	"			Hackberry	18	S 21 W	80
	"	I	Stone		Hawthorn	6	N 67 1/2 W	50
	"	b	Stone en.		Cast J			25
	"	c	"		Hickory	20	S 19 E	46 1/2
	"	H	Stone		Stone		East	30
	"	E	"		Kocust	3	N 40 E	32
	"	"			Stone		N 53 W	40
	"	G			Stone		N 40 E	43
	"	"			Stone		S 45 E	44
	"	P	Stone 40.70 N. of Z		ctr. of Cone. arch		N	168
	"	W	Iron Rod.		Hackberry	16"	N. S. E.	56 1/2
	"	W	Iron Rod.		Stone		South	74
	"	"			Stone		West	25
	"	X	Iron Rod		Elm	8"	S. 5 1/2 W.	43 1/2
	"	x			Elm	6"	S. 5 W.	33 1/2
	"	"			Stone		North	25
	"	V	Stone		Stone		West	25
"	U	Stone		Stone		West	25	
"	E	old Stone		Haw	12	West	129	
"	"			Walnut	12	N 50 E	32	
"	"	Stone		N. S. corner of		ancient foundation	83 1/2 E	
"	"			Foundation		40° S 23 1/2 W	7 1/2	


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA

Section 21

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By W. de Miller 1877	at G	Stone			Beech 16	N 11 E	92	
					Elm 5	S 65 W	16	
					Box Alder 7	S 20 E	42m	
					Stone	East	18	
					Maple 18	S 19 1/2 E	106 1/2	
Survey "a	Stone cor 4 rods E of G	Stone				East	32	
Survey "b	" " 18 rods E of H	Stone				North	33	
Survey "c	" " 25 rods E of I	Stone				North	30	
Survey "d	" " 4 rods E of O	Stone				South	30	
Survey "e	" " 18 rods E of M					West	36	
Survey "f	" " 25 rods E of N					West	38	
Survey "g	" " 25 rods E of M					West	19	
Survey "h	Stone 15 1/2 rods E of O					West	32	
Survey "i	Stone 15 1/2 rods E of G					West	32	
Survey "j	Stone cor. 3.68 rods W of B					West	7	
Survey "k	Stone cor. 3.68 rods W of B					West	8 1/2	
Survey "l	Stone 17.93 ch. E. of (P)					West	20	
Survey "m	Stone 7.62 ch. N 26 3/4 W of (1)					West	31	
Survey "n	Stone 5.71 " N 20 1/2 W of (2)					West	15	
Survey "o	Stone 5.13 " N 1 1/4 W of (3)					West	19	
Survey "p	Stone 17.74 ch. N of (P)					West	14	
Survey "q	Stone 20 rods N 22 W of (1)					West	21	



et al. Moh 19th 20th 1886
 Pres Guy } Chairman
 (E. M. Rustin)
 John Lovin } Flagman
 Present J. J. Mathew, J. P. Lynds
 Presley Johnson, B. P. Hodges,
 By W. de Miller 1877
 Geo. Pearce Surveyor

Survey for W. de Miller Perry
 Hodges Moh 29th 1887
 W. de Miller } Asst.
 Thos. Duncan
 Geo. Pearce Surveyor

Corrected by H. K. Johnson
 April 12th 1899


March 28-1900
 El. Balas, Et. Al.

H. A. Blumh-11/7-1931
 for T. Lomas Hodges.

Survey "a Stone cor 4 rods E of G
 Survey "b " " 18 rods E of H
 Survey "c " " 25 rods E of I
 Survey "d " " 4 rods E of O
 Survey "e " " 18 rods E of M
 Survey "f " " 25 rods E of N
 Survey "g " " 25 rods E of M
 Survey "h Stone 15 1/2 rods E of O
 Survey "i Stone 15 1/2 rods E of G
 Survey "j Stone cor. 3.68 rods W of B
 Survey "k Stone cor. 3.68 rods W of B
 Survey "l Stone 17.93 ch. E. of (P)
 Survey "m Stone 7.62 ch. N 26 3/4 W of (1)
 Survey "n Stone 5.71 " N 20 1/2 W of (2)
 Survey "o Stone 5.13 " N 1 1/4 W of (3)
 Survey "p Stone 17.74 ch. N of (P)
 Survey "q Stone 20 rods N 22 W of (1)


Section 21 Township 11 North, Range 1 W

By H. A. Blank, July, '09



REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
		4 10.01 ch stone			stone		west	25
		and 3.98 ch of g						
		3			Cottonwood		N 76 1/2 E	30
		E ✓			stone		South	25
					"		East	25
		D			Elm	10	N 14 E	30
		7 20.33 stone			Old S. Ash	14	N 52 1/2 W	23
		Band 3.65 w of B			Ham	10	S 10 W	29
		5			Sycamore	18	S 74 W	21 1/2
					stone		west	25
					"		east	25
6 34.47 1/2 w of line stone	t	"			Sycamore	6"	N 61 3/4 E	31 1/2
w N 24 1/2 w, and 6.12 N of 1	w	"			Cottonwood	10"	N 53 E	34
w 12.75 ch East of @	w	"			stone		S 24 1/2 E	25
w 5.57 1/2 North of r	w	"			"		N 24 1/2 W	25
					"		North	25
					"		South	25
Jul. 1, 1910 2.608 sand and 1.60 ch of i	i	"			"		South	25
on line between i and N 6.60 N. E. of i.	j	"			"		N 82 E	25
x 10.11 East of j	k	"			"		North	50
By H. A. Blank Nov. 20, 1911	At P	Stone Cor. (Perpetuated)			Stone		East	18
(2.80 Ch. E. of j by Johnson)	At o	Stone Cor.			Stone		South	25
Set by agreement of Lakin & Joe Hodges	At q	Stone Cor.			Stone		East	25
(23.88 Ch. S. of P.)	At r	Stone Cor.			Stone		West	25
(23.88 Ch. S. of o.)	At s	Stone Cor.			Stone		West	25
By G. D. Cantray Mar. 1926								
l = 6.50 E. of old stone k.		1 1/2" pipe			elm	16"	S 77 S.W. and 5.5 " W	
j = 9.89 S. of k.		1 1/4" pipe			Stone		South	55.2
p = 9.76 S. of l		1 1/4" pipe						
k = 20.77 S. of j		Stone						
v = 30.17 S. of p + 22.59 W. of v		1 1/4" pipe						
x = 0.98 West and 6.12 N. of l		1 1/2" pipe						
r = 11.25 E. of x		1 1/2" pipe			Sycamore	6"	West	18.2

Section 21 Township 11 North, Range 1 W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By H. A. Blank July, 09								
	4 10.01 ch	stone			stone		west	25
	and 3.98 ch							
	3	"			Cottonwood		N 76 1/2 E	30
	E ✓	"			stone		South	25
					"		West	25
					"		East	25
	D	"			Elm	10	N 14 E	30
					Old S. Ash	19	N 52 1/2 W	23
	7 20.53	stone			Ham	10	S 10 W	29
	Band 3.65 w of B				Sycamore	18	S 74 W	21 1/2
	5	stone			stone		west	25
					"		east	25
6 34.47 1/2 w of line	t	"			Sycamore	6"	N 51 1/2 E	31 1/2
W N 29 1/2 W and 6.12 N of 1	w	"			Cottonwood	10"	N 53 E	34
0 12.75 ch East of 0	v	"			stone		S 22 1/2 E	25
					"		N 24 1/2 W	25
					"		North	25
					"		west	25
					"		North	25
					"		South	25
July 1, 1910 6 260 S and 1.00 ch	i	"			"		South	25
on line between i and N 6.60 N. of i.	j	"			"		N 82 E	25
K 10.11 East of 0	"	"			"		North	50
By H. A. Blank	At P	Stone Cor. (Perpetuated)			Stone		East	18
Nov. 20, 1911								
(2.80 Ch. E. of 1 by Johnson)	At o	Stone Cor.			Stone		South	25
Set by agreement of Lakin & Joe Hodges								
(23.88 Ch. S. of P.)	At q	Stone Cor.			Stone		East	25
(23.88 Ch. S. of o.)	At r	Stone Cor.			Stone		West	25
By G. R. Canabey Mar. 1926								
l = 6.50 E. of all Stone k.		1 1/2" pipe			elm	16"	S. 77 hunk.	
j = 9.89 S. of k.		1 1/4" pipe			Stone		and 55" w	
p = 9.76 S. of l		1 1/4" pipe					South	55
k = 20.77 S. of j		Stone						
v = 30.17 S. of p + 22.59 W. of v		1 1/4" pipe						
x = 0.98 West and 10.12 N. of l		1 1/4" pipe			Sycamore	6"	West	18
r = 11.25 East of x		1 1/4" pipe						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA

Section *22* Township *11* North, Range *1 West*


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>By M. Riggins</i></p>	at O				Quin	5	S 22 W	116
					N. Oak	14	N 87 E	125
					Elm	4	N 15 E	52
					Beech	18	N 52 W	54
					Sugar	4	S 9 E	24
					"		N 15 E	10
					Beech	10	S 64 W	9
					"	12	N 74 E	44
					W. Oak	30	S 17 E	18
					Sugar	24	N 55 W	13
					G. Ash		N 32 E	8
					Sugar	2	N 43 1/2 W	5 3/4
					"	10	N 53 W	57
					Beech	14	S 62 W	57
					"	5	S 28 W	51
				Walnut	3	S 43 E	18"	
				B. Walnut	20	S 39 W	11 1/2	
				Do	24	S 75 1/2 W	66 1/2	
				Beech	5	N 61 W	23	
				"	18	S 61 E	23	
				Beech	8	S 58 W	12	
				"	14	N 50 E	8	
				"	14	N 19 1/2 E	36	
				"		S 42 E	27	
				"		N 73 1/4 E	43	
				"		on River bank		
				"		N 2 E	18 1/2	
				"		B. Walnut	9	
				"		S 53 1/4 W	24	
				"		B. Walnut	15	
				"		3 willows	11	
				"		S 45 E	5	
				"		B. Walnut	16	
				"		S 12 W	58	
				"		on River bank		
				"		N 8 E	3.14 chs	
				"		Sugar	14	
				"		S 56 1/2 W	77	
				"		Beech	14	
				"		N 77 E	54	
				"		Sugar	8	
				"		S 18 1/2 E	49	
				"		Elm	11	
				"		S 1 1/4 E	72 3/4	

By Robt. M. Pheeters
June 25 1889

By H. K. Johnson Aug 1 1899

By Can Haase - Nov. 23 - 1915
between ... set by agreement

relocated
stone



SECTION 22 TWP 11 N. R. 14 W.

For George Hodges Jan 15 1953

E. D. Canaday & Arlie Reeves A roots.
 Sugar 10" South 10.00' 10.00'
 Old Stone, Oak 18" North 6.00' 6.00'

± old Stone. 8.00chs south of T.

Twin Sugar West 6'-4"

Nickay 12" S.E. 9'-2"

2' 1/2" PIPE / 17chs Sycamore 12° N 85° E 43'-0"
 West of E Sycamore 10° S 50° E 32'-0"

11" O - Stone E 27.3"
 12" Twin Sugar N 31° E 26.10"
 12" Ash S 45° W 33.3"

1" R - Iron Pipe in Road 3/4" I.P. N 20° E
 9" W. Curving W 68.10"

Set by 1958 NE corner General Balinga Shop.

1" I.P. Corner
 5" Sugar W 7.5"
 10" Sugar N 42° W 14.11"
 on level 1500' survey by Krasner 1958 E 54.4"

U

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **23**

Township **11**

North, Range **1 West**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>More</i>. stones set by <i>At R Stone</i> <i>H.K. Johnson Aug. 1. 1899</i></p>	<i>At R Stone</i>				<i>Hickory</i>	<i>18</i>	<i>S 28 W</i>	<i>62</i>
	<i>Y Stone</i>				<i>Beech</i>	<i>14</i>	<i>N 70 E</i>	<i>34</i>
	<i>Stone 9th. N. of (Q)</i>				<i>W. Oak</i>	<i>40</i>	<i>N 32 E</i>	<i>13</i>
	<i>Stone in crossroad.</i>				<i>Do</i>	<i>42</i>	<i>N 10 W</i>	<i>23</i>
	<i>Stone in crossroad.</i>				<i>Beech</i>	<i>18</i>	<i>S 66 1/2 E</i>	<i>23</i>
	<i>Stone in crossroad.</i>				<i>Sugar</i>	<i>8</i>	<i>S 34 1/2 W</i>	<i>35</i>
	<i>Stone in crossroad.</i>				<i>Walnut</i>	<i>12</i>	<i>S 66 1/2 W</i>	<i>1.19</i>
	<i>Stone in creek.</i>				<i>W. Elm</i>		<i>N. 43 1/2 E</i>	<i>14 1/2</i>
	<i>Stone in creek.</i>				<i>W Elm</i>	<i>10</i>	<i>N 14. W.</i>	<i>12 1/2</i>
	<i>Stone in creek.</i>				<i>Sycamore</i>	<i>13</i>	<i>S 32 W.</i>	<i>28</i>
<i>Stone in creek.</i>				<i>Gray Ash</i>	<i>14</i>	<i>N 21 E.</i>	<i>33</i>	
<i>Stone in creek.</i>				<i>Maple</i>	<i>15</i>	<i>N 41 W.</i>	<i>16</i>	
<i>Stone in creek.</i>				<i>W Elm</i>	<i>6</i>	<i>S 30 E.</i>	<i>16 1/2</i>	
<i>Stone 45.75 ch. N. of S. 1/2 mi. stone</i>				<i>Mulberry</i>	<i>24</i>	<i>N 67 W</i>	<i>1.60</i>	
<i>Stone 8.00 ch. W. of c</i>				<i>Sassafras</i>	<i>8</i>	<i>N 7 W</i>	<i>72</i>	
<i>Stone 51.71 ch. N. of S. 1/2 mi. cor.</i>				<i>Dog wood</i>	<i>3</i>	<i>S 85 W</i>	<i>8</i>	
<i>Stone 12.5 ch. E. of e. (24 ft. from center of creek)</i>				<i>Mulberry</i>	<i>15</i>	<i>N 65 W</i>	<i>1.92</i>	
<i>Stone 68.75 ch. N. of 1/2 mi. cor. S. 1/2 mi. cor. in creek</i>				<i>Sugar</i>	<i>6</i>	<i>S 45 W</i>	<i>.83</i>	
<i>Stone 13.75 ch. N 38 1/2 E of 'g'</i>				<i>Maple</i>	<i>10</i>	<i>East</i>	<i>37</i>	
<i>Stone 8.00 ch. W. of 'C'</i>				<i>Mulberry</i>	<i>15</i>	<i>N 45 W</i>	<i>1.23</i>	
<i>Stone 7.6 ch. N. of line on in creek S. 27th. S. of 'd'</i>				<i>Maple</i>	<i>10</i>	<i>N 34 E</i>	<i>34</i>	
<i>Stone 7.6 ch. N. of line on in creek S. 27th. S. of 'd'</i>				<i>Stone</i>		<i>N 38 1/2 E</i>	<i>31</i>	
<i>Stone 7.6 ch. N. of line on in creek S. 27th. S. of 'd'</i>				<i>Stone</i>		<i>S 34 1/2 E</i>	<i>60</i>	
<i>Stone 13.75 ch. N 38 1/2 E of 'g'</i>				<i>no witness</i>				
<i>Stone 8.00 ch. W. of 'C'</i>				<i>Maple</i>	<i>4</i>	<i>East</i>	<i>4 1/2</i>	
<i>Stone 7.6 ch. N. of line on in creek S. 27th. S. of 'd'</i>				<i>do</i>	<i>4</i>	<i>S 10 E</i>	<i>11</i>	
<i>Stone 7.6 ch. N. of line on in creek S. 27th. S. of 'd'</i>				<i>do</i>	<i>6</i>	<i>N 8 W</i>	<i>26</i>	
<i>Stone 7.6 ch. N. of line on in creek S. 27th. S. of 'd'</i>				<i>do</i>	<i>10</i>	<i>S 25 E</i>	<i>30</i>	
<i>Stone 10.2 ch. E. of X</i>				<i>Hickory</i>	<i>5</i>	<i>S 40 W</i>	<i>37</i>	
<i>Stone 10.2 ch. E. of X</i>				<i>Walnut</i>	<i>12</i>	<i>N 12 E</i>	<i>15</i>	

H.K. Johnson Aug 19-1903

Sept 7-1903

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 23


Township 11

North, Range 1 W.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Course.	Dist.	
Wilbur F Smith April-16-36 for Nancy J Goss EST.	L	stone			poplar	10"	N. 35° W 14' 8"		
					sugar	4"	S. 50° E 45' 9"		
		l	stone		center of Road.	E 177'	26° 37' E	21' 8"	
					8.9 ch W and 1.85° N. of L.	E 177'	7° N. 3° E	22' ft.	
		1	stone		N.E. of E. 24 ch. North bank of creek.	E 177'	20° E	25' 9"	
		2	stone			Twin maple	30"	N. 48° W	9' 6"
		3	3/4" rod 4 ft Long.			Hop-tree	3"	S. 39° W	18"
		4	" " " "			E 177'	24"	S. 52° E	52' 6"
						Twin Cotton Wood	15"	N. 82° W	71' ft.
		C.	stone			stone		E 25'	16 1/2 ft.
		J.	1/4" pipe 8 ch w. f. c.			Walnut	14"	E 25'	80 1/2 ft.

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24 Township 11 North, Range 1 West



REMARKS, &c. &c. Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.

Z	stone							
C. 732 ft E of Z								
C	stone							
d 830 ft S. of b								
d	stone							
C 132 ft W. of d								
e	stone							
f	stone	1650 ft						
N of Z								
b	stone	1320 ft						
E of f.								
L	STONE							
SE COR CHURCH						S. W		36.6
N.E. COR CHURCH						N. W		42.8
TRANS. POLE						N. W		74.0
Z	ENG STONE							
1968								
TW. HICKORY		24"				N 49		24'
ORK		36"				SW		16'
W CHERRY		9"				NW		25'
PSG 166 - PG 3-55								
TRANS. POLE		5						757"
GAS LINE STRAIDPIPE MARKER								N 46 7"

70
12
84

A

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *25* Township *11* North, Range *1 West*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <i>Kerian J Craig</i>	<i>At N Stone cor.</i>				<i>Ash</i>	<i>18</i>	<i>2 11 E</i>	<i>11</i>
	<i>"</i>	<i>"</i>			<i>S. Ash</i>	<i>4</i>	<i>2 52 W</i>	<i>5</i>
	<i>"</i>	<i>"</i>			<i>Sugar</i>	<i>27</i>	<i>West</i>	<i>25</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>14</i>	<i>N 72 E</i>	<i>20</i>
	<i>"</i>	<i>"</i>			<i>Willow</i>	<i>8</i>	<i>2 8 1/2 W</i>	<i>4 1/2</i>
	<i>"</i>	<i>"</i>			<i>Elm</i>	<i>2</i>	<i>N 11 E</i>	<i>12 1/2</i>
	<i>"</i>	<i>"</i>			<i>Poplar</i>	<i>4</i>	<i>2 64 1/2 W</i>	<i>126 1/2</i>
	<i>"</i>	<i>"</i>			<i>Sycamore</i>	<i>6</i>	<i>N 59 1/2 E</i>	<i>97 1/2</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>24</i>	<i>2 13 E</i>	<i>41</i>
	<i>"</i>	<i>"</i>			<i>Hickory</i>	<i>5</i>	<i>2 47 1/2 W</i>	<i>42</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>4</i>	<i>N 71 W</i>	<i>44</i>
	<i>"</i>	<i>"</i>			<i>"</i>	<i>10</i>	<i>2 52 1/2 E</i>	<i>45</i>
	<i>"</i>	<i>"</i>			<i>B. Walnut</i>	<i>10</i>	<i>2 59 1/2 W</i>	<i>190</i>
	<i>"</i>	<i>"</i>			<i>G. Ash</i>	<i>5</i>	<i>2 71 E</i>	<i>46</i>
	<i>"</i>	<i>"</i>			<i>R. Oak</i>	<i>6</i>	<i>2 30 W</i>	<i>68</i>
	<i>"</i>	<i>"</i>			<i>B. Walnut</i>	<i>10</i>	<i>2 137 W</i>	<i>54</i>
<i>"</i>	<i>"</i>			<i>Beech</i>	<i>22</i>	<i>2 56 E</i>	<i>100</i>	
<i>"</i>	<i>"</i>			<i>Do</i>	<i>16</i>	<i>N 17 1/2 W</i>	<i>131</i>	
<i>"</i>	<i>"</i>			<i>Sugar</i>	<i>18</i>	<i>N 82 1/2 E</i>	<i>111 1/2</i>	
<i>"</i>	<i>"</i>			<i>Beech</i>	<i>14</i>	<i>N 26 1/2 E</i>	<i>25</i>	
<i>"</i>	<i>"</i>			<i>"</i>	<i>24</i>	<i>N 80 W</i>	<i>46 1/2</i>	
<i>"</i>	<i>"</i>			<i>"</i>	<i>18</i>	<i>2 61 W</i>	<i>6</i>	
<i>"</i>	<i>"</i>			<i>Elm</i>	<i>3</i>	<i>N 2 W</i>	<i>10 3/4</i>	
<i>"</i>	<i>"</i>			<i>Maple</i>	<i>14</i>	<i>N 45 W</i>	<i>43</i>	
<i>"</i>	<i>"</i>			<i>Ash</i>	<i>10</i>	<i>N 60 W</i>	<i>46</i>	
<i>By N. H. Miller</i> <i>February 21" 1878</i>	<i>"</i>	<i>"</i>			<i>Elm</i>	<i>5</i>	<i>N 89 E</i>	<i>54</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Oak</i>	<i>18</i>	<i>N 20 1/2 E</i>	<i>47</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Hickory</i>	<i>14</i>	<i>N 88 W</i>	<i>39 1/2</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Oak</i>	<i>10</i>	<i>S 58 1/2 W</i>	<i>16 1/2</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Poplar</i>	<i>15</i>	<i>N 59 1/2 W</i>	<i>19</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>	<i>12</i>	<i>N 36 3/4 W</i>	<i>53 1/4</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Red oak</i>	<i>40</i>	<i>N 81 1/2 E</i>	<i>93</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Sycamore</i>	<i>12</i>	<i>N 6 1/2 E</i>	<i>25 1/2</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Ash</i>	<i>6</i>	<i>N 85 3/4 W</i>	<i>109 1/2</i>
<i>By Cor House Deputy</i> <i>March 6th 1908.</i>	<i>At Stone.</i>							
<i>By Carr Hoak Dec 6-1912</i> <i>e is 10 ch. south of b</i>	<i>b was of B "</i>							
	<i>e "</i>							


NO witnesses available.

From old witnesses

B. ch. E. of (H)

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 26 Township 11 North, Range West



REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.

Hun.

Bearing Trees.

Diam.

Courses.

Dist.

W. L. Johnson Sept 9-1903 at "a" 1021 ch. E. of C.

Hickory 5 S 40 W 37' 0"

(Walnut) 12 N 12 E 15'

at 6.100 ch. S. of "a"

do 10 S 20 E 5 1/2'

do 10 N 20 W 15 1/2'

N old Stone BOOK 12" S 85° E. 17' 6"

By W. F. Smith July 1951 ASH 14" South 26' 6"

N (EAST 1/2 of State Highway #27 11.58 ch)

N. South to 2/4 Highway 21.60 ch.

L 1/4 IRON PIPE SHELL HICKORY 10" W 9' 5"

SHELL HICKORY 12" N 35' 8"

D OLD STONE (3/4" IRON OVER)

SHELL HICKORY 14" N 20 E 34' 9"

MAPLE 5" S 75 E 20' 5"

BEECH 12" S 30 E 23' 4"

O STONE (3/4" IRON OVER)

MAPLE 14" N 85 W 20' 2"

TW. RED OAK 14" E 9' 9"

BEECH 14" S 5 W 23' 5"

A STONE ENGRAVED RR SPIKE EAST ROOT RR SPIKE E. SIDE

NAIL IN NORTH ROOT OAK 38" N 90 W 17' 2"

BEECH 10" N 60 W 21' 2"

CHERRY 12" N 15 E 25' 5"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By Riggins</p>	A	2			H. Beech	4	N 23 E	17
	"	D			Ironwood	5	N 42 W	16
	"	B			H. Oak	28	S 70 W	44
	"	C			Sugar	24	N 70 E	49 1/2
	"	H			H. Oak	30	N 9 W	51
	"	I			S stump	28	S 72 W	23
	"	K			R. O. stump	30	N 67 E	61
	"	L			Hickory	20	S 55 W	17
	"	M			Sugar	20	N 76 W	16
	"	N			H. Oak	24	S 55 E	31
<p>J. S. Cogland</p>	"	O			Beech	12	S 34 W	18
	"	M. Stone			Poplar	4	N 65 E	10
	"	M. "			Oak	3	N 42 W	16
	"	N. "			Beech	14	S 27 E	34
	"	L. "			Ash	7	N 72 E	25
	"	K. "			Beech	10	N 76 1/2 E	23
	"	J. "			Sassafras	4	N 37 1/2 W	32
	"	I. "			Oak	20	S 17 W	41
	"	H. "			Hickory	3	N 57 E	9 1/2
	"	G. "			Oak	4	S 87 W	48
<p>E. A. Bourne Sept. 7th 1881.</p>	"	B. "			Oak	30	West	11
	"	A. "			"		East	14
	"	a. "			Horobram	5	N 25 E	33
	"	b. "			Oak	26	S 25 1/2 E	16
	"	c. "			Stone		S 17 W	20
	"	d. "			Elm	8	N 32 E	23
	"	e. "			"	6	S 13 E	22
	"	f. "			Boxwood	5	S 67 1/2 W	21
	"	g. "			Maple	7	N 33 E	34
	"	h. "			Beech	6	S 26 1/2 E	25
<p>March 1882</p>	"	i. "	14 rods N. of W.		"	6	N 32 W	38
	"	j. "	10 rods N. of G.		"	7	S 88 W	33
	"	k. "			"	12	S 45 E	46
	"	l. "	Relocated		Walnut	4	N 71 W	6
<p>H. K. Johnson for J. Miller et al Aug. 1. 1899</p>	"				Hickory	5	N 8 W	39

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28

Township 11

North, Range 1 W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By C. Haase Aug 28 1711	10.42 N of W	Stone			Stone		South	25
	E	"			"	30"	West	25
	F	"			Elm	20	SW.	1 1/2 ft.
	G	"			"			
	H	"			"			
	I	"			"			
	J	"			"			
	K	"			"			
	L	"			"			
	M	"			"			
	N	"			"			
O	"			"				
P	"			"				
Q	"			"				
R	"			"				
S	"			"				
T	"			"				
U	"			"				
V	"			"				
At O Stone Cor. (perpetuated)					Sugar		S. 89 1/2° E.	37
At P Stone Cor. (perpetuated)					Lycamore		N. 43° W.	78
					Stone		East	25
					"		West	20
By A. A. Blank, Nov. 22 1911.	At g: 3 Stone Cor.				Stone		South	25
(7.18 Ch. South of g.)	" f=2	"			"		West	25
(35.11 Ch. South of E.)	" h	"			Gray Oak	12	N. 42 1/4° E.	41 1/2
(7.18 Ch. South of E.)	" i	"			Stone		East	12 1/2
In road (5.29 Ch. N. of O)	" o	"			"		North	23 1/2
(6.20 Ch. W. of N.)	" n	"			Walnut		S. 35 1/2° E.	96
					Elm	10	N. 7 1/4° W.	77 1/2
					Sugar	30	S. 85° W.	63
(N. 81° E. of o 8.38 Ch. In road)	" q	"			Stone		North	23
(10.11 Ch. East of N.)	" m	"			White Oak	7	N. 16 1/2° W.	5
					Elm	7	N. 69° E.	57
(2.19 Ch. East of m)	" l	"			Hickory	2	S. 78 1/2° E.	22 1/2
					Black Oak		N. 80 1/2° W.	15 1/2
One North of l in center of road)	" p	"			Sycamore	12	S. 8° E.	83
					Ash	5	N. 89° E.	54 1/2
(11.44 Ch. West of X.)	" x	"			Stone		North	25
X. n. witnessed by Cemetery Oct. 28-1926	" X	"			Black Oak	12	S. 41° E.	14
					"		S. 85° W.	18
(10.37 Ch. North of X.)	" s	"			"		N. 38 1/4° W.	32 1/2
					Hickory	7	N. 84 1/2° E.	66
(9.97 Ch. East of s.)	" t	"			"	10	West	46
					B. Walnut	12	North	18 1/2
2.81 Ch. East + 36.29 Ch. South of E.)	" w = 1.	"			Stone		North	25
with 81° East 5.40 Ch. from (F) In road.	" y	"			"		North	23

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **29**

Township **11**

North, Range **1 West**


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.		
<p>By M. Riggins</p>	at M				N Oak	4	S 88 W	3		
	"	X			Do	8	S 30 E	7		
	"				Walnut stump	40	N 33 E	57		
	"	M			Sugar	22	S 85 E	58		
	"				Beech	12	N 52 N	15		
	"				"	28	N 52 E	36		
	"				Hackberry	14	S 56	5		
	"				Beech	16	N 61 W	27		
	"				"	10	N 18 E	93		
	"				Ash	4	S 4 E	79		
<p>By E. A. Bourne</p>	"	S Stone			N. Oak	20	S 21 E	29 1/2		
	"	"			B. Oak	6	North	32		
	"	"			Do	8	N 29 E	30		
	"	"			Do	5	S 45 E	14		
	"	R Stone cor.			B. Oak	4	N 52 E	20		
	"	"			B. Walnut	12	S 4 W	117		
	<p>Surv. for Sarah Jarr et al. Apr. 14, 1886. Surv. by Messrs. Henry, Brown, Kordlin Baker Ass'ts. W. Pearce Surveyor.</p> <p>Survey for J. M. Mitchell et al. Mo. 21 + 22, 1887.</p> <p>Isaac Payton } Chairman Pres. Guy</p> <p>H. W. Baker Flagman</p> <p>G. W. Pearce Surveyor</p> <p>By Pearce June 11, 1888.</p>	"	D Stone			Hickory	6	N 15 E	18	
		"	"			"	10	S 79 W	9	
		"	"	in ravine			Beech	12	S 38 1/2 W	52
		"	"	Stone			Elm	10	N 32 1/2 W	72
"		"	Stone			Beech	18	N 32 W	84 1/2	
"		"	Stone cor.			N. Oak	5	S 55 N	37	
"		"	"			Stone		S 45 N	30	
"		"	"			"		S 45 E	34	
"		"	"			Sugar	6	S 52 W	8	
"		"	"			Do	7	N 6 W	45	
<p>By H. K. Johnson. April 5th 1899.</p> <p>For J. P. Lutter et al.</p> <p>Charles Johnson } Chairman John Means</p> <p>By H. K. Johnson July 13 - 1903 Oct 21 - 1903</p> <p>For J. P. Lutter et al.</p>	"	a		11 ⁹⁰ / ₁₀₀ ch. N of (W)	Beech	15	N 35 W	41		
	"	b		11 ⁹⁰ / ₁₀₀ ch. N of (W)	W. Oak	11	N 40 E	26		
	"	U		72 ⁹⁰ / ₁₀₀ ch. S. of h.	Butternut	12	S 40 W	22		
	"	C		1250 ch. S. of h.	Stone		West	28		
	"	T	Perpetrated		"		East	25		
	"	"	"		"		West	24		
	"	"	"		"		South	21		
	"	"	"		"		East	28 1/2		

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township _____ North, Range _____

REMARKS, &c., &c.

Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.



By Carr Haake Dept. Ins 19-11. C. = 125 N 87
 By H. A. Blunk
 6' is in line between T and R at 1/2
 distance T to R (4096)
 Survey for Alex Majors et al.
 May 12-1914
 2 is 2089 West of T to 41
 West of C
 on 3- is 11.11 ch. North of 2

H. A. Blunk - July, 1914

Ernie O Gilbert
 7 March 3rd 1944.

By H. A. Blunk - 10-9-22
 W is 32.15 ch. N + 8.77 W of V.
 Mis 8.77 ch. W. of Y

SEE AFTER SEC 36

Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
d.	stone			Elm 14		832 1/2 E	39 1/2
	"			Beech 28		840 1/2 W	65 2/3
	"			Thorn 10		N 1/4 E	49 1/2
s 10 ch N 88	stone			Sassafras 8		865 1/2 W	66 1/2
	"			Stone		East	25
t. 10 ch N 87	"			W. Walnut 14		829 W	66
	"			W. Oak 5		N 46 1/2 E	3
at y	Stone			Stone		West	20
	"			Thorn tree 10		N. 1/4 E.	49 1/2
	"			Sassafras 8		S. 65 1/2 W.	66 1/2
	"			Black oak 8"		86 1/2 E	20
	"			" " 8"		N 35 E	17 1/2
	"			Stone		N 16 1/2 E	62
	"			Black oak		North	32
	"			Lime Stone		East	41
	"			W. Walnut		N 70 1/4 W	15
	"			Stone		South	15 1/2
	"			Stone		N 16 1/2 E	66
	"			Tel. Pole		N. E.	27 FT.
	"			Ash		S. W.	82 "
	"			Elm		N. E.	17.7 "
	"			Stone		S 45 W.	20.0 "
e	stone	1050 S. of C	24"	Stone		S. 70 W	1.11 ch
	"			Stone		East	0.12 "
71	stone	8.40 W and 7.44 S of I	stone	set		0.23 N of true corner	
0	"	8.40 W of I	stone				
I	Concrete Corner						
J	Concrete Corner	0.92 N of I					
W	Stone			Stone		S 00 1/4	15.185
	"			Cedar 16"		N 4 1/2 W	1.24 ch
M	"			Sassafras 6"		N. 45 E.	5.185
	"			Black oak 12		West	63 "
A	3/4 IP			1 1/2" IP WELL 2'		HIGH?	
	(SET FROM OLD REFS)					550 E	2' 8"

Sec 29

11 1W

cont.

1. 1" IP
 point is 2317.26 feet
 south of NE corner
 Sec 29 on East line

- 36" ASH N41E 26'0"
 UTILITY POLE S35W 31'4"
 UTILITY POLE S35E 45'1/2"


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section: 30

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.
By B. F. Butler	At C	Stone			B Walnut	40	N 107 1/2 W	16
	" D	"			Sugar	18	N 49 W	13 1/2
	"	"			B Walnut	12	S 78 E	39
	" a	Stone			Cottonwood	8	S 69 1/2 E	40
	" A	"			Stone	N 45 0 E		43
	"	"			"	S 45 0 E		44
	" C v	Stone 35 rods S of C			"	S 63 3/4 E		25
	" A	Stone 60 " S of B			"	South		25
	"	"			"	West		25
	" M	Stone			Buck	20	N 74 E	86 1/2
	"	"			White Oak	16	N 39 1/2 E	137 1/2
By Ch. L. Goss Nov 5 " 1891	" e	Stone cor. 10.22 chs. W of a			Stone		East 2 m.	100
Survey for John Keyrds Guardian of Mabel Kodgis	" f	Stone cor. 40.00 chs S of e			Stone		North 2 m.	25
	" g	Stone 433 chs E of f			B Walnut	15	S 87 1/2 S m.	108
	"	"			Leichory	18	N 49 1/2 W m.	94
	"	"			Poplar	24	N 25 1/2 W m.	76
By C. Molinelli - May 1917	" d	4"x9"x4' limestone sandstone					West	25
(d was re-established from old witnesses and is 60 rods South of B)	"	"					South	25
By E. H. Cumtrey	" h	Well print in ditch			Bum Oak	8"	N. 27 W	20
Martha Butler Est. 1927	N	(old stone)			Stone		East	25
Mar. 11.	1	12.35 West of N.						
	2	Stone = 12.35 West of 1			Triple Elm	8"	West	22
	3	1" pipe 28.75 N of 2						
	4	1" " 3.20 West of 3						
By Cumtrey for T. Wilson	A	(old stone)						
	a	Stone 16.10 S of A						
	L	(old stone) 24.70 S of a						
	M	(" ") 20.40 W of L						
	m	Stamp top 17.25 North of M				30"	S 10 E	7.9
H. G. Blank, Feb. 7-1930.	U	(old stone) 20.50 S of L						
m is G. 35 ch. South of d	m	"						



E. D. CANATSEY

County Surveyor

MARTINSVILLE, INDIANA

Martha Burton Estate.

By E. D. Canatsey
Mar. 11 - 1927.

Sec. 30² T11N, R11W

- h - stake - 4.00 East of M (old stone)
- M - Stone - 10.10 West of M.
- N. old " - 10.10 West of m. - - - - - wit. stone East 25 L.
- 1 - 2" pipe - 12.35 West of N - - - - - " Triple Elm 8" diam. West 22 L.
- 2 - old stone 12.35 West of 1.
- 3 - 3/4" pipe - 28.75 North of 2
- 4 - 1" " - 3.20 West of 3
- h - Well point - 28.75 North of N - - - - - wit. Burr oak 8" - N. 27 W. 26 L
- 6 - iron pipe - 11.00 West of h.
- 5 - " " - 12.40 " " h
- W - (stone wellpoint) - 40.72 South of m. - - - - - wit. { Beech - 24" - - East - 37 L
" - 30" - - West - 24 L

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 31

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inch.	Bearing Trees.	Diam.	Courses.	Dist.
	at N	stone			Oak	24	S 47 1/2 E	11
	"	S			Poplar	20	N 58 1/2 E	96
	"	R			Oak	24	S 35 N	28
	"	O			Sugar	-	N 10 E	16
	"	Y			Poplar	20	S 49 W	90
	"	U			Beech	12	N 83 W	157
	"	T			Poplar	24	N 26 1/2 E	135
	"	S			Hickory	6	N 41 E	5
	"	R			"	10	S 32 E	33
	"	Q			Sugar	8	S 53 1/2 E	38
	"	P			R. Oak		N 86 E	494
	"	O			Poplar		N 69 W	48 1/2
	"	N			Oak	12	N 22 W	109
	"	M			Beech	15	S 6 W	25
	"	L			"	15	N 57 1/2 W	78
"	K			"	22	S 54 E	184 1/2	
"	J			"	20	N 43 W	12	
"	I			"	30	S 11 E	42 1/2	
"	H			Oak	12	N 58 1/2 E	77	
"	G			Sugar	4	S 88 W	26	
"	F			Elm	5	S 48 W	35	
"	E			Elm	18	west	31	
<p>April 21 1952 W.F. Smith. For Wampler & Baker E. Canady & A. Reeves Ass'ts:</p>	K	old stone			Cluster of Sugar Trees	N.W.	36'	
	L	1" Iron Shaft driven in Blacktop Road.			S.W. cor. of Base of John Weaver's Tomb stone	N.E.	38'6"	
					Shill Bart Hickory	9" N.W.	41'-8"	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 33

Township 11

North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By M. Riggs</p> <p>Ch. H.S. Meh. 29" 1892</p>	At N				White Oak	20	N 83 W	18
	" W				Do	40	S 56 W	50
	" M				Sycamore	33	S 53 E	18
	" A	Stone Cor.			Willow	4	S 23 W	24
	" B	" "			Beech	18	S 52 W	17 1/2
	" K	" "			"	12	S 22 E	30
	" L	" "			Stone		West	16
	" R	" "			"		South	17
	" S	" "			Beech	18	S 19 E	11
	" T	" "			"	24	N 32 E	45
<p>By H. K. Johnson, April 4, 1898. For C. H. Dickson et. al. Chas. Johnson } John Weaver } Chairmen.</p> <p>May 1st 1900.</p> <p>H. A. Blunk was C. 1900 m 322 ft west of M 35 t 322 ft west of N mistake</p> <p>By C. Haas Dept. May 8 1911 " C. W. Haas Dept. May 20 - 1913</p>	At U				Stone	20	N 73 E	24
	" S				White Poplar	20	N 80 W	36 1/2
	" R	Stone Cor. perpetuated from old instrument			Hickory	3	S 80 W	4
	" Q	" "			do	5	N 80 W	81
	" P	" "			Ash	13	East	128
	" O	" "			W. Oak	36	at 65 W	39 1/2
	" N	" "			dogwood	5	S 43 1/2 W	30
	" M	" "			Sassafras	10	at 32 1/2 W	31
	" L	" "			B. Hickory	12	at 30 E	45
	" K	" "			B. Oak	10	S 15 W	19
	" J	" "			Sugar	5	S 84 W	12
	" I	" "			Black Oak	5	S 86 W	11
	" H	" "			Or Oak	9	North	36
	" G	" "			Sycamore	30	S 74 W	17 1/2
	" F	" "			walnut	8	N 4 E	16 ft
" E	" "			poplar	2	N 74 E	15 1/2 ft	
" D	" "			Black oak	3	S 88 E	10 ft	
" C	" "			beech	3	S 89 E	16 1/2 ft	
" B	" "			Hickory	15	S 8 W	45	
" A	" "			W. Falls	8	N 84 W	50	
" Z	" "			Sugar	13	N 16 3/4 E	31	
" Y	" "			White oak	10	S 64 E	45 1/2	
" X	" "			Sugar	7	N 48 1/4 W	14 1/2	
" W	" "			Red Oak		S 35 1/2 W		

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 33 Township 11 N North, Range 1 W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diams.	Courses.	Dist.
<p>σ is at N.E. cor of 3 Acre tract North of O H.A. Blank Feb 4-1925</p> <p>Canatsey Reopen tracks for survey 1925</p> <p>Canatsey - Apr. 4, 1956 K to L - 20.34 Ch.</p>	σ	old stone			Iron Pipe		South	25 1/2
	M.	old stone			Walnut	10	S 88 W	7 1/2
	T.	old stone			Buckeye	10	N 71 E	27 "
	1	stone	1.50		Stone		North	35 L
	2	"	3.28				North of T.	
	3	"	3.28				West of (1.)	
	K	old stone			stone		North	18 L
					Hickory	6"	West	23 1/2 L
		old stone			Beech	8"	N. 17° E	15 L
					W. oak	18"	N. 75° W	10 L
	R	ENG STONE			Spr. Hickory	14"	E	21' 8"
					R. OAK	7"	S 45 E	19' 9"
					SUGAR	8"	N 80 W	31' 1"
	S	NICKED STONE			SPRIGNOT	8"	SW	2 1/2"
					W CHERRY	13"	S	17' 3"
					TW SPRIGNOT	8"	NE	14' 8"

S.M. V. V. L. E.

1
7
5

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By J. L. Kergland	at M	Stone			Poplar	4	N61W	28
	"	O			Ketchory	28	S13E	38
	"	"			Beech	20	N34W	46 1/2
	"	S			"	11	S82 1/2 E	33
	"	"			Oak	32	Met	12 1/2
	"	R			Sassafras	3	N67E	35 1/2
	"	W			R Oak	6	N62W	4
	"	"			Beech	12	N3E	30
	"	"			W. Oak	30	N40W	37
	"	"			do.	30	N1W	37
	"	"			Beech	18	N11E	12
By E. A. Bourne	"	S			Oak	7	S23 1/2 W	19
"	"	B			Beech	12	N76 1/2 E	23
"	"	G			"	9	N29E	28
"	"	"			Sugar	16	N78E	25
"	"	"			Beech	14	S24E	20
By C. Heated of N 25-1911	"	S			Stone		N1 1/2 W	42
r = 9.25' E of R	"	F			"		N88 1/2 W	55
"	"	"			"		North	22 1/2
"	"	"			"		East	20
"	"	"			"		West	32
r is 2.75 ch. E. of O.	"	O			B. Walnut	7	N73E	48 1/2
"	"	"			Stone		South	10 1/2
"	"	"			"		East	5 1/2
"	"	"			"		West	20
By H. A. Blunk 4/10/1912	"	"			"		South	17 1/4
"	"	"			"		North	75
"	"	"			"		West	25
"	"	"			"		North	25
"	"	"			"		East	25
By Can Haase - (Oct. 31-1916)	at S	"			stone		North	30
(S is 51 rods S. and 6.59 ch. E. of S)	"	t			"		South	30 1/2
(t is 6.95 ch. E. of S)	"	w			"		West	24 1/2
(w is 10.95 ch. E. and 51 rods S. of S)	"	"			round headed king bolt			

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *34*

Township *11*

North, Range *1 West*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <i>J. S. Kogeland</i>	<i>at M</i>	<i>stone</i>			<i>Poplar</i>	<i>4</i>	<i>N 61 W</i>	<i>28</i>
	<i>O</i>	<i>"</i>			<i>Ketchory</i>	<i>28</i>	<i>S 13 E</i>	<i>38</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>20</i>	<i>N 34 W</i>	<i>46 1/2</i>
	<i>"</i>	<i>"</i>			<i>"</i>	<i>11</i>	<i>S 82 1/2 E</i>	<i>33</i>
	<i>"</i>	<i>"</i>			<i>Oak</i>	<i>32</i>	<i>N 42 E</i>	<i>12 1/2</i>
	<i>"</i>	<i>"</i>			<i>assafras</i>	<i>3</i>	<i>N 67 E</i>	<i>35 1/2</i>
	<i>"</i>	<i>"</i>			<i>R Oak</i>	<i>6</i>	<i>N 62 W</i>	<i>4</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>12</i>	<i>N 3 E</i>	<i>30</i>
	<i>"</i>	<i>"</i>			<i>W. Oak</i>	<i>30</i>	<i>N 40 W</i>	<i>37</i>
	<i>"</i>	<i>"</i>			<i>do.</i>	<i>30</i>	<i>N 1 W</i>	<i>37</i>
	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>18</i>	<i>N 11 E</i>	<i>12</i>
By <i>E. A. Bourne</i>	<i>"</i>	<i>"</i>			<i>Oak</i>	<i>7</i>	<i>S 23 1/2 W</i>	<i>19</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>12</i>	<i>N 76 1/2 E</i>	<i>23</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>	<i>9</i>	<i>N 29 E</i>	<i>28</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Sugar</i>	<i>16</i>	<i>N 78 E</i>	<i>25</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Beech</i>	<i>14</i>	<i>S 24 E</i>	<i>20</i>
By <i>E. Heated</i> of <i>1825-1844</i>	<i>"</i>	<i>"</i>			<i>Stone</i>		<i>N 1 1/2 W</i>	<i>42</i>
<i>r = 925 E of R</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>N 88 1/2 W</i>	<i>55</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>North</i>	<i>22 1/2</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>East</i>	<i>20</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>West</i>	<i>32</i>
<i>r is 2.25 ch. E. of O.</i>	<i>"</i>	<i>"</i>			<i>B. Walnut</i>	<i>7</i>	<i>N 73 E</i>	<i>66 1/2</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>Stone</i>		<i>South</i>	<i>20 1/2</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>East</i>	<i>5 1/2</i>
By <i>H. A. Blunk</i> <i>4/10/1912</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>West</i>	<i>25</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>South</i>	<i>19 1/4</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>North</i>	<i>75</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>West</i>	<i>25</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>North</i>	<i>25</i>
<i>"</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>East</i>	<i>25</i>
By <i>Can Haase</i> - <i>(Oct. 31-1916)</i>	<i>at S</i>	<i>"</i>			<i>stone</i>		<i>North</i>	<i>30</i>
<i>(S is 51 rods S. and 6.59 ch. E. of S)</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>South</i>	<i>30 1/2</i>
<i>(T is 6.95 ch. E. of S).</i>	<i>"</i>	<i>"</i>			<i>"</i>		<i>West</i>	<i>24 1/2</i>
<i>(W is 10.95 ch. E. and 51 rods S. of S)</i>	<i>"</i>	<i>"</i>			<i>"</i>			

round headed King bolt


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **35** Township **11** North, Range **1 West**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By B. J. Butler</p>	At	Stone			N. Oak	30	North	36
	"	O	"		do.	30	N36W	39
	"	D	"		Hickory	8	S62E	10 1/2
	"	S	"		Beech	14	N48W	16 1/2
	"	G	"		Hickory	18	S86W	36
	"	J	"		N. Oak	24	S38E	29
	"	I	"		do.	8	S8E	19 1/2
	"	S	"		B. Oak	3	N35E	32
	"	J	"		N. Oak	32	S25E	36
	"	I	"		Beech	14	N24E	56
	"	I	"		N. Oak	20	S89W	36
	"				do.	15	N23W	52
	"				do.	9	N40E	13 1/2
	"	M	"		do.	32	S25E	36
						Beech	14	N24E
By H.A. Blunk 3/14/1910	L	perpetuity			oak	6	N53E	13
a 30.47 ch west of S	a	stone			N. Walnut	12	South	32
Blunk Mar 19 1910	{ 322 ft west of M				Poplar	14	N61 1/2 E	50
	{ m	stake			R. oak	10	N35W	25
					walnut	8	N43E	14 ft
5 322 ft west of N	o	stake			poplar	2	N72E	15 1/2 ft
					turkey oak	3	S38E	10 ft
H.A. Blunk Sept 16-27	J	old stone			beech	3	S87E	14 1/2
					White Oak	12"	N. E.	12 1/2
					maple	4"	S. W.	5 1/2
Dist. H.G. 20.63 1/2 ch.	H.	Purple Paint			No entries			
" G-H. 20.63 1/2 ch.								
Canatsey Aug. 15-1953	D.	old Stone 4" pipe			HICK '68			
					Hickory	18"	S.65W	80'
					R. Oak	20"	S. E.	10-8'
Canatsey - July 6-1954	F.	old Stone checked			Sugar	24"	North	31.25'
					Hickory	8"	East.	23 1/2'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 11 North, Range 1 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>K. J. Craig</u> 2 _Y 25	<u>At J Stone</u>				R Oak	4	<u>S 59 1/2 E</u>	<u>32 1/2</u>
	" <u>A</u>	"			do	4	<u>N 83 1/2 W</u>	<u>64 1/2</u>
	" <u>B</u>	"			Beech	-	Old tree	
	" <u>C</u>	"			R Oak	5	<u>N 14 3/4 W</u>	<u>16 1/2</u>
	" <u>D</u>	"			do	10	<u>S 82 1/2 W</u>	<u>81</u>
	" <u>E</u>	"			B Walnut	2	<u>S 17 W</u>	<u>26 1/2</u>
	" <u>F</u>	"			Sycamore	4	<u>N 79 W</u>	<u>6</u>
	" <u>G</u>	"			B Walnut	20	<u>N 34 1/2 W</u>	<u>22 1/2</u>
	" <u>H</u>	"			Beech	20	<u>N 76 1/2 W</u>	<u>38</u>
	" <u>I</u>	"			R Oak	8	<u>N 10 1/2 W</u>	<u>32 1/2</u>
	" <u>J</u>	"			Elm	12	<u>N 79 1/2 E</u>	<u>48</u>
	" <u>K</u>	"			do	6	<u>S 66 E</u>	<u>84</u>
	" <u>L</u>	"			R Elm	4	<u>N 28 1/2 W</u>	<u>20</u>
	" <u>M</u>	"			B Walnut	10	<u>N 22 W</u>	<u>26 1/2</u>
	" <u>N</u>	"			Beech	15	<u>N 46 W</u>	<u>34</u>
	" <u>O</u>	"			R Oak	3	<u>N 34 E</u>	<u>98</u>
	" <u>P</u>	"			Sugar	16	<u>N 25 E</u>	<u>20 1/2</u>
	" <u>Q</u>	"			do	24	<u>S 61 1/2 E</u>	<u>38 1/2</u>
	" <u>R</u>	"			B Walnut	8	<u>S 59 W</u>	<u>194</u>
	" <u>S</u>	"			Beech	24	<u>S 27 E</u>	<u>152 1/2</u>
	" <u>T</u>	"			Elm	18	<u>S 57 W</u>	<u>118 1/2</u>
	" <u>U</u>	"			Wichory	6	<u>N 84 E</u>	<u>47</u>
	" <u>V</u>	"			Beech	10	<u>S 20 W</u>	<u>67</u>
	" <u>W</u>	"			B Walnut	4	<u>N 6 E</u>	<u>12 1/2</u>
	" <u>X</u>	"			do	3	<u>S 11 E</u>	<u>117 1/2</u>
	" <u>Y</u>	"			S. Ash	5	<u>S 59 E</u>	<u>51 1/2</u>
	" <u>Z</u>	"			R Oak	6	<u>S 19 W</u>	<u>77 1/2</u>
		"			Beech	8	<u>S 59 W</u>	<u>35 1/2</u>
		"			R Oak	5	<u>N 20 E</u>	<u>27 1/2</u>
		"			Beech	18	<u>N 40 E</u>	<u>21</u>
		"			"	16	<u>S 34 W</u>	<u>21</u>
		"			B Walnut	10	<u>S 8 W</u>	<u>62 1/2</u>
		"			Beech	"	<u>S 53 1/2 E</u>	<u>105 1/2</u>
		"			"	"	<u>S 0 E</u>	<u>35 1/2</u>
		"			Sugar	20	<u>S 47 1/2 E</u>	<u>36</u>

Section 36 Township 11 North, Range 1 West

Remarks &c.,

Corners Stone Mark Acres Hun Bearing Trees Diam Courses Dist.

By B. A. Butler

At M Stone

N. Oak 5 N14E 18 1/2
do 3 N12W 14 1/2
Elm 3 S68W 20
" — N88E 22 1/2
Beech 20 N43E 24
" 18 S68E 20 1/2
Elm. 30 S5E 99 1/4

By H. A. Blunk Mar. 8-1919

G Stone

Canatsey Sept. 1953

N Stone

Maple 10 N.W. 30 L
Sugar 8 S.W. 24 L
Sugar 4 N E 32.5'
B. Walnut 14 S E 34.3'
Sugar 12 N W 5 1/2 L

S. 6"x6"x24" CONC. POST

R Iron Rod

May 1-1955

B.

Stone North 25 L
Hickory 16 N52 3/4 E 118.5 L

May 1-1955

G Iron Pipe

Prison Pipe East 9 1/2 L

1968

G 2" IRON PIPE

FENCE SOUTH 9'
N.L. TEL POLE #4 EAST 60.2"
PSC# 156-759 PWP P. S70E 50.21
PSC# 156-755 N15W 142.99

1968

S 6"x6" CONC POST

MAPLE 10" N45W 46.87
MAPLE 12" N45E 32.49
B. WALNUT 15" S30E 34.36'