

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 13 Township 11 North, Range 7 F

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
Canaday - July 8 - 1954	A.	old Stone			Hedge Tree	24"	N. W.	5.0 ft.																									
<div style="display: flex; align-items: center;"> <table border="1" style="border-collapse: collapse; text-align: center; margin-right: 10px;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <div style="font-size: 2em; vertical-align: middle;"> U V </div> </div>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V		Stone 1" I.P. over			Beech	10"	N60W	58'8"
	E	D	C	B	A																												
	F	G	H	I	K																												
	P	O	N	M	L																												
	O	R	S	T	U																												
Z	Y	X	W	V																													
					W. Cherry	8"	N5W	53'4"																									
					Poplar	3"	S45W	15'7"																									
					SEE SEC 24-A																												

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 14 Township 11N North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	UT N	Stone			<u>Beech</u>	16	N 35° W	17 1/2	
	"	R			"	18	S 78° E	49	
	"	↓			"	15	N 65° W	43	
	"	↓			"	6	S 32° W	42 1/2	
	"	○	Stone			Sugar	5	N 60° W	19 1/2
	"	○				Beech	20	S 24° E	32 1/2
	"	○				"	18	N 68° E	7
	"	○				Sugar	4	S 26° W	6
	"	○				N Walnut	6	N 32° E	8
	"	○				N Oak	24	S 72° E	27
	"	○				N Beech	4	N 29° E	9 1/2
	"	○				Buckeye	15	East	26
	"	○				Box Alder	7	N 63° E	27
	"	○				Elm	5	S 47° E	42
	"	○				Beech	7	S 26° W	22
"	○				"	12	N 25° W	50	
"	○				Boxwood	3	S 22° W	25	
"	○				"	7	West	6	
<p>By Wilbur F. Smith H.A. Blunk & A. Reeves Assrs. For Seay & June Aug 28 - 1951</p>	N	Stone							
<p>To L 39.87 ch 1/2 distance N to L. 11.2 ch South of A L 11.2 ch North of V. Old Record of E. D. Canatsey July 6 1923 Copied from Canatsey's Notes by W.F. Smith</p>	M	stone			Elm	6"	N 75° W	8' 6"	
	L	stone			Elm	13"	East	17' 6"	
	B	old stone			Walnut	10"	S 80° W	23' 8"	
	A	old stone			Thorn	10"	N 8° W	22' 4"	
					Elm	6"	South	22' 4"	
					Dog Wood	3"	S 22° W	25'	
					" "	2"	West	6'	
					Stone		N 52° W	12'	
					Stone		S 38° W	10'	
					Ash	8"	N 70° W	12' 0"	
					Hickory	12"	S 60° W	21' 1"	
					Hickory	8"	S 45° E	35' 2"	

R. Holloway 69 ○


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 15

Township 11

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Lin.	Bearing Trees.	Diam.	Courses.	Dist.
By _____		At N Stone			Beech	8	241E	32
					"	-	North	41
					"	20	228E	45
					Oak	4	N72E	37
					Beech	16	N23E	7
					Elm	16	227E	59
					Beech	28	North	14
					"	24	279E	40
					B Oak	5	267W	19
					Elm	5	219E	427
					Beech	15	East	10
					Dogwood	4	216W	27
					Beech	10	234E	42
					"	20	276W	42
					"	12	220W	12
					Sugar	10	235E	16
					Dogwood	6	217W	13
					Beech	20	N33W	26
					Poplar	30	N76W	8
					Beech	9	N42E	20
					"	6	211W	19
					"	20	262W	52
					"	8	21E	30
					Cornbeam	6	N32E	22
					Hickory	8	256W	19
					Beech	12	286E	38
					"	8	N742E	21
					"	6	228 1/2 W	36
					Stone		N31W	25
					"		231E	25
					Beech	20		
					Beech	20	North	1
					Beech	24	S.W.	8
					W. Oak	10	N. 63 E	13
					Hickory	10	N 56 W	21



E. A. Bourne

E. W. Canatney 1927
In John Lake

Emile Gilbert 8-20-48

- O old Stone found.
- o Stone 10 ch. w. of O.
- P old Stone found
- N. stake

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 15 Township North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
					S. Hickory	12"	W	23' 8"
					R. OAK	9"	S 1/2 E	14' 6"
					Poplar	18"	N 35 W	5' 4"
					Poplar	6"	E	15'
					R. OAK	14"	N 85 W	22' 3"
					Hickory	9"	E	10' 4"
					SHELL "	8"	N 42 W	40' 10"
					W Oak	9"	S 10 W	9' 3"
					maple	14	S 16 E	34' 5"
					Red Oak	14	N 40 W	32' 4"
					Beech	20	S 60 E	58' 2"
					SHELL HICKORY	8"	N 10 E	3' 9"
					Thin maple	8"	W	16' 5"
					maple	12	S 35 W	38' 3"
					W Oak	8"	SE	0' 8"
					R "	18"	SE	11' 1"
					R "	12	N 43 W	14' 3"
					W "	12	N 5 E	22' 8"
					E		SEE SEC 10 "Z"	
					A		SEE SEC 10 "Y"	

Sanders + Kean Survey ^{WRONG!} _{CHECK - MOORE} N - STONE
1 1/2" IRON
OR


Sanders + Kean Survey ^{WRONG!} _{CHECK - MOORE} P - STONE
1/2 IRON
ROD BESIDE

Sanders + Kean Survey ^{WRONG!} _{CHECK - MOORE} G - STONE

Sanders + Kean Survey ^{WRONG!} _{CHECK - MOORE} O - STONE

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 16 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
 <p>By <u>B.F. Butler</u></p>	AT	N			Sugar	18"	N 43° W	18'
	"	Y			N Walnut	6"	S 16° E	21'
	"	D			Hickory	5"	N 33° E	16'
	"	O			Ash	2"	S 73° W	9'
	"	B			Beech	5"	S 75° W	18'
	"	M			"	4"	S 10° E	29'
	"	Vt.			"	8"	S 73° W	8'
	"	a			"	24"	S 40° E	30'
	"	B			"	18"	N 74° W	12'
	"	D	Stone		"	20"	N 74° E	23 1/2'
By Can Haase - Jan 30 - 1917	"	W	stone		Hickory	24"	N 69 3/4° E	51'
	"	X	luggy apple		Elm	12"	N 19 3/4° W	8.4 ft
By Wilbur F Smith Sept 1952 E.D. Conroy & Arlie Reeves MSTS	"	P	Steel Fence post Set in concrete		White oak	6"	N 60° E	15.4'
	"	P	Tie SPIKE in E of S. Road # 252. 14.6 chs South of P		Beech	18"	West	22.0'
E.D. Conroy for Magnolia conservation Club. Apr. 1953 From L. to M. N. 88° 30' W 19.71 ch.	"	L	Found old stone		Beech	24"	S. W.	8.2'
	"	M.	Found old stone		W. oak	8"	S. 83° E.	25.1'
A C E -L	"	SEE	SEC	10	"Z"			
	"	"	"	9	"X"			
	"	"	"	9	"Z"			
	"	"	"	15	"P"			
							White oak 24" South	77.8'
							Steel Gear on shaft North	
							On R/W Line of S.R. # 252	76.3'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 17

Township 11

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	AN				Beech	44	N 88 E	15
	" P				Sugar	16	S 45 W	19
	" R stone				Elm	14	S 10 E	26
	" B "				Sugar	20	S 35 W	61
	" D "				stone		S 88 W	13 1/2
	" H "				"		N 88 E	19 1/2
	" I "				Dogwood	4	N 77 W	18
	" K "				"	3	S 61 E	9
	" L "				Beech	12	S 13 W	15
	" M "				"	16	N 73 E	20
	" N "				"	14	N 73 W	25
	" O "				Maple	12	N 9 E	15
	" P "				Sugar	-	N 65 W	22
	" Q "				Dogwood	2	S 50 E	19
	" R "				Poplar	5	N 55 W	28
	" S "				B. Oak	2	S 76 W	16
	" T "				N. Oak	28	S 88 E	9
	" U "				Beech	5	N 46 W	19
	" V "				Dogwood	2 1/2	N 14 E	46
					"	2 1/2	S 5 E	20
				B. Oak	4	S 50 E	5	
				S. Oak	3	N 40 E	20	
				Elm	12	N 54 W	20	
				B. Oak	3	South	10	
				N. Walnut	5	N 66 E	36	
				N. Walnut	1	N 68 W	6	
				B. Oak	2	S 88 E	20	
				" O " Perpetuated	Sugar	16	N 83 1/2 E	43
				" R "	Hickory	6	N 70 W	39
				" S "	Oak	10	N 16 E	11
				" T "	Poplar	6	N 8 E	25
				" U "	B. Walnut	6	S 23 1/2 E	101

E.A. Bourne
 March 13th 1880
 E.A. Bourne

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 17 Township _____ North, Range _____

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="font-size: small; margin-top: 10px;">By Can H. se March 1945 Conatsey 1945 22-1952</p>	C	old Stone perpetual			Red Oak	10	S 85 E	22	
					PINE	1	N 75 E	4 1/2	
		c. L			Hickory	6	N 10 1/2 E	2 1/2	
					Hickory	4	S 69 E	2 1/2	
		d. V			Maple	3	N 34 E	6	
					Maple	1 1/2	S 45 E	11	
		H			Hickory	10	N. 47 E	23	
					Hickory	6	S 40 E	2 1/2	
		M.	Iron Rod			R. Oak	6"	S. 70 W	6'-8"
			17. to L. = 20.0 ch.			Walnut	2"	N. 15 W	18'-10"
		L.	Iron fence post in cement			W. Oak	6	N 60 E	15'-4"
						Beech	18	West	2'-0"
		L	Iron fence post 10.17 South of L.			Poplar	10"	SW	6'-9"
		m.	on E. R. ight of way 1/2" Rod S.R.#252 R.W. Post			Ash	4"	S 70 E	10'-0"
						South		South	15'-9"
	X	IRON POST			" BEECH	24"	S 70 E	42'-5"	
	Z	STONE			TW. OAK	30"	S 80 W	36'	
					BEECH	30"	S 85 E	38'	
					BEECH	24"	N 1 E	40'	
	Q	STONE			ASPEN	12"	N 1 E	7'	
					ASH	14"	S 89 E	22' 5"	
	Y	STONE			MAPLE	14"	N 40 E	12'	
					MAPLE	14"	S 45 W	12'	
	A	SEE SEC			9-"Z"				
	B	" "			8-"Y"				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 18

Township 11

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By _____</p>	At E Stone				Beech	8	N 19 E	18	
	"				"	10	S 39 E	12	
	"				"	"	10	N 61 W	52
	"				"	"	18	N 23 E	27
	"				"	"	8	N 80 W	55
	"				"	"	12	N 52 E	17
	"	K Stone				Elm	2	S 7 E	35
	"	"				"	1 1/2	N 7 W	40
	"	a				Sycamore	4	S 22 E	20
	"	"				Elm	4	S 64 E	6
	"	B				"	2	N 46 W	21
	"	"				"	3	S 7 E	30
	"	M				Sycamore	6	S 67 W	61
	"	"				Willow	6	N 50 E	64
	"	c				Beech	10	N 28 W	28
	"	"				"	8	N 47 E	59
	"	M				R Oak	8	N 65 E	23
	"	"				Beech	10	N 78 W	30
	"	h				Poplar	5	N 62 E	137
	"	"				N. Oak	8	N 1 W	142
"	d				Elm	3	N 63 E	87	
"	"				"	3	N 20 E	79	
"	e				"	3	N 37 W	42	
"	"				B Walnut	3	N 12 E	42	
"	f				Beech	10	N 44 W	32	
"	"				"	12	S 48 E	51	
"	g				Ash	4	S 21 E	3	
"	"				Willow	6	N 21 W	27	
"	h				Maple	15	N 30 E	12	
"	"				Beech	14	N 81 E	92	
"	B				"	6	S 74 E	39	
"	"				"	8	S 5 W	78	
"	O				"	12	S 46 E	5	
"	"				"	8	S 6 E	23	

E
F
P
O
Z
N.
in

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 19 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By _____</p>	at M				Walnut	3	N 42 E	31
	" B				Stone		N 62 W	17
	" J				Beech	44	S 84 -	32
	" Y				Sugar	8	N 57 W	39
	" O				"	22	N 3 E	27
	" Z				Elm	18	N 70 W	6
	" G				Oak	18	N 32 1/2 W	69
	" M				Elm	22	N 62 E	90 1/2
	" N				Oak	4	S 31 W	23 1/2
	" Q				"	2	S 36 E	22 1/4
	" R				Beech	18	N 33 1/2 E	75
	" S				"	20	S 30 1/2 E	35
	" T				W Oak	20	S 74 W	11
	" U				do	12	N 47 E	19
	" V				Hickory	24	S 16 E	21
H.A. Blank - Sept. 17 - 1831				W. Oak	24	N 33 W	26	
	"			B. Walnut	6	N 48 W	16 1/2	
	"			Beech	15	S 37 W	123	
	"			"	8	S 7 E	149	
	"			"	18	N 3 E	99	
	P			Elm	7	best	22 1/2 ft.	
				Red oak	12	N 33 E	98 1/4 ft.	
	A				SEE SEC		17-Z	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 20

Township 11

North, Range 2 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	In.	Bearing Trees.	Diam.	Courses.	Dist.
	at a				Beech	18	S 28 E	20
	" b				"	18	N 74 E	2 1/2
	" c				"	16	S 30 W	8
	" d				W Beech	5	N 42 E	15 1/2
	" e				Poplar stump	-	N 24 W	48
	" f				stone		S 49 E	29
	" g				Beech	16	S 70 E	43
	" h				Ash	14	N 66 W	26
	" i				W. Oak	30	N 60 W	36
	" j				Beech	18	S 74 W	24
	" k		stone		"	12	North	1
	" l				"	12	S 62 E	17
	" m		see old book		B. Oak	5	N 60 E	15
	" n				do	4	S 55 W	15
	" o				W. Oak	30	N 19 E	72
B J Butler	" p				Beech	8	N 53 E	39
	" q				"	4	S 88 E	48
	" r				"	9	N 3 E	35
	" s				Walnut	18	S 20 E	18
	" t		stone		Poplar	3	N 6 E	11
Survey for J. S. Barber et al. Apr 4 "1876 H. C. Miller Sur. J. S. Barber W. G. Able } Chairman	" u							
Survey Apr 4 "1877 H. C. Miller Surveyor	" v							
By C. A. Boume Surveyed March 13 th 1880	" w				Sugar	14	N 14 W	21
	" x				Beech	15	S 23 1/2 E	84
	" y				Oak	21	S 39 1/2 W	21
	" z				Beech	22	S 62 W	17
	" aa				Sycamore	15	N 66 1/2 W	115
	" ab				B. Oak	10	S 3 1/2 W	64
	at C				SEE SEC		17-X	
	E				SEE SEC		17-Z	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 20 Township T11N North, Range 2E


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small; margin-right: 5px;"> 0 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 </div> <div style="text-align: center;"> </div> </div>		<p><i>17 north</i></p> <p><i>D - SEE SEC. 17-Yth</i></p>						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 21 Township 11 North, Range 2 E.

REMARKS, &c., &c. Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.

Willie F. Smith Aug 6 1925



stone M. Stone on. Walnut 20 S 51 W 127
 At d. 1500 ch S. V 132 ch W. of N. Do 20 N 57 W 29
 " E 1750 ch W. of S. Elm 15 S 22 E 50
 Z stone washed out. point Z Reestablished
 from witness stump and ~~auto axle~~
 auto axle 3ft long placed 3ft north of
 of correct place of stone at Z.

Auto axle witnessed by Ach 10" S 88° E 49ft 2"
 H Type 2" monument placed by State

Highway Engineer Jerome Dustin Oct. 10 - 1939
 In State Highway #452

Nails in side of trees
 and p. poles distance
 Measured from center
 of trees and power poles

Nail in power pole East 94.74 ft
 " " Black oak N.E. 87.40 ft.
 " " Sassafras South 83.21 ft.
 6" Sycamore N.W. - 82'-6"
 Power Pole North 60 ft 4"
 62'-6" new pole

Wilbur F. Smith 3-6-52.
 For Hatfield and others

N old stone.
 S. □ Lime stone Stone, By Elm on East side of Road West 153 ch
 Plum in yard North 54"

Allie Reeves Asst.

X old stone Twin Locust 8" S.E. 7'-0"

S. TO T 20.12 ch

Locust 12" N.E. 5'-0"

X TO S 20.68 ch

Ash 12" N.E. 3'-0"

1/2 of County Road 1.95 ch
 West of S.

Walnut 8" South 6 inches

1/2 of County Road 2 ch North
 of X. and 10.16 ch E. of X.

10 Acre Tract of 1/2 S. side of SW
 1/4 SE. 5.23 ch wide:

8 Acre Tract North of 10 Acre
 Tract 3.30 ch wide

2
2
2
2
1
1
2
9
1
1
2
1
0
3
3
0
1/2
1
1
2
3
1/2
1/2
6
0
1
10

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 22

Township 11

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.
	AT N				Beech	16	S35W	45
	" S				Sugar	8	N16E	28
	" R				Elm	4	N58E	6 1/2
	" Q				Beech	15	N52W	34
	" O				"	18	S52 1/2 E	30
	" Y				"	26	N19W	44
	" U				"	8	N74W	19
	" T				"	16	S47 1/2 E	48
	" S				"	8	East	22
	" R				"	20	S5W	21
	" Q				"	8	N70W	19
	" P				"	18	N6W	16 1/2
	" O				"	16	S32 1/2 W	16
	" N				"	28	S68E	29
	" M				B Oak	26	S62 1/2 E	28
	" L				Beech	5	S4W	30
	" K				Ash	3	S50E	18 1/2
	" J				Beech	16	S72E	22
	" I				Sugar	9	N35E	36 1/2
	" H				Beech	12	S86W	38
" G				Sugar	18	N34W	35	
" F				Beech	24 24	N53E	36 36 1/2	
" E				"	7	N30E	26	
" D				Sugar	10	S9E	27	
" C				Beech	10	S16W	3	
" B				"	18	S68E	28	
" A				B Oak	18	S11W	33	
" V				Beech	22"	S.F.	4 ft.	
" U				Beech	30"	West	115 ft.	
R.L. McCRACKEN 1986	K	19 in SEE concrete			SEE 20' E iron pipe in concrete		N53°51'52"W	11.63'
					"		S78°18'51"E	12.75'
					"		S82°25'39"W	11.12'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 22

Township 11

North, Range 2E

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.


Hun.

Bearing Trees.

Diam.

Courses.

Dist.



B

IP in
concrete
RR spike
in E Road

IP set in
concrete
"
"

N45°54'51"W 22.02'

N44°55'42"E 20.54'

S33°05'13"E 31.34'

C

white
Quartz (Found)
Stone
(Large)

Revised by M. A. Crocker Nov. 3, 1908

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **23**

Township **11**

North, Range **2 East**

REMARKS, &c., &c.

Corners.

Stone Mark.


Acres. Hun.

Bearing Trees.

Diam.

Courses.

Dist.



AM

W. Oak 24 N33W 14

Beech 18 S31E 6 1/2

" *O*

" 18 S8W 14

" *S*

" 22 N14E 22 1/2

" *H*

" 12 S74W 76

" *J*

" 24 North 16

" *L*

" 10 S76E 21

Cherry 8 S88E 8 1/2

Oak Stump 24 N52W 66

" *K*

Sugar 10 N18W 8

Walnut 16 S44E 23

" 8 South 79

" 12 S15W 85

B. J. Butler

" *R*

Sugar 3 S40E 12 1/2

Ash 10 N14W 18

" *Q*

Sugar 10 S26E 20

Beech 5 N48E 38

" *U*

" 15 S64E 27

" 20 N35W 8

" *P*

" 20 N35W 8

Hickory 2 S86E 23

Z

--- S --- S 55 E

Reginald McCracken 1985

F

Wood Fence Post

PK Nail in Concrete

S82°25'39"W 11.12'

N53°51'52"W 11.62'

S78°18'51"E 12.75'

H

IP in Concrete

IP in Concrete

S72°51'18"W 16.93'

S21°41'03"E 12.61'

N59°07'05"E 13.09'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24

Township 11


North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.		
	At N	stone	115-18 ft.		Beech	20	N 6 E	76	W	
	" E	"	88-85		"	24	N 67 W	40	E	
	" C	"			Yum	8	N 60 E	31		
	" H	"			Walnut	12	N 15 W	28		
	" I	"			Beech	4	N 47 E	39		
	" L	"			"	8	N 72 E	37		
	B.R.B. M	stone			stone			N 46 W	23	F
	" O	"			"			S 60 W	24	C
	" P	"			"			N 36 W	16	
	" Q	"			"			S 45 W	20	Z
	" R	"			"			S 42 W	22	C
	" S	"			"			S 40 E	18	
	" T	"			"			S 30 W	34 1/2	
	" U	"			"			S 28 E	43	
	" V	"			"			N 47 E	45	
By H. K. Johnson, May 2-1899	"	"		eng	"		East	26		
For Ira C. Willou & J. K. Coffman	"	"		"	"		West	25		
	"	"		"	"		S 50 W	33		
Through center (one line)	"	"		"	"		South	20		
By H. A. Blunk May 4-1891	"	"			Lycamore	12	N 32 E	67		
X=76 ft north and 140 ft 9 in west of A in 75 ft and RR.	"	"			Maple	15	N 55 1/4 W	46 1/2 ft		
Frank Smith Surveyor	-X	con. of stone							per	
	C	bed 11.26 ft.								
April 15 1919 for George Wisby + John	C						East	12 ft		
FRANK SMITH, Surveyor.							Rock in center 2 1/2 ft under rock fits a piece of timber 2 ft long standing on top of rock			
Reestablished	R	Stone					wit. with rock east 12 ft. 6 in.			
Established	Z	Set								
Reestablished	-Z	Stone					wit. North Stone 26 ft.			

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24 Township 11 North, Range 2L

Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
6	Wilbur F Smith April 14-1938	X	Stone.			12 ft East and 24 ft. South of SE corner of foundation of Lumber Shed.			
U		X	Lead Plug in Conc. Pavement.			NE Cor of Brick Bldg. N.W. 55' 4"			
1						SE corner of the west plaster at S.W. Cor of Christian Church N.E. 49' 6"			
F						S.E. cor. of Conc Foundation for Lumber Shed N.W. 26' 7"			
9						68' 7" to SE COR CORNER POINT			
7						3/4" pipe on North Side of Town Border			
3						Boylelder 14" N.W. 32' 0"			
U						Boylelder 8" S. 80° E 36' 2"			
6						1/8" steel Rod			
0						1/2" of Water Meter Box S. 80° W. 10' 6"			
2						NE corner of Concrete Block Foundation of Porch S.W. 10' 4"			
F						RR Tie Spike in West End of Blanton Crossing in Center of R.R. Rails			
12						3/4" pipe near the NE corner of Feed Mill Bldg. S.W. 30' 0"			
3						Rail Road Crossing Sign post N.W. 9' 0"			
5						1" steel Rod in E of R.R. Tracks.			
9						Pine Tree 24" N.W. 44' 10"			
5						3/4" pipe South 22' 0"			
5						1" Galv. pipe in East End of T. Rails in E of R.R. Tracks.			
5						Cross Street Crossing S. 65° W. 10' 2"			
5						3/4" Camore 30" N.W. 60' 9"			
5						3/4" steel Rod in Center Lined Cross Street E of R.R. Rails			
3						STONE			
3						CONC. H. P.			
3						WOOD H. P.			
3						POWER POLE			
3						UTILITY POLE			
3						TELEPHONE POLE			
3						1" I.P.			
3						CORNER POST			
3						SE CORNER OF HOUSE			
3						UTILITY POLE			
3						S.W. CORNER OF CHURCH			
3						SE CORNER CHURCH			
3						TRANSFORMER POLE			
3						CORNER POST			
3						TELEPHONE POST			
3						IRON PIPE IN DRIVE			
3						BARBERSHOP			
3						FRAME HOUSE			
3						IRON PIPE			
3						set by Dave Shaker			



Corner #1 = 479' North of X
 " #2 = 98' 2" North of #1
 " #3 = 254' - 10" North of #2
 " X TO Cor #3 = 832'
 " 4 is S. 65° W 157.3' From corner #3
 Corner 5 is 146.52' S. 65° W of Cor #4

STONE FOUND 9-22-1920
 LEGAL SURVEY FOR MAY 4 200K
 JAMES FREED - Co. Surveyor

1346.5" "A to K"

pm '52 W Smith Bk 39 p 119

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 25 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	at N				Beech	12	N 58 E	26	T E F P D F T on 2 in S. C. to
	"	a			"	7	N 84 W	19	
	"	3	see old book		"	3	N 38 E	10	
	"	3	see old book		"	4	N 40 E	8	
	"	g			"	7	N 47 E	23	
	"	b			"	7	N 70 E	18	
	"	6	see old book		"	9	N 73 W	28	
	"	c			"	5	N 84 E	35	
	"	6	see old book		"	6	N 82 W	00	
	"	d			"	18	N 4 W	17	
	"	e			"	15	N 20 W	18 1/2	
	"	f			"	15	N 48 W	57 1/2	
	"	Q			"	6	N 6 W	32	
	"	M			"	Oak	Corner		
	"	f			"	W. Oak	8	N 54 E	
"	g			"	Hickory	30	N 25 W	9	
"	h	stone		"	Beech	12	N 84 W	33	
"	i	"		"	Ash	5	N 28 1/2 W	39	
"	j	"		"	W. Oak	28	N 43 E	42	
"	k	"		"	Beech	22	N 23 E	43	
"	l	"		"	"	30	N 45 W	84 1/2	
"	m	"		"	Elm	18	N 56 W	94	
"	n	"		"	Logwood	3	N 70 E	20	
"	o	"		"	Beech	6	N 62 E	28	
By E. A. Bourne	"	stone		"	stone		N 42 1/2 W	29 1/2	
"	"	"		"	"		N 20 W	40	
"	"	"		"	"		N 20 E	35 1/2	
"	"	"		"	"		N 60 E	45	
"	"	"		"	"		N 21 E	45	
J. Keiatt No 30 1882	"	"		"	"		South	26	
"	"	"		"	"		East	25	
"	"	"		"	"		South	25	
"	"	"		"	"		West	25	
By H. A. Blunk Feb 18, 1909 H. A. Blunk, Pritchard et al.	"	stone		"	Beech		N 21 E	27	
"	"	stone		"	Walnut		N 94 1/2 E	42	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 25 Township // North, Range 2E

REMARKS, &c., &c. Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.

<p>H.A. Blank 4/18, 1909</p>	<p>at Z</p>	<p>old stone</p>	<p>apple stone</p>	<p>32 1/2' W E</p>	<p>56 1/2 25 1/2</p>
<p>11</p>	<p>79 ch N J of X</p>	<p>stone</p>	<p>Beech</p>	<p>28 N 21 1/2 W</p>	<p>27</p>
<p>12</p>	<p>R.</p>	<p>stone</p>	<p>stone</p>	<p>16 N 56 1/2 E Beech</p>	<p>39 10'</p>
<p>13</p>	<p>O</p>	<p>stone</p>	<p>stone</p>	<p>30 ch</p>	<p>20.</p>
<p>14</p>	<p>Z</p>	<p>stone</p>	<p>stone</p>	<p>15 ch East</p>	<p>12 26</p>

Front boundary

Y. Stone in center road

H.A. Blank Oct 23-33
1/4 at center of line, end of line, at, and
on North side of alley

1/4 S.E. corner of south-west Adls
to horizontal

<p>1</p>	<p>old stone</p>	<p>10" N 75 W</p>	<p>18.5 ft</p>
<p>2</p>	<p>old stone</p>	<p>8" N 61 E N.E. Ch of fence post S.W. 23' 1/2'</p>	<p>19.25 ft</p>
<p>3</p>	<p>10 N.W.</p>	<p>16'-5"</p>	

<p>A</p>	<p>SEE</p>	<p>SEC</p>	<p>24-"V"</p>
<p>C</p>	<p>SEE</p>	<p>SEC</p>	<p>24-"X"</p>
<p>Z</p>	<p>"</p>	<p>"</p>	<p>25-"E"</p>
<p>D</p>	<p>"</p>	<p>"</p>	<p>24-"Y"</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section

26

Township

11

North, Range

2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inch.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center; font-size: 2em; margin: 0;">By</p>	A M				Sycamore	24	S 85 E	8
	" L				"	20	N 34 E	9 1/2
	" B				Hickory	24	S 4 W	59
	" S				"	8	- 75 E	61
	" M				Beech	14	N 81 E	30 1/2
	" S				Ash	3	S 55 W	11 1/2
	" S				Poplar	12	N 5 E	54
	" S				Beech	2	N 42 W	13
	" S				Sycamore	36	S 61 W	24
	" S				Beech	6	N 1 E	38
	" S				Dogwood	4	N 5 E	18 1/2
	" S				Ironwood	4	N 75 E	24
	" S				Beech	10	S 3 E	35 1/2
	" S				"	15	N 45 E	39
	" S				Sugar	18	S 31 E	30
	" S				Beech	22	N 30 E	12
	" S				Gum	14	N 70 E	3 1/2
	" S				Ash	20	N 82 W	17 1/2
	" S				"	8	N 64 -	65 1/2
	" S				Beech	14	S 39 W	10 1/2
" S				Beech	12	N 50 W	11 1/2	
" S				Dogwood	3	S 38 W	17	
" S				Elm	10	N 55 W	56	
" S				Poplar	5	East	25	
" S				Beech	12	S 50 W	80	
" S				Sycamore	5	N 33 W	32	
" S				Beech	3	N 32 E	12	
" S				Dogwood	2	N 88 E	12	
" S				stone		S 5 E.	29 1/2	
" S				"		S 84 1/2 E	26 1/2	
" S				UTILITY POLE		S 70 W	17' 8"	
" S				1" I. PIPE		SOUTH	9' 6"	
" S				IRON PIN		S 75 N	26' 2"	

By H. A. Blunk 2/18, 1909
d in 9 ch 11 of D. C. S. 45 W of d

e Iron rod
10" A IRON STAKE (BURIED 6")

UTILITY POLE S 70 W 17' 8"
1" I. PIPE SOUTH 9' 6"
IRON PIN S 75 N 26' 2"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **26**

Township **11**

North, Range **2E**

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres. Hun.


Bearing Trees.

Diam.

Courses.

Dist.

at
E — **STONE AXE H⁵⁶ 1' HIGH**
 W CHERRY 4" N45° 8' 1"
 HICKBERRY 10" SOUTH N4 1/2"
 S.W. COR. 18" HIGH CONCRETE
 WALL CASINO. N50E 26' 5"



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27

Township 11

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	At I				Dogwood	3	S57E	24
	" A				B. Oak	3	N67W	30
	" B	Stone in a field			Hickory	10	North	6
	" C				"	20	S3W	5
	" D				Beech	5	N50E	23
	" E				Ash	8	S72W	18
	" F				Poplar	20	N4E	15 1/2
	" G				W. Oak	7	S58W	11
	" H				Stone		S. 3/4"	34 ft.
	" I				Stone		N. E.	26.4 ft.
By H. A. Plunk, Jan 10-17 18	t	Stone			Stone		East	12 1/2
t is 17.35 N. - 7.33 East	u	Stone			Stone		East	12 "
F is in center of pass-way 21/2 side	v	Stone			Stone		East	25 "
W is 17.35 N. and 9.21 E. East of D.					White Oak	4"	S17E	10
t is 17.35 N. North of D.					Sand Oak	24"	S1E.	2,10 ft.
By H. A. Plunk, Sept 21-22	-Z	Old Stone			N. S. L. Nelson		S12W,	201 ft.
Canatsey - 142 sec. with 502. South. of Z	P	Old Stone			Post.		N56E.	40 ft.
found old stone Z					Elm	18"	N42E.	54 1/2 ft.
By Canatsey					Ash	10"	S42 1/2 E	56 1/2 ft.
E. O. Gilbert & H. G. 73/1477K	X	Stake			Concrete		N16 1/2 E.	118 1/2 ft.
1949					Post		N16 1/2 E.	118 1/2 ft.
					Willow	12	N107th	15'-9"
					Light pole		SW	65'-9"
					Old Stone			
					SET IRON PIN OVER STONE. 6/6/196 E. O. M.			
	a	Stone			ASH	10"	S3PE	101'0"
					N.E. cor. House		SW.	104'-3"
	b.	Iron pipe			E1777	12"	N. 64 E	36'
					Willow	6'	NE	4'-0"
					"	6'	NW	7'-5"
					Box		South	39'-2"
	A	SEE	SEC		26" E			
	Z	SEE	"		33" A			

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **Z7**

Township **11 N**

North, Range **2E**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>Donald McCracken 1984</p> <pre> D --- C --- B --- A C --- H --- I --- K O --- N --- M --- L R --- S --- T --- U Y^o --- X --- W --- V </pre>	C	IP in Concrete			IP		S88°59'31"W	16.49'
	D	IP in Concrete			PK Nail in Concrete		N18°24'13"W	17.33'
					"		N46°40'02"E	32.55'
	E	IP in Concrete			PK Nail in Concrete		N46°15'38"W	9.21'
					"		N77°10'45"W	21.97'
					"		S41°00'-0"W	17.04'
	A	Iron Axle			Iron Pin		N04°36'31"W	7.19'
					"		S89°47'14"W	6.52'
					"		S00°19'25"E	7.60'
					"		S83°38'37"E	2.15'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28 Township 11 North, Range 2 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
By B. F. Butler v At N					Beech	16	N 42 1/2 E 10		2
					"	8	S 73 E 33 1/2		
					Sugar	7	S 19 E 27		
					Beech	18	S 77 1/2 W 42		
					Beech	16	S 57 W 8		
					"	9	N 69 E 36		
					B Oak	6	S 45 1/2 E 71		
					S Oak	6	N 17 1/2 E 2		
					Beech	25	S 19 E 42		
					"	24	N 20 E 69		
					"	8	N 50 W 17		
					"	14	N 47 E 18 1/2		
					"	10	S 88 W 49 1/2		
					R Elm	14	S 82 1/2 W 50		
					Oak	18	North 12		
					Stone		North 25		
					W Oak	8	S 4 W 57		
					Maple	20	N 29 E 66		
					Beech	12	N 40 W 23		
					Sugar	8	S 74 W 25		
					B Walnut	16	N 76 1/2 E 37		
					B Hickory	8	N 30 E 78		
					W Oak	4	N 69 1/2 W 9 1/2		
					L Stone		N 80 E 14		
					W Oak	5	N 6 W 48		
					Stone		North 98		
					Bur Oak	5	S 87 E 22		
					Pin oak	30"	N 79° W 5 ft.		
Michael Hesse Bp in for Carl O Nelsohn April 1 st 1901	X	Stone							
H. A. Blunk, June 16, 09 from roots of witness trees by B. F. Butler	P	stones reestablished 24 ft.							
W. F. Smith July 22-35 for Robert Hamilton et al.	N	Stone Renwitnessed			SW corner concrete. N 45° E			42 1/2 ft.	
N 45 ft East of N.	N	Stone			Lime Stone TOWER			14 1/2 ft.	
N 40 ft East of N	M	Stone			ASH	4"	N 72 E	6 1/2 ft.	
					Sugar	5"	S 7° E	4 ft.	
3" 20 rods West of N.	"O"	Stone			Pin oak	18"	S 70° W	15 1/2 ft.	
					B. Hickory	6"	S 60° E	2 1/2 ft.	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section


28

Township

North, Range

REMARKS, &c., &c. Corners. Stone Mark. Acres. Hun. Bearing Trees. Diam. Courses. Dist.

W. F. Smith July 23-35



X
"K"
L
A
N
O
P is
Q is

Re-established from old witness trees. E. Hickory 19" N 30° E 50 ft.
Stone N N 40° E 19 1/4"
Stone 45° N E Hickory 6" N 40° W 25 1/4"
of X { Concrete cov. post. N 16 1/2° E 183 1/2"
Stone. { Elm Stump 18" N 42° E 54 1/4"
 { Elm 8" S 33 3/4° W. 40.6 ft.
 { stone S 30 1/2° E 41.4 ft.
Stone. Red Oak 36 N 62 1/2° W 7 1/2"
old stone Limestone N 82° E 13 1/4"
 Pin Oak 24" S 10° W 23 1/2"
 stone (σ) East 9 1/2"
 Pin Oak 24" S 15° E. 23 1/2"
 Hickory 10" N 27 1/2° E 21 1/4"
 Elm 12" N 69 1/2° E. 21 1/2"

H. A. Blunk, Dep'y for. 5.09 1/2 W of X
E. O. Gilbert - Jun 19-1944
Survey for Gladys
Williamson and Harry Haase, 20.59 1/2 N. of P

✓
X

SEE SEC 33 "A"
" " 33 "C"

7 ft.
2 1/2 ft.
1 1/2 ft.
1 ft.
5 1/2 ft.
2 ft.

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 11 North, Range 2 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.		
	At S				Gum	20	S 51° E	17		
	" R				S. Oak	18	S 77° W	52		
	" K				Beech	-	N 81° E	15		
	" H				Maple	14	S 56° W	32		
	" G				Hickory	17	N 70° E	22		
	" F				"	3	N 23° W	11		
	" E				Sugar	16	S 63° E	31		
	" D				Osage	4	S 25° E	19		
	" C				Oak	24	N 32° E	6		
	" B				"	12	S 39° W	28		
	" A				Beech	10	N 34° E	33		
					"	22	S 15° W	42 1/2		
					"	22	S 21° W	60		
					"	10	S 28 1/2° E	82		
					Stone		N 25° E	10		
<p>E. A. Bourne Aug 17th 1902 For Nancy Norman Et. al.</p>	" X				"		S 35° E	10		
	" N				"		North	25		
	" S				"		South	25		
	" R				R.R. T. rail 3/4 inch		North	36		
	" Q				Ash	15	S 36° W	47 1/2		
	" P				Stone		S 2 1/2° W	41		
	" O				"		S 5° W	8		
	" M				Buck eye	12	N 41° E	3 1/2		
	" L				Soft Maple	10	South	12.5 ft.		
	" K				x Stone 9.9925' W of N.		South Rail RR Track	North	50.	
<p>Carl O. Gilbert for Riley Keep. + Thomas Norman June 29. 1906</p>	" J			y. Stone 9.9875' W of S.		Stone Marked W.	North	25		
	" I				Stone Marked W.		West	25		
	" H				P stone, between roots on south west side of		24" x 17" ash	Stone	West	12 ft.
	" G				F stone		E 17° W	10"	N 40° W	5 1/2 ft.
	" F				G stone		Cherry	10"	S 8° E	5 1/2 ft.
<p>W. A. Norman for Mrs. Norman & Sons Sept. 27 1935</p>	" E					Ash	15"	S 38° E	30 ft.	
	" D					Ash	15"	West	35.5 ft.	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

A 10-1D-A

576

Section

30

Township

11

North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
		Ark Stone			Poplar	48	South	75	
		"	"		Beech	18	S55E	31	
		"	"		"	24	N67W	65 1/2	
		"	"		"	12	S52W	70	
		"	"		"	14	S50W	22	
		"	"		"	8	S23E	20	
		"	"		"	6	S83W	26 1/2	
		"	"		"	18	N9E	68	
		"	"		"	Stone		South	18
		"	"		"	"		East	15 1/2
		"	"		"	"		N49W	19
		"	"		"	Beech	20	South	23
		"	"		"	Stone		N49W	19
		"	"		"	Beech	20	South	23
		"	"		"	Stone		-36W	13
						"		N38E	16
					Beech	16	S75W	19	
					"		S37 1/2 E	102	
					"	12	N23 1/2 E	50	
					"	6	S26 E	83	
					Stone		N25E	10	
					"		S36E	10	
					"		Willow	14	
					"		east line		
					"		NE. cor of barn	860 1/2 W	
					Auto. Axel	1"	South	15 ft	
					"	"	North	15 ft	
					"	"	east	10 1/2	
					Gas pipe	1"	South	10 1/2	
					Stone		N.	4.75	
							(143 1/2 N of A. 36-16)		

E.A. Bourne
By H.A. Blunk, Depty.
Sept. 25-1915

Carl O. Gilbert
Sept. 20. 1941

Canatsey - 1926 (for D. 1507.) - 11.

Stone cor.
P = 17 1/4 W P " "
O = 27.92 East of P " "
X 1 1/4 Gas pipe
S Stone with 1 1/4 Pipe at side
old stone found
Z

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 30 Township 11 North, Range 2E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	A	H			Sycamore	8"	N5E	40'0"
			Pipe beside		Beech	10"	S70W	20'0"
					Shell Hickory	14"		43'0"
	I	I	STONE		Ash	8"	N85E	9'6"
					Shell Hickory	7"	North	4'4"
	S	STONE		GRADER DIAB		S45W	10"	
		BURIED 6"		Box Elder	3"	S20E	14'6"	
				Maple	5"	South	85'2"	
	P							
	M							

ROH - P 1" I.P. - 136' NORTH OF "L" STONE SEC25
TWIN RIE

ROH - M COR POST - 1" I.P. IN FENCE LINE NORTH 15'
TW OAK 8" WEST 16'2"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 31 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	at N.				Beech	24	N 55 W	41 1/2
	" D				"	18	S 55 E	39 1/2
	" O				"	15	N 57 W	17 1/2
	" R Stone				B. Ash	8	S 77 E	42 1/2
	" L				Beech	5	S 44 E	9 1/2
	" I				"	9	S 84 W	5 1/2
	" J				Sugar	12	N 43 E	29 1/2
	" K				Beech	14	S 83 E	35
	" H				Oak	24	S 87 W	21
	" G				Hickory	14	S 29 1/2 E	49
	" F				Stone		North	10
	" E				"		East	10
	" D				Oak	12	N 78 W	13 1/2
	" C				Sugar	15	S 5 W	48
	" B				Stone		North	18
" A				"		East	18	
" Z				"		South	12	
" Y				"		East	12 1/2	
" X				"		N 64 W	12	
" W				"		N 31 E	14 1/2	
" V				"		N 25 E	10	
" U				"		S 36 E	10	
" T				Beech	6	S 72 E	7	
" S				"	11	N 84 W	11	
" R				Stone		S 45 W	10	
" Q				"		N 45 E	10	
" P				Ash	10	N 62 E	15	
" O				Sugar	14	S 15 W	36	
" N				" Z found old stone marked +				
" M				Beech	14"	N. 30° E	71 1/2	
" L				"		12° 55' E	45 1/2	

E. A. Bourne

H?

H? C?

By E. A. Cantley May 3

1952
Good 1969

from Z - 29.50 ch. E. on Co. line stone and Iron Rod which is D. cor. in T. 10 N.

E
F
P
O
Z

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	at D				Gum	20	S 51° E	17
	" R				S. Oak	18	S 77° W	52
	" H				Beech	-	N 81° E	105
	" G				Maple	14	S 56° W	32
	" F				Hickory	17	N 70° E	22
	" E				"	3	N 23° W	11
	" D				Sugar	16	S 63° E	31
	" C				Ogwood	4	S 25° E	19
	" B				Oak	24	N 32° E	6
	" A				"	12	S 39° W	28
					Beech	10	N 34° E	33
					"	22	S 15° W	42 1/2
					"	22	S 21° W	60
					"	10	S 28 1/2° E	82
	<p>E. A. Bourne Aug 17th 1902 for Nancy Norman Et. al.</p> <p>Carl O. Gilbert for Riley Kemp. + Thomas Norman June 29. 1906</p> <p>William J. ... for Norman ... Sept. 24 1935</p>	" J Stone				Stone		N 25° E
" K Stone					"		S 35° E	10
" L Stone					"		North	25
" M Stone					"		South	25
" N Stone					"		North	36
" O Stone					"		North	42 1/2
" P Stone					"		S 2 1/2° W	41
" Q Stone					"		S 5° W	8
" R Stone					"		N 41° E	3 1/2
" S Stone					"		South	12 1/2 ft
					South Rail RR Track		North	50.
					Stone Marked w/		North	25'
					Stone Marked w/		West	25'
							West	12 ft.
							West	5 1/2 ft.
							West	5 3/4 ft.
							West	30 ft
							West	25.5 ft.

Sec 31

11

2 E

- Moore 9 ENGP STONE - MAPLE 14 S 13.4'
(1" PIPE BESIDE) MAPLE 8" E 8.8'
SHALL HACKY N45" 14.2'
- Moore 1 I.P. ON RANGE LINE BETWEEN "P"
AND "Q" ON TOP 1st HILL SOUTH OF
MAHALASVILLE - 16" SPIG HICK S 17.7"
- 14" W OAK N20E 37" 11"
3" HICKORY N30W 8' 4"
- Moore 5 1" I.P. - 102' NORTH OF S' AT EW FENCE
IT IS 1378 NORTH OF 'X', ALSO 1378'
SOUTH OF 'N'
- 11" W. OAK E 52' 8"
- 18" HARD MAPLE S20E 1' 2"
- 4" MAPLE S20W 11' 5"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **32**

Township **11**

North, Range **2 East**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	Wh N Stone				W Oak	24	N55W	19
	" 2 "				do	17	S26W	11
	" 2 "				Hickory	20	S12W	36
	" 2 "				"	16	N28W	29
	" W				Sugar	9	N53E	162
	" 2 Stone err.				"	10	S50E	16
	" M Stone				Beech	12	S39W	35
	" H "				Sugar	18	N76W	25
	" L "				Drumwood	5	N65E	15
	" E Stone err.				Redwood	5	S36E	8
	" F "				Stone		S14W	10
	" P "				"		S73E	11
<p>E.A. Boume</p>	" H "				Hickory	18	N63E	62
	" L "				"	12	N65W	40
	" E Stone err.				"		S30W	22 1/2
	" F "				"		North	19
	" P "				"		N25E	10
	" S "				Beech	6	S72E	7
	" a " 3000 E 1/2 S 22 1/2 E of N.				"	11	N284W	11
	" b " 775 2 of a.				Stone		S45W	10
	" c " 1075 E of N.				"		N45E	10
	" d "				"		West	21 1/2
	" e "				"		East	41
	" f "				"		N 22 W	25
<p>Harry K. Johnson Dec. 24th 1902 Johnson et al</p>	" H "				Hickory	4	N 63 E	23
	" L "				Beech	12	S 56 W	1
	" D Stone				White Oak	11	S 3 W	12 1/4
	" R "				" "	14	S 25 3/4 W	9 3/4
	" O "				Black Oak	7	N 96 1/2 W	57
	" Y "				White Oak	30	N 58 W	42 3/4
	" "				Red Oak	13	N 78 W	12
	" "				Hickory	3	S 32 W	13 1/2
	" "				Stone		S 7 1/2 W	33 3/4
	" "				White Beech	14	N 4 3/4 E	13
	" "				" "			
	" "				" "			

Carri Hoate Apr. 30 - 1912

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **33**

Township **11**

North, Range **2 East**

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres.

Hun.


Bearing Trees.

Diam.

Courses.

Dist.

Wilbur F. Smith
for LEWIS WOERNER AUG 21 1935



77 27.5 rods West of IV.

Wilbur F. Smith Co. Surv. 9-12-32
E.B. Canatoy & A. Reeves agents
For OSCAR GRUBBS.

V - west over County line
406 ft To E of Co. Highway

RO Hollis

V	old stone	Hickory	3" S 70° W	27' 8"
		Elm	3" N 20° W	11' 8"
Ⓢ	old stone top corner	Wim Beech	30" N 50° W	12 ft. 1"
		Beech	24 S 38° E	8 ft. 3"
C	stone	same as X	Section 28	
N	original stone Re Witnessed	Hickory	10" 77 88° W	8 ft.
		Hickory	14" 77 89° E	17 ft.
M	original stone Re-established	Elm	12" 77	11 ft. 7"
		Wim Sugar	4" S	15 ft. 8"
H	original stone Re-established	Elm	18" 71 65° W	13 ft. 4"
		Hickory	15" 72° N 13 ft. 4"	
h	stone	Elm	30" 71 60° W	11 ft.
		Sugar	15" 77 75° E	21 ft.
M	stone	Elm	9" 71 5° E	10 ft. 5"
		Beech	20" S 20° E	19 ft.
V	Flat Stone Placed on Top of Old Stone.	Elm	7" N. 10° W	1' 4"
		Ash	4" S. 85° W	9' 2"
		Sugar	36" N. 75° W	13' 10"
C	STONE (1" IP OVER)	SHELL HICKORY	30" NSE	-
		ASH	9" SOUTH	19" 7"
V	SEE SEC 34-Z			
M	STONE (1" IP OVER)	B. OAK	24" N 40° E	45' 3"
		ASH	7" N 85° E	10' 3"
		MAPLE	8" SOUTH	35' 2"
ROH	A	STONE (1" IP OVER)	NE COR STONEHOUSE	S 15° W 103' 11"
			UTILITY POLE	S 30° E 24' 11"
			MIDDLE RAIL SUPPORT DRIVEWAY	
			BRIDGE	S 42° W 22' 10"
ROH	N	STONE (1" IP OVER)	SHELL HICKORY	12" EAST 16' 10"
			SHELL HICKORY	12" N 80° W 8' 0"
			ASH	10" S 4E 36' 5"

SEE AFTER SEC 36

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **33** Township **11** North, Range **2 East**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	at L	stone			Elm	15	N 73° E	40
	"	"			stone		S 35° W	8
	"	"			"		N 11° W	24 1/2
	"	"			"		S 9° W	20
	"	N	"	7/4	Oak	5	N 36° E	21
	"	R	"	7/16	Sugar	6	N 80° W	49
	"	"			Walnut	12	S 17° W	8
	"	"			"	12	S 52 1/2° E	27
	"	Y	"		"	12	N 22° E	10 1/2
	"	Z	"		Cherry	8	N 7 1/2° E	22
	"	"			Beech	22	South	12
	"	"			Sugar	8	N 71 1/2° E	22
	"	"			Beech	6	N 13 1/4°	22
	"	"			Hickory	20	S 44 1/2° W	32
	<p>By H. A. Butler</p>	"	"			Beech	8	N 75° W
"		"			Sugar	12	N 27 1/2° W	54
"		"			Beech	8	N 57 1/2° E	14 1/2
"		"			"	12	S 5 1/2° W	22 1/2
"		M	"		Elm	18	N 15° E	12
"		"			Hickory	20	N 39° W	66
"		"			Willow	3	S 4° E	42
"		"			Beech	10	N 64° W	67 1/2
"		"			"	10	N 72° E	30
"		"			W. Oak	26	S 53 1/2° W	26
<p>By H. A. Blank (Mar. 21, 1910)</p> <p>Survey of Wm. Neal et al. a a 350 ch South of N to 20.50 chains East of a</p>	"	"			Sugar	10	N 87 1/2° W	20
	"	"			Assofuo	18	N 49 1/2° W	30
	"	"			"	10	S 29 1/2° W	20
	"	"			Dogwood	5	S 21° W	23 1/4
	"	"			R. Oak	—	S 44 1/2° E	21 1/2
	"	"			beech	14	S 17° E	19
	"	"			"	10	N 10 1/2° W	21
	"	"			Hickory	6	South	75
	"	"			stone			
	"	"			stone			

Sec 33

H. STONE
(1" IP OVER)

TIN

10 SHELL HICKORY S10W 15'2"
8" MAPLE NORTH 18'10"

RRE

12" SHELL HICKORY S64W 18'3"

0 1" I.P.

12" SPIG HICKORY S10E 4'6"
14" ELM N20E 6'8"
10" BEECH N64W 20'1"


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By</p> <p style="text-align: center;">B. J. Butler</p>	1	at M Stone			Dogwood	4	246 E	19
	"	"			R Oak	3	217 W	28
	"	"			Beech	12	N 12 E	17
	"	"			W Poplar	8	254 W	16
	"	"			Poplar	10	N 13 W	9
	"	"			Beech	15	257 E	23 1/2
	"	"			"	16	228 E	29
	"	"			Sugar	14	N 9 1/2 E	23
	"	"			Stone		N 45 W	18
	"	"			Stone		245 E	28
<p style="text-align: center;">E. U. Bourne Sept 2nd 1878 for J. O. Coleman</p>	"	5	"	"	Hickory	20	N 11 W	20
	"	"	"	"	Beech	14	N 35 1/2 E	23
	"	6	"	"	R Oak	20	24 W	12
	"	"	"	"	Hickory	15	N 45 W	33
	"	7	"	"	Sugar	8	227 E	21
	"	"	"	"	Oak	20	N 62 W	34
	"	8	"	"	Beech	20	226 E	21
	"	"	"	"	Sugar	18	N 49 E	19
	"	9	"	"	Hickory	10	N 16 W	6
	"	"	"	"	Beech	10	N 82 E	18
<p style="text-align: center;">By H. A. B. Bonds, June 10-17 1878 Survey for E. U. Bourne at old</p> <p>b is 9.21 east and 1.17 N. of land of B. c is 1.33 east and 1.17 N. of B & c is 2.66 east of b.</p> <p style="text-align: center;">Corners</p>	"	2	Stone cor.	"	"	15	N 21 E	45
	"	"	"	"	"	11	238 W	31
	"	"	"	"	Poplar	21	220 E	40
	"	"	"	"	Beech	4	N 22 E	21 1/2
	"	"	"	"	Ironwood	6	N 15 1/2 W	17
	"	"	"	"	Stone		East	12 1/2
	"	"	"	"	Stone		West	12 1/2
	"	4	Stone (see old Book)		(Beech	18"	N 28 E	34 3/4
	"	11			Sugar	15"	S 31 W	12
	"	3			Sugar	15"	N 75 W	15
				Beech	15"	S 30 W	22	
				(Pop.	6"	N 12 W	12 1/2	
				Sugar	3	S 11 E	9	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 11 North, Range 2E



Dist.	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
19	Big tree	B	Bearing Stone					North	
29								South	
7									
6									
9	H.A. Blunk, Jr. 11-1934	B	Old Stone			Twain Ash	18"	S 5 1/2° W.	77 lbs.
3 1/2						Stone		North	50 lbs.
29		A.	Old Stone			Old Stone		West	14 lbs.
23						is on well			
18		G	old stone			Sycamore	18"	N 45° W.	65 lbs.
28						Elm	15"	S 29 1/2° E.	36 "
20		h.	Flat Iron 2"x1/2"x1/2"			Elm	14"	N 6° E	6 1/2 "
23	M is 6.01 ch. south of M	m	Iron Pipe			Sugar	8"	S 2 E	8 1/2 "
12						Beech	12"	N 40° W.	61 "
33	L is 1.43 ch. south of L	L	Axis of Wheel			Oak	10"	North	9 "
21						Hickory	7"	N 69° E.	32 1/2 "
34	O is 11.00 ch. west and 11.43 south of L	O	Iron Axle			Oak	14"	S 24 1/2° E.	11 1/2 "
21						Oak	10"	N 13° W.	21 1/2 "
19	H is 4.55 south of O	H.	Iron Pipe			Sugar	9"	N 88° E.	43 1/2 "
6						Beech	15"	N 20° W.	33 1/2 "
18	P is 5.87 west of M	P	Iron Rod			Slippy Elm	6"	N 29° W	17 1/2 "
65						Beech	15"	N 48° E.	49 1/2 "
31	Q is 14.50 south of P	Q	Iron Pipe			Juniper	8"	N. W.	17 "
90						Twain Black Oak		N. E.	27 "
21 1/2	By Wilbur F Smith								
17	Haase Est. July 26 1935	Z	Old stone			Hickory	3"	S 70° W	24 8"
12 1/2	3 lap corner 3.80 ch. W of Z	Z	Old stone			Elm	5"	N 30° W	14 3"
12 1/2		Y	Old stone			Twain Beech	30"	N 50° W	124.14
						Beech	24"	S 30° E	84.5"
						Beech	30"	S 40° E	134.6"
		R.	Old stone			Hickory	5"	S 80° W.	3 ft.
						Hickory	3"	S 60° E.	144"
			Stone			Red Oak	18"	71.	144.
			Stone			Black Hickory	12"	S 70° W	3 ft.
			Stone			Hickory	5"	N 50° E	26 1/3"
	Joe Stockton survey		Stone			Spignut	7"	N 2° W	45 1/8"
			Stone			Hickory	5"	S 85° N	210"
			Stone			Red Oak	14"	N 30° E	131"
			Stone			Beech	12"	S 70° E	16 1/4"

SEE AFTER SEC 36

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 11 North, Range 2E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	11-17-00 X	STONE (1" PIPE OVER)			W. OAK	12"	E	125'	
					TW. OAK	20"	W	105'	
					R. OAK	7"	N	36.1'	
	11-18-00 S	STONE (1" IRON PIPE OVER)			R. OAK	12"	W	290'	
					SHELL HICK	10"	E	43.5'	
					BEECH	9"	N	45.5'	
	11-19-00 Y	IRON PIPE			B. OAK	16"	E	3.0'	
					SHELL HICK	15"	N70W	12.0'	
					BEECH	10"	N10W	34.0'	
		E K	SEE N.	SEC "		33 "A" 35 "P"			

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	At N	stone			stone		S 71 W	12
	"	M			Beech	9	N 84 W	17 1/2
	"	O	stone		Sugar	7	N 61 W	32 1/2
	"	S	stone cor.		"		S 70 E	19
	"	G	stone		"		N 50 E	16
	"	J	"		"		S 56 E	10
	"	"	"		"		S 50 W	15
	"	"	"		"		S 48 E	12
	"	"	"		"		N 48 W	14
	"	"	"		"		S 39 E	15 1/2
	"	"	"		"		N 42 E	18
	"	"	"		2 Oak	-	S 80 E	21
	"	"	"		Hickory	-	S 67 W	9
	"	"	"		Beech	20	S 82 E	29
	"	"	"		Sugar	17	N 36 E	31
"	"	"		stone		S 16 W	22	
"	"	"		"		N 72 W	18	
"	"	"		"		N 61 E	19	
"	"	"		"		N 47 W	24	
"	"	"	1/6 see old book	Beech	10	N 58 W	31	
"	"	"		"	16	S 50 1/2 W	42 1/2	
"	"	"		stone		S 48 E	20	
"	"	"		"		S 81 W	2	
"	"	"		"		N 50 E	10	
"	"	"		"		N 66 E	8 1/2	
"	"	"		"		N 74 W	13 1/2	
"	"	"		"		S 83 E	11	
"	"	"	6.50 ch. N of (W)	Walnut	4	North	25	
"	"	"	10.65 1/2 E. of (W)	stone	-	West	25	
"	"	"	10.55 1/2 E. of (S)	Do		South	17	
"	"	"	2 2.55 ch west of R 517002 stone	Do.		S 60 1/2 W	20	
"	"	"		W. oak	16	S 5 W	11 1/2	
"	"	"		Maple	2	N 27 E	6 1/2	

B. J. Butler

Hez. K. Johnson, June 6th 1899
For John Miller, et. al.

H.A.B link apr. 29, 09

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township _____ North, Range _____

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
		<p>14.71 ch E of Rand 8.14 3/4 W 5.97 Stake Corp of Gilbert 8-27-49 G - Perpetuated</p>			<p>W. oak 12 N. 49° W Blue oak 16 N 31 1/4° W</p>		<p>37 42</p>		
					<p>70 h. 20 77 62 E Beech 24 N. 84 W</p>		<p>74 L 64 L</p>		
		<p>Stone G</p>	<p>1 1/2" IRON PIPE 2' HIGH</p>			<p>MAPLE 24" S 50 W BEECH 24" N 84 W ASH 24 N 62 E W CHERRY 7" N 70 W</p>		<p>14' 11" 64 L 79 L 52' 3"</p>	
	<p>Stone P</p>		<p>STONE (3/4" IP BESIDE)</p>			<p>MAPLE 7" N 30 W SPIGNUT HICK 9" N 75 W MAPLE 9" SOUTH</p>		<p>11' 3" 15' 6" 12' 9"</p>	
	<p>Stone O</p>		<p>Stone (3/4" IP OVER)</p>			<p>SPIGNUT 18" N BEECH 9" SOUTH R. OAK 6" S 65 W</p>		<p>24.2" 31' 9" 12' 8"</p>	
	<p>Stone 1</p>		<p>IRON PIN 683.6' EAST OF "O" ON 1/2 SEC LINE IN BLK TP RD.</p>						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 11 North, Range 2 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By B. J. Butter</p>	A	Stone			Beech	10	N 84 1/2 E	32
	B	"	"		"	12	N 10 1/2 E	24
	C	"	"		W. Cherry	18	N 43 1/2 W	61
	D	"	"		R. Oak	8	N 4 1/2 W	96
	E	"	"		W. Oak	30	N 13 1/2 E	17
	F	"	"		Sugar	-	S 75 W	87
	G	"	"		Beech	18	S 20 1/2 E	107
	H	"	"		"	18	S 56 E	122
	I	"	"		R. Oak	6	S 83 1/2 W	99
	J	"	"		W. Oak	36	S 85 1/2 E	9 1/2
	K	"	"		Beech	20	N 75 W	24
	L	"	"		"	-	N 27 E	52 1/2
	M	"	"		G. Ash	10	S 9 1/2 E	13 1/2
	N	"	"		W. Oak	36	N 11 3/4 W	30
	O	"	"		do	30	N 43 E	106
	P	"	"		B. Walnut	6	N 44 1/2 W	87
	Q	"	"		Beech	10	S 73 1/2 W	147
	R	"	"		"	12	N 62 E	19
	S	"	"		"	10	S 9 1/2 W	13 1/2
	T	"	"		R. Oak	4	S 74 W	16
U	"	"		G. Ash	8	S 73 1/2 E	32	
V	"	"		Stone	-	S 50 W	12	
W	"	"		"	-	S 59 W	20	
X	"	"		"	-	N 65 W	29	
Y	"	"		Poplar	4	N 6 E	37	
Z	"	"		Walnut	10"	N. 81° 30' E	68 1/2	
A	"	"		Walnut	10"	S. 40° E.	92 1/2	
B	"	"		W. Oak	8"	S. W.	23	
C	"	"		R. Oak	6"	S. 88° E	20	
D	"	"		UTILITY POLE	-	N 5 E	96 1/2	
E	"	"		UTILITY POLE	-	S 5 W	55 1/2	
F	"	"		R	12"	N 40 E	33 1/2	
G	"	"		STONE 5	6"	N 20 W	25 1/2	

By _____

E. D. Canahoy Apr. 1926

