

	A	B	C	D	E	F	G
41	24						
Y	6	5	4	3	2	1	
0.22 Y	4.00	80.69	89.37	81.25	80.04	79.85	
X	7	6	5	4	3	2	
2E	23.06	81.12	80.28	81.14	80.72	80.21	
W	18	17	16	15	14	13	
0.75 H	1.20	82.0	85.73	82.0	80.30	80.26	
V	19	20	21	22	23	24	
0.71 D	1.10	81.17	80.94	82.0	81.10	81.03	
0.7000 4.9757							
0.33 U	1.90	20	20	27	26	25	
0.01 508.8237							
U	0.75	81.10	4	82.19	81.02	81.25	
T	31	32	33	34	35	36	
35.10			81.50				

Township 13 North Range 1 East

# FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township

13

North, Range

1 East.

Corner.	Bearing Trees.	Diam.	Courses.	Dist.	Corner.	Bearing Trees.	Diam.	Courses.	Dist.
at	u	Sugar 8	N42E	31	at	L	Beech 18	N65E	22
		Hackberry 18	S25W	30			" 12	S34W	22
a						I	Ash 9	N45W	18
B	Elm	5	S10W	20			Beech 21	S25E	18
	Beech	7	N40W	16		Mo	" 18	S54E	9
							" 8	N57W	19
E						m	" 18	S42W	17
e						N	Sugar 14	N31E	19
D	Poplar	30	S54W	9			Beech 7	N37W	4
	Beech	7	N26W	19		n	" 12	S64E	49
							Buckeye 10	N65E	8
I							Hickory 7	S77W	28
E	G. Ash	4	North	6		O	" 9	S86W	42
	Sugar	3	N50E	28					
e						o	Locust 15	N1W	36
H.							Hackberry 6	S8W	21
						P	Elm 8	N52E	16
							Ash 7	S42E	13
f						P	Elm 6	N37E	43
G	Hackberry	18	N61W	30		I	Ash 5	S67E	32
	Buckeye	10	S40E	22		Q	Beech 20	N69E	27
	Sugar	6	N23E	8			" 7	S85W	25
e	Ash	10	S23E	18		F	Sugar 12	S40E	19
			S21E	3			Dogwood 6	S58W	16
h	Hickory	7	N70W	23		R	Sugar 12	N12E	20
	Locust	7	S4W	5			" 9	S30W	32
	Buckeye	10	N68W	9		r	Beech 14	S30E	15
I	Sycamore	24	N25W	80			" 17	N10E	12
	Buckeye	16	S28W	35		s	" 6	N41E	19
i	Hackberry	14	S65E	26			Sugar 18	S20W	70
	Buckeye	10	S28W	35		S			
K	Beech	16	N55E	5		J	Beech 9	S42E	7
			N70W	27			Hickory 12	N27W	57
			S54E	15		v			
k	Hackberry	18	S49W	7					



# FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 13 North, Range 1 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
W 25.26.35.36	Beech	9	North	8	W 22, 23, 26, 27	Beech	14	S 2 W	38
	"	15	South	18		Hickory	—	N 1 E	64
23.24.25.26	Sugar	18	S 10 1/2 E	18	" 14.15.22.23	Beech	12	N 29 E	33
	Elm	9	N 11 E	40		"	18	S 40 1/2 W	32
13.14.23.24	Ironwood	6	N 80 E	26	" 10.11.14.15	"	24	N 70 E	24
	Beech	8	21 E	32		G. Ash	30	N 49 1/2 —	45
11.12.13.14	W. Oak	16	N 23 E	24	" 2.3.10.11	Beech	30	N 70 W	25
	Ironwood	9	S 40 W	24		Ash	9	S 61 W	18 1/2
1.2.11.12	Hickory	9	N 70 W	3	" 27.28.33.34	Hickory	12	N 52 E	30
	Sugar	6	S 38 E	20		"	14	S 79 E	10
26.27.34.35	G. Ash	5	N 1 W	14	" 21.22.27.28	Elm	10	N 47 1/2 W	35
	Beech	13	S 40 E	21		Poplar	18	S 15 1/2 E	48
22.23.26.27	"	14	S 2 W	38	" 15.16.21.22	Sugar	10	S 74 1/2 E	19 1/2
	Hickory	—	N 1 E	64		"	8	N 31 E	41
10.11.14.15	Beech	24	N 76 E	24	" 9.10.15.16	Hickory	15	N 27 E	32
	G. Ash	30	N 49 1/2 —	45		"	18	S 48 E	25
2.3.10.11	Beech	30	N 70 W	25	" 3.4.9.10	Poplar	30	N 65 W	9
	Ash	9	S 61 W	18		Sugar	7	S 51 W	27 1/2
27.28.33.34	Hickory	12	N 52 E	30	" 28.29.32.33	Beech	24	N 81 —	30
	"	14	S 79 E	10		Hickory	8	S 5 W	27
21.22.27.28	Elm	10	N 37 1/2 W	35 1/2	" 20.21.28.29	W. Oak	18	N 8 W	20
	Poplar	18	S 18 1/2 E	48 1/2		"	18	S 57 1/2 E	26
25.26.35.36	Beech	4	North	8	" 16.17.20.21	Sugar	—	N 57 W	25
	"	15	S 28 W	18		"	14	S 41 W	17
23.24.25.26	Sugar	18	S 10 1/2 E	18	" 8.9.16.17	Beech	10	N 4 E	23
	Elm	9	N 11 E	40		Hickory	9	S 32 E	23
13.14.23.24	Ironwood	6	S 50 E	26	" 4.5.8.9	Beech	4	N 81 E	48
	Beech	8	21 E	32		"	10	S 38 W	65
11.12.13.14	W. Oak	16	N 23 E	24	" 29.30.31.32	Hickory	15	S 30 W	31
	Ironwood	9	S 40 W	24		R. Oak	24	S 60 E	31 1/2
1.2.11.12	Hickory	9	N 70 W	3	" 14.20.29.30	Beech	4	N 11 1/2 E	9 1/2
	Sugar	6	S 38 E	20		"	6	N 83 W	12 1/2
26.27.34.35	G. Ash	5	N 1 W	14	" 17.18.19.20	Dogwood	3	S 18 E	15
	Beech	13	S 40 E	21		Beech	4	S 65 W	15



# FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township

13

North, Range

1 East

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
From N to U					From N to W				
at 1	G. Ash	9	N62 $\frac{1}{2}$ W	9	at 4	Poplar	54	N1E	12 $\frac{1}{2}$
	Mulberry	12	S11W	9		Beech	24	S75E	2
" 1	Stone				" 5	Spruce	—	N28W	6 $\frac{1}{2}$
" 2	W. Oak	9	S31W	39		Beech	30	N48E	39
	"	12	N80E	31	" 6	Hickory	10	S59 $\frac{1}{2}$ W	12
" 3	Beech	24	N39W	18					
	"	6	S42 $\frac{1}{2}$ E	33 $\frac{1}{2}$	at 1	Sugar	22	N65W	16
" 4	Sugar	18	S73 $\frac{1}{2}$ W	17		Beech	6	N49E	7
	Hickory	18	N10 $\frac{1}{2}$ E	10	" 2	"	20	N72E	29 $\frac{1}{2}$
" 5	Beech	6	S65W	15		G. Ash	22	N89W	21 $\frac{1}{2}$
	Sugar	12	N53E	21	" 3	Ash	36	S50W	26 $\frac{1}{2}$
" 6	W. Oak	30	S2 $\frac{1}{2}$ E	33		Hickory	21	N52E	27 $\frac{1}{2}$
	"	24	N23E	27	" 4	B. Ash	4	N5W	13
L to D					" 5	Beech	6	S23W	17
at 1	Beech	24	N38W	18		Sugar	6	N64 $\frac{1}{2}$ W	23
	Rock crn.				" 6	B. Oak	21	S24 $\frac{1}{2}$ W	23 $\frac{1}{2}$
" 2	Beech	6	S42E	33 $\frac{1}{2}$		G. Ash	30	S2E	23 $\frac{1}{2}$
	Sugar	11	S71 $\frac{1}{2}$ E	13		Beech	19	N9W	9
" 3	R. Oak	20	N38E	21	N to Y				
	R. Oak	—	N44W	17	at 1	Sugar	6	S43 $\frac{1}{2}$ E	6
" 4	Castanum	12	S60E	20		"	9	N70 $\frac{1}{2}$ W	29
	Ash	20	S11E	10	" 2	Hickory	4	S30 $\frac{1}{2}$ W	6
" 5	Beech	12	N33E	36		G. Ash	6	N80E	9 $\frac{1}{2}$
	R. Oak	18	S58E	4 $\frac{1}{2}$	" 3	Sugar	—	N28W	4
" 6	Beech	6	S43E	10		Spruce	4	S61E	8
	Hickory	12	N42 $\frac{1}{2}$ W	24	" 4	Sugar	5	N12W	12
N to W						Hickory	12	N82E	23
at 1	Beech	14	S59W	49 $\frac{1}{2}$	" 5	B. Ash	8	N47W	21 $\frac{1}{2}$
	"	6	N54 $\frac{1}{2}$ E	16	"	"	6	S10W	19
" 2	B. Oak	24	S12E	25 $\frac{1}{2}$	" 6	Beech	9	S31E	30 $\frac{1}{2}$
	Hickory	22	N12W	19 $\frac{1}{2}$		"	12	N78 $\frac{1}{4}$ W	15
" 3	W. Oak	21	N68E	28					
	Sugar	20	S68W	32					



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section / Township 13 North, Range / East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By W Headly</p>	a				Beech	18	D13E	56 1/2
	b				"	20	N66W	61
	c				"	20	N50E	25
	d				"	4	S78W	28
	e				Buckeye	10	S47W	89
	f				Maple	10	N27W	108
					Elm	24	S24W	39
					Beech	10	N2E	35
					Sycamore	12	S67E	16
					Elm	18	N20W	22
				W Oak	36	South	9	
				Beech	20	N65W	40	
<p>B. F. Butler</p>	g	Stone						
	h	"						
	i	"			Apple tree	8	N62 1/2 W	28
	j	"			"	"	N59 1/2 E	31
	k	"			Sugar	18	N23E	20
<p>By _____</p>	l	"			Poplar	36	S48 1/2 W	32
	m	"			Sycamore	18	S8W	17
	n	"			"	30	N32W	79 1/2
	o	"			Walnut	18	S12 1/2 E	16
	p	"			Elm	6	S85 1/2 E	46
<p>By Carl O Gilbert Sept 10. 1908 Survey for Oscar Robins and others</p>	q	Stone			Walnut	2 1/2	N21E	35 1/2
	r	"			Sycamore	30	S46 1/2 E	21 1/2
	s	"			Elm	12	N. 31 1/2 W	10 1/2
	t	"			Elm	15	S57 1/4 W	59
	u	Stone 1403 ch. E of P			Elm	6	N84 1/2 W	29
	v	Stone 991 ch. E of Z in center of gravel road.			B Hickory	18	S36E	63
	w							
	x	SEE SEC 2-V						
	y	RR spike Stone under			CEDAR post		S85W	19' 4"
	z				Two Hackberry	14	N85W	30' 10"
				Hackberry	15	N60E	50' 0"	

BOYP HEIGHTS SUB  
See Behind Sec 36  
For more Ref.



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 1 Township 13N North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 5px;"> <span>E</span><span>D</span><span>C</span><span>B</span><span>A</span> </div> <div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 5px;"> <span>F</span><span>G</span><span>H</span><span>I</span><span>K</span> </div> <div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 5px;"> <span>P</span><span>O</span><span>N</span><span>M</span><span>L</span> </div> <div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 5px;"> <span>O</span><span>R</span><span>S</span><span>T</span><span>U</span> </div> <div style="display: flex; justify-content: space-between;"> <span>Z</span><span>Y</span><span>X</span><span>W</span><span>V</span> </div>	P	STONE 1" SPOUR			Hawberry Brazo Post stone	5"	West South East	11' <sup>10</sup> 6' <sup>4</sup> 9' <sup>4</sup>

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 2 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <u>B.H. Butler</u></p> <p>Survey for John H. Hunt.</p> <p>By H. A. Blumh, Aug 26-27</p> <p>On 20.31/4 N and 1.71 E of N</p> <p>7 8.61 1/2 W of H-1102 Ch.</p> <p>On N 13 1/2 W of 9 11.31</p> <p>on 7.93 N and 5.84 W of N.</p> <p>Sept. 24-1930</p>	a				Sugar	18	S 12 1/2 E	16
	b				Beech	18	N 21 W	16
	c				Buckeye	12	S 73 3/4 E	83
	d				P Oak	22	N 22 1/2 E	95
	e				Ash	24	S 11 W	16
	f				Sugar	24	N 7 E	18
	g				Beech	8	N 21 W	6
	h				"	12	S 69 1/2 E	33
	i				Walnut	18	S 12 1/2 E	16
	j	Stone			Sugar	24	N 56 E	24
	k				"	24	S 19 E	18 1/2
	l				"	105	S 65 E	38
	m				"	10	N 34 E	38 1/2
	n	Stake			Wild Cherry	18	N 46 7/8 W	103 1/2
	o	Stake			Beech	10	N 66 E	44 1/2
p	Stake			Ash	12	N 39 E	39 1/2	
q	Stake			Hickory	6	N. E.	7	
r	old stump			Wild Cherry	18	N 34 E	46 1/2	
s	Stone 1" x 1" over			Ash	14	S 70 E	40 1/2	
t				Maple	8	SOUTH	53 1/2	
u				B Walnut	8	N 45 E	61 1/4	
v	See Sec		1-P					
w	Stone			FOUND BY HOBSON 2-26-60 JAKE MANN SURV.				
x	Stone			FOUND BY HOBSON JAKE MANN SURV.				

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By W Hoadley</p>	at G				Beech	6	N 65 W	3 1/2
	" R				Lynn	16	N 10 E	10 1/2
	" L				Ash	15	N 40 W	6
	" R				Sugar	18	N 62 E	39
	" I				Burkunt	2	N 42 W	10
	" K				Beech	15	N 57 W	8
					"	9	N 69 E	18
					Lynn	12	South	103
					Sycamore	12	N 10 E	109
					W Oak	30	N 69 W	-
<p style="text-align: center;">Jerry Hoadley</p>	" A				do	32	N 42 E	24
	" C	Rock cor.			Poplar	36	N 19 W	20
	" G	" "			Sugar	15	N 73 E	32
	" O	" "			Beech	-	East	47
	" a	" "			"	24	N 5 E	36
	" b	" "			"	18	N 79 E	79
	" c	" "			Sugar	22	N 44 1/2 E	24
	" d	" "			"	20	N 83 W	13
	" e	" "			Beech	12	N 153 1/2 E	37
	" f	" "			"	20	N 61 W	6
	" g	" "			Lynn	22	N 43 3/4 W	50
	" h	" "			Beech	12	N 45 1/2 E	56
	" i	" "			"	14	N 59 1/2 E	67
	" j	" "			"	20	N 68 1/2 E	56
	" k	" "			"	8	N 65 W	9
<p style="text-align: center;">B. J. Butler</p>	" l	" "			"	15	N 59 W	5 1/2
	" m	" "			"	15	N 54 E	29 1/2
	" n	" "			"	15	N 37 E	37 1/2
	" o	" "			"	15	N 57 W	2
	" p	" "			"	24	N 58 E	46 1/2
	" q	" "			"	8	N 54 W	36
	" r	" "			R Elm	8	N 75 1/2 E	14
	" s	" "			Lynn	24	N 75 E	8
	" t	" "			Stone		N 85 1/2 W	33 1/2
	" u	" "			"		S 23 W	29
<p>By H. A. Blank, Aug. 17, 09</p>	" v	Stone						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 3 Township 13 North, Range 1 East

REMARKS, &c., &c.

Corners.

Stone Mark.

Acres. Hun.

Bearing Trees.

Diam.

Courses.

Dist.

Dist.

By B. F. Butler


At i

Beech

6 123W

—

See map on opposite page



24 152E 32

" K Stone

10 157E 45

10 145W 76 1/2

" T

B.W.

" m

B Walnut

3 188W 45

E

SBE SEC 4-A

N

IRON PIN & S.R. 42

Cor Post

North 20'0"

SE cor Fr. House

N30W 72'10"

NE cor Brick House

S6E 177'5"

Z

See Sec 9-A

M

ROAD MARK & ST RD 42

T

CORNER FOUND BY HARRISON CHARLICE COOPER SURV.

U

CORNER FOUND BY HARRISON CHARLICE COOPER SURV.

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *4*

Township *13*

North, Range *1 East*


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>By W Leadley</i></p> <p><i>W. F. Butler</i> 79.37</p> <p><i>Ayers Loc.</i></p>	<i>at a</i>				<i>Sugar</i>	<i>6</i>	<i>N14 E</i>	<i>30 1/2</i>
	<i>b</i>				<i>Beech</i>	<i>10</i>	<i>S18 W</i>	<i>22</i>
	<i>c</i>				<i>Chu</i>	<i>36</i>	<i>S57 E</i>	<i>39</i>
	<i>d</i>				<i>Beech</i>	<i>20</i>	<i>S43 W</i>	<i>54</i>
	<i>e</i>				<i>Sugar</i>	<i>12</i>	<i>N37 W</i>	<i>75 1/2</i>
	<i>f</i>				<i>"</i>	<i>9</i>	<i>N69 W</i>	<i>72</i>
	<i>g</i>		<i>Stone 1/4</i>		<i>"</i>	<i>16</i>	<i>N6 W</i>	<i>51</i>
	<i>h</i>		<i>" 1/4</i>		<i>Beech</i>	<i>6</i>	<i>S33 1/2 W</i>	<i>104</i>
	<i>i</i>		<i>" 1/4</i>		<i>Sugar</i>	<i>20</i>	<i>S33 E</i>	<i>56</i>
	<i>j</i>				<i>Stone</i>		<i>South</i>	<i>15</i>
	<i>k</i>				<i>"</i>		<i>East</i>	<i>15</i>
	<i>l</i>				<i>Sugar</i>	<i>18</i>	<i>S25 1/2 E</i>	<i>132</i>
	<i>m</i>				<i>Hickory</i>	<i>48</i>	<i>S23 1/2 W</i>	<i>109</i>
	<i>n</i>				<i>Stone</i>		<i>South</i>	<i>15</i>
	<i>o</i>				<i>"</i>		<i>West</i>	<i>15</i>
<i>p</i>				<i>Sycamore</i>	<i>4</i>	<i>N7 E</i>	<i>9</i>	
<i>q</i>				<i>Stone</i>		<i>S29 E</i>	<i>15 1/2</i>	
<i>r</i>				<i>"</i>		<i>West</i>	<i>20</i>	
<i>s</i>		<i>Iron stake</i>		<i>"</i>		<i>South</i>	<i>36</i>	
<i>t</i>		<i>4.97 ch. E. of N.</i>		<i>"</i>		<i>North</i>	<i>29</i>	
<i>u</i>		<i>Iron stake</i>		<i>"</i>		<i>South</i>	<i>28</i>	
<i>v</i>		<i>2.46 ch. of N.</i>		<i>"</i>		<i>North</i>	<i>36</i>	
<i>w</i>		<i>7.46 ch. W. of X.</i>		<i>Thorn tree</i>	<i>15</i>	<i>North</i>	<i>36</i>	
<i>x</i>		<i>4.97 ch. E. of X.</i>		<i>Blk Oak</i>	<i>3</i>	<i>South</i>	<i>3</i>	
<i>y</i>				<i>Large Rock</i>	<i>-</i>	<i>S 65 E.</i>	<i>17 1/2</i>	
<i>z</i>				<i>Sugar</i>	<i>6</i>	<i>N 57 W</i>	<i>10</i>	
				<i>do</i>	<i>6</i>	<i>North</i>	<i>40 1/2</i>	
<i>Wilbur F Smith June 23 1952</i>				<i>Elm</i>	<i>10"</i>	<i>S. W.</i>	<i>26' 11 1/2"</i>	
<i>For Harold H. Pippitt M</i>		<i>Road Nail 1 1/2"</i>		<i>Stone</i>		<i>S. W.</i>	<i>27'-4"</i>	
<i>E. D. Canatsey and A. Reel's Assts:</i>		<i>Center of State Road</i>		<i>Stone</i>		<i>S. E.</i>	<i>29' 0"</i>	
	<i>m</i>	<i>PIPE</i>	<i>396'</i>	<i>South of M.</i>				
<i>E. D. Canatsey</i>	<i>Z</i>	<i>3/4" Pipe</i>		<i>Walnut</i>	<i>6"</i>	<i>S. E.</i>	<i>5'-4"</i>	
<i>For Davy Milton</i>				<i>Red Bud</i>	<i>5"</i>	<i>N. 85° W</i>	<i>21'</i>	
<i>May 1953</i>								

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

A.

Section 4 Township 13 North, Range 1E

Conatsep - 1965 July-14



REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	Dist.
	O	R.R. Spike in Road			Stone (+)		S.W.	28'	
	Y	1" Iron Rod			8" Walnut		S.E.	27'-8"	
	A	Stone 1" IP beside			2" x 2" x 3' Iron utility pole		N.W.	21'-8"	
	P	Iron Rod AA spike over E 42			Hackberry wild Cherry	10" 12"	west N60E South	16' 47.2' 76.6'	
	B	Iron Rod PIPE OVER			corner post corner post 2" IP 3' High		S60E South N45E N30W	20' 2 1/2" 25' 11" 44' 8"	
	M	1" IP E 42			N.W. corner House Iron fence post in corner utility pole		S30E N45W S15W	91' 4" 31' 6" 50' 6"	
	O	3" IP E 42			utility pole NW corner Brick House utility pole		S30W S45E N15E	26' 0" 97' 8" 55' 45"	
	Y	IP E Road			utility pole Fence post gate post corner post		S45W North S45E East	28' 2 1/2" 19' 7 1/2" 26' 9" 16' 10"	
	V	See Sec	9-A		Angle Iron spike History 9"		West S60W	15' 11" 20' 8"	


# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 5 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Inn.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center;">By <i>W. J. Craig</i></p>	At O	Stone cor.			Elm	18	S55W	42	
	"	Y	" "			Sugar	12	N62E	53
	"	"	" "			Beech	5	N36W	33
	"	"	" "			"	11	N35E	18
	"	"	" "			Sugar	7	N44E	19 1/2
	"	"	" "			Hogwood	5	S37W	14
	"	M	Iron rod 3/4 in. dia			Gravel Road			
	"	"	" "			Stone		N45E	42 1/2
	"	"	" "			"		S47W	45 1/2
	"	M	" "			Beech	18	S45 1/2 E	100
	"	"	" "			"		S26W	100
	"	"	" "			Stone		S25E	15
	"	"	" "			"		N5E	15
	"	"	" "			Hickory	10	N29 1/2 E	222
	<p><i>Robt M. Pheasant</i> Sept 4<sup>th</sup> 1889</p>	"	" "			"	14	S71 1/2 W	32
"		a " cor.			Elm	12	N34W	7	
"		16.43 E of b			"	9	N48E	12	
"		At b	" "		Stone		South	50	
"		17.79 N of b	" "		"		West	13 1/2	
"	At c	" "			"				
"	15.31 W of b	" "			"				
"	At d	Round iron Bolt 3/8 in long in Gravel Road bed			Stone		South 88 1/2		
"	"	" "			"		North 36		
	L	SEE	SEC	4-P					

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 6 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="font-size: 1.2em; margin: 0;">By <i>Wm J. Craig</i></p> 	At W Stone cor				Sugar	3	N 54 W	6 1/2
	" M " "				"	2 1/2	S 2 W	12
	" a " "				Beech	9	N 82 E	22
	" B " "				Beech	20	S 45 E	19 1/2
	" L " "				Bash	12	S 87 E	23
	" a " "				do	8	N 7 W	48
	" d " "				Sugar	20	South	2 1/2
	" e " "				Beech	9	N 20 E	57
	" f " "				"	9	North	20 1/2
	" g " "				"	22	North	6
<p style="font-size: 1.2em; margin: 0;">E. A. Bourne May 27<sup>th</sup> 1879</p> <p style="margin: 10px 0 0 0;">By <i>Hzg K. Johnson</i> (April 14<sup>th</sup> 1899) From Brewer Estate.</p>	" d Stone				hackberry	24	S 25 W	30
	" e " "				Sugar	16	S 55 E	43
	" f " "				"	10	N 67 E	49
	" g " "				Stone		N 65 1/2 W	27
	" h " "				"		S 37 W	35
	" i " "				"		S 43 E	31 1/2
	" j " "				Beech	16	N 55 W	22
	" k " "				Walnut	2	S 1 W	59
	" l " "				Stone		N 11 W	12
	" m " "				"		S 11 E	14
	" n " "				Stone		North	86
	" o " "				"		West	25
	" p " "				Stone		North	25
	" q " "				"		East	25
	" r " "				Stone		West	25
" s " "				Stone		North	25	
" t " "				"		East	25	
" u " "				Stone		South	25	
" v " "				Stone		East	25	
" w " "				"		North	25	
" x " "				"		North	25	
" y " "				Beech		East.		
" z " "				Stone		South	25	
" a " "				do		West	25	



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 8 Township 13 North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Dist.	Courses.	Dist.	
<p>By H. A. Blank Sept. June 30-1915</p> <p>By William F. Smith Co. Nov. 6-1935 for Edgar U and Frank B. Blevins.</p>	ct.	s. 40.8 S. of (h)			Walnut	10	N 66 E	30	
	"	t	.50 N of (h)			Stone		S 42 E	1.08
	"	N	east of			Stone		North	.80
	"	b	13.42 AD			Stone		South	.25
	"	d	7.10 W of A						
	"	stone g	14.66 S. of d - Large stone on top of old stone.			stone		West	.25 ch
	"	C	28.37 ch S. of g			stone		North	52 ft.
	"	M	10.82 ch W of C			1/4 gas pipe		West	16 1/2 ft
	"					" "		East	16 1/2 ft.
	"	P	13.24 ch W of M - 9 ch E of N			stone		North	16 1/2 ft.
	"	t	.80 ch N of N 2.32 E of Meridian						
	"	q	24.15 ch N of P			stone		South	16 1/2 ft.
	"	r	12.20 ch E of q.			stone		West	16 1/2 ft.
	"	s	4 ch N of r			stone		South	16 1/2 ft.
	"					" "		East	16 1/2 ft.
"	X	2.07 ch E of i			1" square chert		South	16 1/2 ft.	
"					" "		West	16 1/2 ft.	
	Z	See Sec	7-E						
	W	" "	7-13						

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 7 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p>By J. Keadley at N</p> <p>By Wilbur F. Smith 11-19-36 for Walter Edwards</p> <p>center line of state Highway crosses Meridian Line 295 ch. S. of N.W. cor. of Sec. - E.</p> <p>1-7.53 ch north of a                  2-3.75 ch west of 1                  3-5.46 ch. West of B</p>	at N				Sugar	36	N25E	71	
					"	"	30	N44W	75
			O Stone cor.			Stone		West	18
						"		S50E	33
						"		N23W	44
						"		N37E	47
						Beech	27	S65E	63
						"	24	N18E	57
						Stone		S41E	39 1/2
						Beech	15	S2E	16
					Sugar		N83 1/2 W	24 1/2	
					Stone		North	20	
					stone		N12 1/2 W	76 1/2	
					"		West	25 1/2	
					Ash	24	S. 45° W	13 1/2	
					Walnut	14	N. 42° W	24 1/2	
		B concrete corner post.							
		1			"				
		2			"				
		3 steel Rod 1/2" diam. 30" long							
					stone				
					6" under				
					Thrown on Ash?	10"	S65E	2' 10"	
					stone		West	12' 4"	
					SW cor. step of Woodshed				
					5' High Round cor post		N10E	8' 11"	
							N30W	9' 7"	

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 8 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center;">By W Headley</p> <div style="text-align: center;"> </div>	At O				Red Elm	3	N 21 W	3	
	R				Buckeye	3	N 40 E	12	
	S				Reech	12	S 7 W	28	
	T				"	10	S 35 E	22	
	U				"	24	N 61 W	12	
	V				"	28	S 80 E	29	
	W				"	18	S 40 E	2	
	X				"	22	N 54 W	34 1/2	
	Y				"	15	N 16 W	15	
	Z				"	12	S 39 W	15	
		a				Beech	22	S 57 E	26
		b				"	20	N 12 W	33
		c				"	18	South	12
		d				"	10	N 71 W	11
		e				"	15	S 51 E	10
<p style="text-align: center;">B. F. Butler</p>	M	Stone			"	18	N 84 W	47	
	N	"			"	16	N 21 W	26	
					"	15	S 18 1/2 E	55 1/2	
					Sugar	12	N 44 1/2 E	47 1/2	

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 9 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	At N				Sugar	5	S 77° W	13
	" O				W Oak	20	N 43° E	24
	" S				Beech	18	N 9° E	5
	" E				"	10	S 56° W	8
	" Yellow corn				"	22	S 31° W	38
	"				Sugar	18	N 50° E	33
	"				"	18	N 44° E	12 1/2
	"				Beech	20	S 60° W	29
	"				"	12	N 56 1/2° E	58
	"				"	15	S 30 3/4° E	58 1/2
	" 6 " " " " "				Locust	5	N 47° E	19 1/2
	" 7 " " " " "				Beech	10	N 25° E	20 1/2
	" 8 " " " " "				Sugar	16	S 57° W	28 1/2
	" 9 " " " " "				Stone		North	20
					"		East	20
				"		South	20	
				"		West	20	
By _____	" M				Beech	17	N 56 1/2° E	58
	" K	Stone			"	15	S 30 3/4° E	58 1/2
Survey Nov 11 <sup>th</sup> 1885 for J.M. Davis et al. J.A. & G.W. Blunk, Jr. Trustee of J.M. Davis estate. J.W. Pearce Surveyor.	" X	2640 chs W of K			Mulberry	8	S 16 1/2° W	31 1/2
	" m	11.00 chs S of E			Sugar	20	S 46 1/2° E	50
	" a	Stone			Walnut	18	S 20° E	25
	" B	2 chs S of a			Stone		N 82° E	20
	" M	stone			Elm	24	N 19° E	133 1/2
	" a	Stone			Stone		S 29 1/2° E	39
Survey March 25 <sup>th</sup> - by S. Heatt	" B	2 chs S of a			B. Locust	12	South	60
By H.A. Blunk 3/14/09	" M	stone			Stone		West	20
	" a	"			Sugar	19	S 45° E	72
	" D	perpetuated			stone		N 47 1/2° W	31
	" P	perpetuated			"		S 2 1/4° W	29
	"	"			"		North	25
H.A. Blunk, Nov 24-1919	" D	perpetuated			"		N 45° W	25
	"	"			stone		S 31° W	38
	"	"			"		S 80° E	25
	" P	perpetuated			Sycamore	20 <sup>9</sup>	N 43 1/2° W	38 1/2



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 10 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By W Headly</p>	At a				Beech	12	S 84 W	52 1/2
	" b				Ash	36	N 65 W	44
	" c				Beech	14	S 60 W	34
	" d				"	20	N 76 E	47
	" e				Pine wood	8	N 86 W	25
	" f				W Beech	5	S 85 E	19
	" g				Beech	5	N 70 W	18
	" h				"	10	S 70 W	54
	" i				"	10	S 20 W	29
	" j				W Oak	22	N 3 E	24 1/2
	" k				Hickory	15	N 44 E	17 1/2
	" l				Sugar	6	S 6 W	12
	" m				Poplar	22	N 78 W	32
	" n				Beech	20	N 80 E	7 1/2
	" o				"	18	S 45 W	8
<p style="text-align: center;">B. F. Butler</p> <p>Survey for J. E. Lawrence et al                      March 14<sup>th</sup> 1877. J. R. Moore &amp; J. C. Lawrence, Chainmen. J. Lawrence, Surveyor of M. W. Ward, Flagman.                      W. H. Miller Surveyor                      S of P.</p> <p>For A. G. Hobson et al. Apr 21<sup>st</sup> 1887. J. Allen, J. C. Stanton, Geo Bryant                      Assts.                      Geo W Pearce Surveyor.</p>	" p				"	20	N 07 W	27 1/2
	" q				P Oak	22	N 12 W	64
	" r	Stone			Hickory	22	S 3 W	19
	" s				Sugar	20	S 73 1/2 E	67
	" t				"	18	N 32 E	58
	" u				"	22	N 8 W	97
	" v				Hickory	14	S 30 1/2 W	24
	" w				Sugar	12	N 9 1/2 E	24
	" x				Beech	10	S 13 W	7 1/2
	" y				Sugar	14	S 16 E	32 1/2 82 1/2
" z				Walnut	5	South	5	
" aa				Sugar	12	S 80 E	36	
" ab				Beech	12	N 10 E	15	
" ac				B. Walnut	13	S 56 1/2 W	31	
" ad				Stone		East	20	




# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 10 Township 13 North, Range 1 East.

REMARKS, &c., &c.

Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
----------	-------------	--------	------	----------------	-------	----------	-------

For O'Brien and others  
Wilbur F Smith Co. surveyor



E	old stone			Face of concrete Post stone		North N45°W.	19'6" 27ft
C.	Stone			{ Walnut Caltapa Twin Maple	10"	S 34° E. N 38° W. N. E.	16'2" 23'0" 17'7"
C	3/4" Q Rod.	8344		Maple	10"	S. W.	24'7"
North 85° E of C. 177 1/2 Co. Road and Road to Mamm...							
E	See Sec. 9-A						
L	<del>3" IP</del> 1" IP OVER STONE			Walnut 1" IP	12"	N 36° W N 45° E	17'0" <del>17'4"</del> 26'8"
V	STONE 1" IP OVER			cor post utility pole 1" IP		NORTH S 54° E N 20° W	15'1" <del>15'1"</del> 8'0" 25'0"
F	SEE SEC 9 "K"						



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 11

Township 13

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<i>By L. J. Craig</i>	At g	Stone cor.			Cherry	9	S 15 E	61
	" a	" "			Apple	4	S 37 W	62
	" Q	" "			Stone		N 19 E	30
	" Q	" "			Mulberry		N 31 W	11
	" Q	" "			Hickory		S 1 W	1 1/2
	" Q	" "			Beech	14	N 5 W	22
	" Q	" "			"	20	N 26 E	64
	" H	" "			W Hickory	18	N 25 W	18
	" d	" "			Stone		N 70 W	32
	" e	" "			"		S 70 E	27
	" f	" "			Cottonwood	18	S 46 W	129
	" g	" "			Stone		S 27 E	12
	" h	" "			"		S 11 1/2 E	20
	" i	" "			"		S 6 E	34
	" j	" "			"		North	85
	Survey for Calvin Karvey and Farmers Bank of Moomville Apr. 9 <sup>th</sup> and 10 <sup>th</sup> 1884 by S. Kiatt. John Chambers & A. G. Robison Chairman. R. H. Scott & J. C. Kearney Magman	" B	" "			Apple tree	18	S - E
" c	" "				Stone mark		North	25
" d	" "				" "		South	11
" 5.10 chs.	" "				" "		West	29
1/4 of e, k	" "	State in run			B. Alder	24	S 43 E	83
Sur. for J. H. Edwards ch. d. 20 1886 Geo Jennings & J. G. Robson, Chairman Jno Chambers, Magman Geo. W. Pearce Surveyor.	At d	Stone cor.			Stone		N 88 W	19 1/2
" j	" "	" 1463 rods of d			"		S 19 1/2 W	31
" "	" "	" "			"		West	17
" "	" "	" "			"		West	50
<i>By S. Kiatt</i>	At m	Stone cor.			Maple	6	N 46 1/2 W	43
<i>By H. A. Blunk 12/22-1874</i>					S.E. Cor. School house		N 16 1/2 -	50
y is 5.95 North of Y	y	stone			west of stone		East	30
k is 13.31 North of Y	r	"			" " "		East	30
o is 16.23 South of O	o	"			" " "		East	30
f is 2.110 East and 4.50 North of Y	f	"			stone		North	145
l is 27.55 ch. East of o	l	"			west of stone		west	30.
m is 10.79 South of l	m	"			" " "		west	30

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 11 Township 13 North, Range 1 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>May 1-1912 11.86 N 4 E Sec. 14</p>	1	stone			Next to stone		East	30
	2	2 1/2 5005 ft			" " "		East	30"
<p>By H.A. Blank 3/27-20 his 1031 ft and 22 links south of D</p>		Iron Rod			aff. long. Beech	24	S. 61 E.	11 1/2 ft.
<p>2 1/2 23.15 south of b</p>		Iron Rod			aff. long. Stone		East	15 ft.
	0	old stone			Maple		15° S.E.	45'-6"
					Calappa		12° East	52'-8"
					+ in L Concrete head wall of culvert		S.W.	17'-6"
<p>By Wilbur F Smith E.D. Canotsey and Artie Reams posts Aug 13 1952</p>	0	Narrow Tooth			Maple		20° N. 62 1/2° E	39'-7"
					"		30° N. 39 1/2° E	54'-9"
<p>For Beesie C. Cronwell</p>	0'	1 1/2" Auto Axel.			Sugar		18° N. 83° E	66'-10"
<p>0' is 7.57 Chains North 10 west of Large 0</p>					Maple		48° North	35'-00"
<p>0' is 7.87 Chs North 10° W of Little 0, S.W. corner of Bethel Church yard.</p>	A	SEE	SEC 2-V					
	P	see Sec	10-L					
	Z	see Sec	10-BV					


# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 12 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <i>William J. Tracy</i> At <i>C</i>	<i>C</i>	Stone cor <i>C</i>			B Walnut	12	N 86 W	73.
	" <i>P</i>	"			Beech	18	N 64 E	73
	" <i>Q</i>	"			"	22	N 49 W	43
	" <i>R</i>	"			Sugar	22	S 7 W	77
	" <i>S</i>	"			Walnut	72	East	34
	" <i>T</i>	"			B Walnut	10	N 76 E	102
	" <i>U</i>	"			Sugar	15	S 54 E	84
	" <i>V</i>	"			"	36	S 7 1/2 E	16 1/2
	" <i>W</i>	"	stone		stone		South	60 1/2
	" <i>X</i>	"	"		"		West	26 "
	" <i>Y</i>	"	"		"		South	25 1/2 "
" <i>Z</i>	"	"		"		North	25 "	
By <i>H. A. Blunk, Mar. 1 - 1911.</i>	<i>C</i>	stone			Perrummond		N 4 W	44
	<i>E</i>	stone			Large Beech		N 76 3/4 E	170.
	<i>L</i>	"			"		N 69 W	85
	<i>M</i>	"			stone		North	25
	<i>N</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>	"			stone		North	25
	<i>Y</i>	"			"		South	25
	<i>Z</i>	"			stone		North	25
	<i>A</i>	"			"		South	25
	<i>B</i>	"			stone		North	25
	<i>C</i>	"			"		South	25
	<i>D</i>	"			stone		North	25
	<i>E</i>	"			"		South	25
	<i>F</i>	"			stone		North	25
	<i>G</i>	"			"		South	25
	<i>H</i>	"			stone		North	25
	<i>I</i>	"			"		South	25
	<i>J</i>	"			stone		North	25
	<i>K</i>	"			"		South	25
	<i>L</i>	"			stone		North	25
	<i>M</i>	"			"		South	25
	<i>N</i>	"			stone		North	25
	<i>O</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>	"			stone		North	25
	<i>Y</i>	"			"		South	25
	<i>Z</i>	"			stone		North	25
	<i>A</i>	"			"		South	25
	<i>B</i>	"			stone		North	25
	<i>C</i>	"			"		South	25
	<i>D</i>	"			stone		North	25
	<i>E</i>	"			"		South	25
	<i>F</i>	"			stone		North	25
	<i>G</i>	"			"		South	25
	<i>H</i>	"			stone		North	25
	<i>I</i>	"			"		South	25
	<i>J</i>	"			stone		North	25
	<i>K</i>	"			"		South	25
	<i>L</i>	"			stone		North	25
	<i>M</i>	"			"		South	25
	<i>N</i>	"			stone		North	25
	<i>O</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>	"			stone		North	25
	<i>Y</i>	"			"		South	25
	<i>Z</i>	"			stone		North	25
	<i>A</i>	"			"		South	25
	<i>B</i>	"			stone		North	25
	<i>C</i>	"			"		South	25
	<i>D</i>	"			stone		North	25
	<i>E</i>	"			"		South	25
	<i>F</i>	"			stone		North	25
	<i>G</i>	"			"		South	25
	<i>H</i>	"			stone		North	25
	<i>I</i>	"			"		South	25
	<i>J</i>	"			stone		North	25
	<i>K</i>	"			"		South	25
	<i>L</i>	"			stone		North	25
	<i>M</i>	"			"		South	25
	<i>N</i>	"			stone		North	25
	<i>O</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>	"			stone		North	25
	<i>Y</i>	"			"		South	25
	<i>Z</i>	"			stone		North	25
	<i>A</i>	"			"		South	25
	<i>B</i>	"			stone		North	25
	<i>C</i>	"			"		South	25
	<i>D</i>	"			stone		North	25
	<i>E</i>	"			"		South	25
	<i>F</i>	"			stone		North	25
	<i>G</i>	"			"		South	25
	<i>H</i>	"			stone		North	25
	<i>I</i>	"			"		South	25
	<i>J</i>	"			stone		North	25
	<i>K</i>	"			"		South	25
	<i>L</i>	"			stone		North	25
	<i>M</i>	"			"		South	25
	<i>N</i>	"			stone		North	25
	<i>O</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>	"			stone		North	25
	<i>Y</i>	"			"		South	25
	<i>Z</i>	"			stone		North	25
	<i>A</i>	"			"		South	25
	<i>B</i>	"			stone		North	25
	<i>C</i>	"			"		South	25
	<i>D</i>	"			stone		North	25
	<i>E</i>	"			"		South	25
	<i>F</i>	"			stone		North	25
	<i>G</i>	"			"		South	25
	<i>H</i>	"			stone		North	25
	<i>I</i>	"			"		South	25
	<i>J</i>	"			stone		North	25
	<i>K</i>	"			"		South	25
	<i>L</i>	"			stone		North	25
	<i>M</i>	"			"		South	25
	<i>N</i>	"			stone		North	25
	<i>O</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>	"			stone		North	25
	<i>Y</i>	"			"		South	25
	<i>Z</i>	"			stone		North	25
	<i>A</i>	"			"		South	25
	<i>B</i>	"			stone		North	25
	<i>C</i>	"			"		South	25
	<i>D</i>	"			stone		North	25
	<i>E</i>	"			"		South	25
	<i>F</i>	"			stone		North	25
	<i>G</i>	"			"		South	25
	<i>H</i>	"			stone		North	25
	<i>I</i>	"			"		South	25
	<i>J</i>	"			stone		North	25
	<i>K</i>	"			"		South	25
	<i>L</i>	"			stone		North	25
	<i>M</i>	"			"		South	25
	<i>N</i>	"			stone		North	25
	<i>O</i>	"			"		South	25
	<i>P</i>	"			stone		North	25
	<i>Q</i>	"			"		South	25
	<i>R</i>	"			stone		North	25
	<i>S</i>	"			"		South	25
	<i>T</i>	"			stone		North	25
	<i>U</i>	"			"		South	25
	<i>V</i>	"			stone		North	25
	<i>W</i>	"			"		South	25
	<i>X</i>							

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 13 Township 13 North, Range 1 East



By W \_\_\_\_\_  
 Survey for Jos<sup>ph</sup> Amos Shou-  
 burgh Nov 6<sup>th</sup> 1885 Mat.  
 Moncal and Amos  
 Shouburgh chain men  
 of W. Pearce  
 survey on

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	Int.
	At L				Walnut	12	N 77 W	46	
					Stichory	5	S 33 E	58	
	a	Stone			Beech	—	N 6 1/2 W	3	
	b				"	18	S 59 1/2 W	35	
					W Oak	24	N 64 W	41	
					Beech	18	S 43 W	67	
	z				Beech	10	S 12 W	58	
					Stone		N	57	
	At O	Stone			Large stone mixed	+	S 73 1/2 E	58 1/2	
					do		S 59 W	45	
	u	c			13.5 chs S of O		Elev	5	N 85 E
					Stone		West	36	
					15 x 0 spike in cur. R.R.		West	37	
	B of c				"		S 57 1/2 E	82	
	At X in cow pit on R.R.				" cross		S 34 E	67	
	on declin 27.22 S of d				"		N 59 W	62	
	F	old Stone			Sassafras	8"	East	20 L	
	F to G. 20.18				Horse Locust	16"	N. 20 E	37 L	
	G.	old Stone			old stone		SE.	26 L	
					Sugar	8"	SE.	19 L	
					B. oak	8"	N. 8 E	22 L	
	D	old stone			Ash.	12"	N. W	24 L	
	D to C = 20 ch.				Maple	4"	N	4 L	
	C	old stone							
	"k"	old stone							
	"k" to F = 15.34.				Poplar	24	S. 80 W	46 L	
					Sugar	12	N 10 W	46 L	
					CORNER post		North	5' 9"	
					R/W MARKER		EAST	46' 0"	
					SWear cone. Headwall		N 60 E	69' 0"	
	X	SEE	SEC	24-10"					

SEC 13 T13N R1E P

This should be  
 in sec. 14.  
 NOTICE

STONE  
 2P OVER

X

SEE

SEC

24-10"

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section *14*

Township *13*

North, Range *1 East*

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;"><i>By Keriam J Craig</i></p> <p style="text-align: center;"><i>B. F. Butler</i></p>	<i>At Q</i>				<i>Beech</i>	<i>10</i>	<i>S 12 W</i>	<i>58</i>
	<i>" a</i>				<i>Stone</i>		<i>North</i>	<i>52</i>
	<i>" a</i>				<i>Beech</i>	<i>—</i>	<i>N 16 1/2 W</i>	<i>3</i>
	<i>" a</i>				<i>"</i>	<i>18</i>	<i>S 59 1/2 W</i>	<i>35</i>
	<i>" b</i>				<i>Ironwood</i>	<i>3</i>	<i>S 62 E</i>	<i>11</i>
	<i>" b</i>				<i>Beech</i>	<i>18</i>	<i>S 56 W</i>	<i>45</i>
	<i>" c</i>				<i>Hickory</i>	<i>8</i>	<i>N 53 1/2 E</i>	<i>88</i>
	<i>" d</i>				<i>B. Walnut</i>	<i>8</i>	<i>S 49 1/2 W</i>	<i>62</i>
	<i>" e</i>				<i>Hackberry</i>	<i>1</i>	<i>S 70 E</i>	<i>35 1/2</i>
	<i>" e</i>				<i>W Oak</i>	<i>24</i>	<i>N 64 W</i>	<i>41</i>
	<i>" e</i>				<i>Beech</i>	<i>18</i>	<i>S 43 W</i>	<i>67</i>
	<i>" e</i>	<i>Stone</i>			<i>"</i>	<i>16</i>	<i>N 56 E</i>	<i>60</i>
	<i>" f</i>				<i>Hickory</i>	<i>8</i>	<i>N 33 1/2 E</i>	<i>88</i>
	<i>" g</i>				<i>Beech</i>	<i>16</i>	<i>N 59 1/2 W</i>	<i>45 1/2</i>
	<i>" h</i>				<i>B. Walnut</i>	<i>8</i>	<i>S 49 1/2 W</i>	<i>62</i>
<i>" i</i>				<i>Beech</i>	<i>20</i>	<i>S 74 E</i>	<i>31 1/2</i>	
<i>" j</i>				<i>Hackberry</i>	<i>1</i>	<i>S 70 1/2 E</i>	<i>35 1/2</i>	
<i>" k</i>				<i>Elm</i>	<i>20</i>	<i>S 61 W</i>	<i>61</i>	
<i>" l</i>				<i>W Oak</i>	<i>18</i>	<i>N 33 W</i>	<i>166 1/2</i>	
<i>" m</i>				<i>Sycamore</i>	<i>24</i>	<i>N 87 W</i>	<i>12 1/2</i>	
<i>" n</i>				<i>Beech</i>	<i>15</i>	<i>N 60 W</i>	<i>14</i>	
<i>" o</i>				<i>W. Oak</i>	<i>6</i>	<i>S 46 1/2 W</i>	<i>5</i>	
<i>" p</i>				<i>B. Walnut</i>	<i>12</i>	<i>N 20 1/2 E</i>	<i>50 1/2</i>	
<i>" q</i>	<i>Stone</i>			<i>Jack Oak</i>	<i>20</i>	<i>East</i>	<i>61 1/2</i>	
<i>" r</i>				<i>Elm</i>	<i>10"</i>	<i>N. 67 1/2 W.</i>	<i>22</i>	
<i>" s</i>	<i>Stone</i>			<i>Sugar</i>	<i>15"</i>	<i>N 69 W.</i>	<i>19</i>	
<i>" t</i>				<i>Beech</i>	<i>12</i>	<i>N. 30 W</i>	<i>37.</i>	
<i>" u</i>				<i>W Oak</i>	<i>10</i>	<i>N 67 E.</i>	<i>10 1/2</i>	
<i>" v</i>				<i>Beech</i>	<i>24</i>	<i>N 77 W.</i>	<i>14 1/2</i>	
<i>" w</i>				<i>See witness</i>		<i>East of Post</i>		
<i>" x</i>				<i>Beech</i>	<i>18</i>	<i>South</i>	<i>7 ft</i>	
<i>" y</i>				<i>Stake</i>	<i>12</i>	<i>East</i>	<i>13'-4"</i>	
<i>" z</i>				<i>Twiss Sugar</i>	<i>15"</i>	<i>S. 6 W</i>	<i>33'-5"</i>	
<i>" aa</i>				<i>Cedar</i>	<i>6"</i>	<i>N. 80 E</i>	<i>24'-0"</i>	

*By H. A. Blunk, Sept. 27-18.*  
*in 1996 ch. North of Q.*  
*in 1994 ch. North of X.*  
*For Austin Griffith and Philip*  
*Bermstein*  
*H. A. Blunk Aug 29-1919*  
*in 800 ch. South and 677 ch*  
*West of N.*  
*For O. Gilbert 10-23-46.*  
*For Mrs. Corriwell, H. A. Blunk*  
*assisted to establish East + West*  
*line of Sec. 14*

*See next page*





# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 16 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center;"><i>By W Headley</i></p>	At	M			Beech	18	N76W	17	
	"	B			Sugar	20	N11E	11 1/2	
	"	O			Hickory	20	S57E	5 1/2	
	"	R			Beech	4	N7E	15 1/2	
	"	G			"	8	S80E	12 1/2	
	"	L			"	8	N60W	14 1/2	
	"	T			"	4	N75W	17 1/2	
	"	U			"	20	S82E	14	
	"	V			"	24	N6E	26	
	"	W			Dogwood	2	S62W	39	
	"	X			Hickory	3	N30W	26	
	"	AA			Sugar	8	S54E	18	
	<p style="text-align: center;"><i>to J. Craig</i></p>	"	a	Stone		"	9	S47W	23
		"	b	"		"	15	N74E	18
		"	D	"		Stone		N45E	30
"		P	"		"		N45W	30	
"		L	"		Hickory	20	N33E	40	
"		D	"		R Elm	10	N10W	47	
"		T	"		R Oak	4	N28 1/2 W	38 1/2	
"		U	"		Apple	10	S59 1/2 E	14 1/2	
"		M	"		Sycamore	4	N9W	33	
"		a	"		13. Walnut	12	S. 61 E	5 1/2	
"	b	"		13. Ligno	5	N. 61 W	6 1/2		
"	I	"		12. Elm	12	N. 32 W	22 1/2		
"	b	"		Hickory	10	S. 3 E	17 1/2		
"	I	"		Sycamore		NE.	8 1/2		
"	b	"		"		NW	7 1/2		
<p style="text-align: center;"><i>R. Holloway 1970</i></p>	"	a	Stone		poplar	10"	N85E	17' 3"	
	"	b	1" IP over		poplar	12"	S20E	15' 8"	
	"	c	"		sugar maple	8"	North	6' 8"	
	"	d	"		sugar maple	4"	N70W	8' 0"	
	"	e	3/4" IP		IRON FENCE post		West	0' 7"	
"	f	"		sugar maple	6"	N60E	10' 7"		
"	g	"		1" IP		EAST	28' 0"		



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 16 Township 13 North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
	P	STONE 1" I.P. OVER			SPIC Hickory 1" I.P. & Road	8"	N70W SOUTH North	8'0" 20' 72'9"	
	H	1" I.P. and 3/4 OVER STONE.			Sycamore SPIC Hickory MAPLE	12" 12" 8"	WEST SOUTH N50E	20' 22.6 62.	
	I	1" I.P.			SPIC Hickory Sycamore LARGE NICK (#175)	8" 18" -	EAST S30E S86W	28. 61.1 11.0	
	V	SEE	SEC 15-Z						
	S	1" IRON BAR							
	U	SEE	SEC 15-Q						
	Set By line run by Taylor Summit & R. Hillway 4/70	N	1" I. BAR			MAPLE BEECH	8" 16"	EAST SOUTH	25 14'
		X	STONE 1/2" I.P. OVER			TRIP. SPIC Hickory MAPLE BEECH	12" 6" 6"	S50W N66W S62E	32' 4' 18'
		Z	STONE FOUND			WINDROW ESTATES			101380.
		Q	STONE (1" I.P. OVER)			MAPLE DAK POPLAR	12" 9" 5"	N30W S4W N60E	26' 32' 31'
	R	STONE (1" I.P. OVER)			MAPLE POPLAR MAPLE	8" 12" 10"	S50W N12E N60E	24 22' 17'	

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

R

Section 17 Township 13 North, Range East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.
<p style="text-align: center;">By W Hoadley</p>  <p style="text-align: center;">J. S. Hoogland</p>	at <del>AA</del>				Beech	15	N85W	8
	" J				"	15	N39E	30
	" K				Lynn	24	S77W	9
	" L				Sugar	—	S56E	44
	" M				Beech	18	N30W	13
	" N				W Oak	30	S64E	18
	" O	B	Beech 30 in		Cornus Bush	22	N9E	22
	" P	a	Stone cor.		Stone		South	20
	" Q	X			"		East	20
	" R	L			Hickory	20	N33E	40
	" S	J			R Elm	10	N10W	47
	" T	K			Beech	15	S67W	20
	" U	H			" " " " " " " "	4	S76E	17
	" V				Sugar	20	N88W	117
	" W	C			Beech	14	S86E	30
" X	P			Sugar	18	S77E	100	
" Y	N			Beech	22	S45W	2	
" Z	S			"	5	S41E	21	
	"			"	16	N35E	50	
	"			Plum tree	4	S46E	35	
	"			Beech	20	N32E	38	
	"			"	24	N84W	26	
	"			"	24	N61W	24	
	"			"	10	S9E	26	
Leander Sewers Survey May 5 <sup>th</sup> 1883 by J. Liatt	" c			err. 1275 E of R	Apple tree	2	S77E	25
N of S line 37° Variation	" d			" " 900 ds E of c	Walnut Stump	30	S77W	43
E of W line 255° "	" e			" " 900 " S of d	B. Walnut	9	S84E	29
	" f			" " 900 " S of c	Stone		N75W	17
	"				"		East	25
Liatt. Casual Sewers Partition	" i			" in brook	Sugar	27	N22E	4
	"				W Oak	5	S58E	27
	"				W Elm	3	N78E	49

1070

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 17 Township 13 North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Di.
<p><i>In map on opposite page.</i></p> <pre> E-----D-----C-----B-----A                                           F-----G-----H-----I-----K                                           P-----O-----N-----M-----L                                           O-----R-----S-----T-----U                                           Z-----Y-----X-----W-----V                     </pre>	N	stone			<ul style="list-style-type: none"> <li>— nail in cor post</li> <li>— nail in tree post</li> <li>— nail in cor post</li> </ul>		<ul style="list-style-type: none"> <li>NW 17.</li> <li>SW 24.</li> <li>SE 76.</li> </ul>	
	P	stone			<ul style="list-style-type: none"> <li>— utility pole</li> <li>— utility pole</li> <li>— corner post</li> <li>— corner post</li> </ul>		<ul style="list-style-type: none"> <li>NE 62.</li> <li>SE 60.</li> <li>SW 17.</li> <li>North 16.</li> </ul>	
<p><i>For C. Wilkins et al. April 4<sup>th</sup> 1887. Nixon Landry, M. Herwigday, J. D. Cox, Assts. George W. Pearce Surveyor.</i></p>	At W	Stone			Stone		North 20	
	I	100.00	ch of W.		Beech Sugar	18 22	West 7	
	L	stone			stone		831W 8	
	U	—			" Beech	10	871½E 5	
	No	Stone			Stone Beech	8	N23¼W 2 N7W 15	
	L	SEE SEC 16 "P"			" "	13	N57E 21	
<p><i>Ronald McCracken - Surveyor June 18, 1987 Field Crew Bob Burdine Greg Randolph</i></p>	N	Stone Found, cone shaped, Gray limestone, drilled 3/8" hole, located in center of Asphalt Road (Bunker Hill)			Type "A" Reference Concret Monument Sec.			
					#1 S10°-38'-39" W (Compass)		11.94'	
					#2 N17°-45'-08" E		16.65'	
					(Ref. Bearing to Mark #1)		"	
					NW Corner Garage S14°E		73.40'	

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Fractional Section

18

Township

13

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	D.
<p>By W. Hadley</p>	at V				Beech	10	South	2
	" a				"	18	North	1
	" b				Sugar	22	South	1
	" c				Beech	15	N 58 E	11
	" d				Dogwood	3	N 59 E	3
	" e				"	2 1/2	S 5 W	5
	" f				Beech	22	Curve	
	" g				"	20	N 73 E	3
	" h				Sugar	20	S 50 E	1
	" i				Beech	6	S 12 W	1
	" j				"	6	S 52 E	1
	" k				"	18	S 43 W	1
	" l				"	22	N 9 E	2
	" m				Cherry	6	N 71 E	1
	<p>Craig B.H. Ritchie</p>	B	Stone cor.			Large stone		N 73 E
	A	"			W Oak	36	N 5 1/2 W	5
	M	"			Stone		West	
					Ash	6	North	
					Stone		S 65 E	
					"		North	
					Hickory	5	N 81 W	
					Sycamore	16	S 38 E	
					Stone		North	
By H.A. Blank 11-17-22	f	Perpendicular			Walnut	16"	N 65 E	
					Ash	20"	North	
	L	SEE	SEE	17	"P"			

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Fractional Section 19 Township 13 North, Range 1 East

REMARKS, DISTANCE	Corners.	Stone Mark.	Area	Hun.	Bearing Trees.	Diam.	Courses.
	At O				Sugar	5	N 27 W 3
	" I				"	8	N 59 E 6
	" Bottom cor.				Poplar	72	N 25 W 2
	"				Hickory	30	S 2 E 1
	"				Stone bar.	26	North
	"				"	2	West
	"				Beech	13	N 74 E 1
	"				Sugar	7	S 28 E 3
	"				Maple	12	S 68 E 4
	"				Cum	9	N 58 E 4
	"				Stone bar.		East
	"				"		South
	"				Sugar	4	N 33 E 1
	"				"	5	West 2
	"				"	4	N 71 W 7
<p>By Lewis H. Case Dep. June 18 - 1907</p> <p>Wilbur F Smith Co. Surveyor. E. D. Canatsey &amp; A. Reeves Assoc. P. For Schrader June 11-52 I to B 20.23 ch</p> <p>SEE PAGE FOLLOWING SECTION 36</p>	" H				"	9	S 29 W 1
	"				Elm	16	N 57 E 4
	"				"	14	N 58 E 2
	"				Hickory	5	S. 47 1/2 N 1
	"				"	5	N. 42 1/2 W 2
	"				Hickory	9	S. 43 1/2 N 6
	"				Ash	10	N. 60 W 14
	"				Sugar	3	North 5
	"				Sugar	4	N. 80 W 81
	"				Walnut	16"	North 58
<p>SEE PAGE FOLLOWING SECTION 36</p>	B Stone Established				Walnut	8"	S. 50 E 47
	A Old Inscribed Stone Found				Red Oak	6"	S. Duth 15
	Old Witnesses				" "	6"	N. 30 E 9
	Beech Trees				Beech	24	N. 22 E 38
					Beech	36	N. 89 W 26
					Ash	3	S 30 W 15
	Z IRON PIPE over STONE				W OAK	20"	N 5 E 26
					SUGAR	9"	N 40 W 13
					<del>R OAK</del>	15"	N 20 E 2
					<del>W OAK</del>	4"	N 80 E 15
				<del>Beech</del>	16"	S 7 W 14	
				<del>R OAK</del>	15"	N 5 E 25	
				SHELL HICKORY	15"	N 5 E 25	

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

72

Section

20

Township

13

North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	
<p style="text-align: center;">By W Headley at B</p>	At B				Beech	15	N 15 W 1	
	"	A	Stone		S. Oak	3	S 7 E 1	
	"	M	" cor.		Beech	15	S 67 W 2	
	"	"	"		Elm	15	S 18 W 8	
	"	S	"		Beech	12	N 14 E 1	
	"	"	"		Sassafras	9	N 42 W 1	
	"	O	"		W Oak	10	N 15 E 1	
	"	"	"		Beech	20	N 64 E 2	
	"	Q	"		Sugar	8	S 26 E 2	
	"	"	"		Stone burial		East	
	"	"	"		"		South	
	"	R	"		W Oak	18	S 81 W 1	
	"	"	"		Elm	9	N 21 E 3	
	"	"	"		Sugar	14	S 47 W 2	
	<p style="text-align: center;">J. L. Hoogeland</p>	"	F	"	Beech	5	N 54 E 2	
"		He	"	"	20	S 63 1/2 W 1		
"		G	"	"	"	20	S 74 E 3	
"		"	"		"	22	N 25 1/2 W 1	
"		H	"		Elm	8	S 20 W 1	
"		"	"		Oak	4	N 53 E 8	
<p style="text-align: center;">B. F. Butler</p>		"	M	"	Beech	15	S 43 E 2	
		"	"	"	"	12	S 49 1/2 W 1	
		"	I	"		Elm		N 71 E 1
		"	K	"		dogwood	5	S 25 W 2
	"	"	"		W Walnut	7	East	
	"	J	"		N Oak	10	S 40 E 1	
	"	"	"		W Oak	20	N 54 W 1	
<p style="text-align: center;">H. K. Johnson for W. T. Johnson et al. 1852</p>	"	Y	" cor.	Stone		South		
	"	"	"	"		East		
	"	D	"		Hickory	4	S 2 1/2 W	
	"	"	"		Cash	6	S 75 E	
	"	E	"		Blk Oak	12	N 55 E	
	"	"	"		Stone		East	
<p>A. to e = 10. ch</p>	e	stone		"		West		
	f	"		"		N. E.		

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 20

Township 13

North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<div style="text-align: center;"> </div> <p><i>auxiliary points</i></p> <ol style="list-style-type: none"> <li>1. IRON PIPE 424' E OF Z 9" BARK 1:8" SOUTH 12" HICKORY 129' N80E</li> <li>2. RR SPIKE 1288.4 E OF Z &amp; CO. ROAD</li> <li>3. 40 ROD. N "V" STONE</li> </ol> <p style="margin-left: 40px;">             IRON PIPE - 8" SUGAR MAPLE N80W 20.3'              15" SMALL HICKORY S45E 17.6'              8" SUGAR MAPLE S50W 16.8'         </p>	<p>Z</p> <p>S</p>	<p>1" IP</p>			<p>R OAK 24" SOUTH 31.5'</p> <p>NW cor GEORGE Fields 1<sup>st</sup> sub. div</p> <p>Hackberry 3" N30W 6'8"</p> <p>Hackberry 3" N75E 3'3"</p>			

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 21 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>Pickett</u>	<u>at Q</u>				Oak	15	S36W	17
					"	18	N40E	11
	<u>U</u>				Poplar	8	S94E	6
					Dogwood	2	North	8
	<u>M</u>				Hickory	2	N23W	16
					"	11	S33W	29
	<u>W.C.</u>				Beech	6	S67E	8 1/2
					"	8	S47W	21
	<u>G</u>				Sugar	18	N66E	14
					Beech	14	S82 1/2 W	16
					"	20	N5 1/2 W	29
	<u>K</u>				Hickory	2 1/2	N86 3/4 E	15 1/2
					Dogwood	2	S70W	25
<u>M. E. Nabb</u>	<u>W. Str. cor.</u>				W. Walnut	30	N18E	48
					Elm	12	West	51
<u>W. J. Craig</u>	<u>N</u>				Beech	6	N31E	14
					"	4	N71W	23
	<u>O</u>				W. Walnut	4	S54E	15
					Sugar	—	N85E	21
	<u>V</u>				Beech	8	S71W	27
					"	4	N3W	26
<u>B. F. Butler</u>	<u>R</u>				Stone		South	15
					"		North	15
	<u>Y</u>				Beech	22	S85 1/2 E	60 1/2
					W. Oak	8	S71W	19
By <u>Michael Lease</u>	<u>T</u>				R. Oak	5	S87E	15 1/2
<u>April 1893</u>	<u>T - Found 1926</u>				R. Elm	7	S34 1/2 E	11 1/4
By <u>H. C. Belmont</u>	<u>B</u>	<u>Iron Rod</u>			Hickory	15	N74 1/2 W	54 1/2
<u>June 20-1919</u>	<u>J</u>	<u>Stone</u>			Stone		East	25
<u>Survey for Sugar, Health,</u>	<u>K</u>	<u>Stone</u>			White Oak	4	N26E	13
<u>Amtrak.</u>	<u>A</u>	<u>Stone</u>			Stone		East	50
<u>E. W. Carrington Aug 27 - 1928</u>	<u>C</u>	<u>old Stone</u>			R. Elm	24	North	18
<u>C to B = 20.20</u>	<u>B</u>	<u>Pipe</u>						





# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section **21**

Township **13**

North, Range **1E**

REMARKS, &c., &c.

FOR R.R. Millory Employees  
Conservation Club Inc.  
APRIL - 2, 3 & 4 - 1951



R to S 20.15 chains

S to T 20.15 "

T to U 20.30 "

V to U 20.12 "


Canatsey July 15-1953  
for Walter W. Richardson

Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
R	old stone and witness Found			Stone		North	152A
				Stone		South	164B
S	Stone Established			Ash	20"	west	10 ft.
				R. Oak		20° South	26 ft.
T	old Stone-Found			B. Oak	6"	S. 75° W	52 1/4"
				B. Oak	8"	S. 40° E.	21-8"
U.	Corner in Creek Shale Bottom No Stone placed			Twin Elm	14"	S. 30° W	22 ft.
				Point Elm	24"	N. 45° W	25 ft.
V	old Stone-Found			Hickory	6"	S. 82° E.	72 9/11"
O	stone			Twin Hickory	20"	N. 20° E	19 ft.
G	stone			Sugar	18"	N. 65° E	14
E	old stone			Thorn	14"	S. 10° W.	29'
				"	6"	East	13-7'
D	old Stone			Stone	-	West	8'
				Beech	10"	S. 50° W	27'
				Hickory	14"	East	38'
A	SEE			SEC 15-2			
C	"			" 16 "X"			

7 1/2 mi Cor Sec 21  
Tree SW 32  
Tree S, 10.1.  
Measure Sec. 40.  
1339'

7 mi Cor Sec 21  
NW 1/4  
Compst. N 27.2  
Cor. Pt. W 28.7  
Util. Pole SW 10.5 / 1339'

7 1/2 mi Cor Sec 21  
45 ss. Mon. SW 1/4  
Util. Pole. 1975  
Cor. Pt. N 2. 37.7'



7 1/2 mi Cor Sec 21  
FT 3 N R 1 E

Stump  
About ground  
No Ref.  
No Ref.

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 22 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center;">By W. Headly</p>	AT S				Sugar	6	S 71° E	6	
	Picket "	O.			"	8	N 50° W	21	
		"	G			W Oak	20	S 24° E	10
		"				do	15	N 44° W	16
		"				Beech	8	S 25° W	20
		"				"	18	N 30° W	15
		"				"	12	N 84° E	3
		"				"	10	N 39° E	28
		"				"	15	N 21° E	109
		"				W. Oak stump	30	N 85° W	70
	"	L			Beech	16	N 17° W	34	
	"	J			S. Oak	36	S 77° E	28	
	"	"			R Elm	10	- 71° W	21	
	"	"			Lynn	16	S 5° E	45	
By Carr Haas Dec. 4-1912	V	"			Red Oak	10	S 75 1/2° W	28 1/2	
	J	"			Wild Cherry	7	N 25 1/4° E	37	
	"	"			Beech	8	N 24 3/4° E	6 1/4	
	T	"			Sugar	6	N 59° W	37 1/2	
	"	"			Poplar	5	N 18 1/4° E	3 1/2	
	"	"			White Oak	12	S 32 3/4° E	9	
	E	Stone			stone		East	5-	
	F	old stone			Poplar	8"	N. 10° E.	7 1/2	
	"	"			W. Cherry	16"	N. 15° E	24	
	"	"			Sugar	8"	N.E.	28 1/2	
	"	"			Gum	18"	East	26	
	"	"			"	17"	15° E	-	
	N	PIPE			HICKORY	12"	N 60° W	61.25	
	"	"			OAK	10"	N 80° W	42.0	
	M	PIPE			W. CHERRY	5"	N 90° W	56.2	
	"	"			POPLAR	20"	N 70° E	56.2	
Benjamin F. Butler	"	"							
old Ref. Stone not found	"	"							
T is 13.50 South of T.	"	"							
Canatsey - Mar 9-1955	G.	stake							
C	"	"							

RECORD OF SURVEY IN MORGAN COUNTY, INDIANA.

Section 22

Township 13

North, Range 12

REMARKS, &c., &c.

Corners

Stone Mark.

Acres.

Run.


Boating Trees.

Diam.

Course.

Dist.

E  
V  
D  
O



SEE  
SEE  
SEE


360  
360  
360

15-2  
27-A  
15-Y

PIPE - DATE MARKER SURV FOR R. SUNI 1985

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 23 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Di.
<p>By <u>M<sup>e</sup> Nass</u> <u>14</u></p>  <p><u>Geo W. Pearce</u> 1885</p>	<u>M</u>	<u>Q</u> stone cor.			<u>Black</u>	<u>18</u>	<u>N 31 W</u>	<u>11</u>
	"	<u>S</u>			<u>Hickory</u>	<u>12</u>	<u>N 31 W</u>	<u>21</u>
	"	<u>a</u>			<u>Walnut</u>	<u>4</u>	<u>N 52 E</u>	<u>74</u>
	"	<u>b</u>			<u>W Oak</u>	<u>24</u>	<u>N 21 E</u>	<u>20</u>
	"	<u>M</u>			<u>Beech</u>	<u>20</u>	<u>N 37 E</u>	<u>7</u>
	"	<u>v</u>			"	<u>18</u>	<u>N 45 E</u>	<u>1</u>
	"	<u>R</u>	<u>Stone</u>		<u>R Oak</u>	<u>4</u>	<u>N 46 W</u>	<u>10</u>
	"	<u>a</u>			<u>do</u>	<u>5</u>	<u>N 35 E</u>	<u>14</u>
	"	<u>N</u>	<u>Stone</u>		<u>do</u>	<u>16</u>	<u>N 71 W</u>	<u>35</u>
	"	<u>O</u>			<u>W Oak</u>	<u>8</u>	<u>N 58 W</u>	<u>23</u>
	"	<u>G</u>			<u>Beech</u>	<u>10</u>	<u>N 12 W</u>	<u>58</u>
	"	<u>S</u>			<u>Stone</u>		<u>North</u>	<u>53</u>
	"	<u>E</u>			"	<u>band</u>	<u>N 6 W</u>	<u>10 1/2</u>
	"	<u>H</u>			"		<u>N 85 1/2 W</u>	<u>24</u>
	<p>By <u>H. A. Plunk</u> <u>June 18 1910</u> <u>or not lined east and west.</u> <u>From Smith Aug 28</u> <u>N 1920 of C. Burns' lot</u></p>	"	<u>O</u>			<u>Hickory</u>	<u>6</u>	<u>N 31 E</u>
"		<u>G</u>	<u>cor.</u>		"	<u>8</u>	<u>N 67 W</u>	<u>11</u>
"		<u>S</u>	<u>" "</u>		<u>Sugar</u>	<u>5</u>	<u>N 14 W</u>	<u>20</u>
"		<u>E</u>	<u>" "</u>		<u>Stone</u>		<u>N 26 E</u>	<u>29</u>
"		<u>H</u>	<u>" "</u>		<u>B Oak</u>	<u>6</u>	<u>N 65 E</u>	<u>20</u>
"		<u>K</u>	<u>" "</u>		<u>Hickory</u>	<u>9</u>	<u>N 32 W</u>	<u>19</u>
"		<u>L</u>	<u>" "</u>		<u>W Oak</u>	<u>12</u>	<u>N 2 W</u>	<u>38</u>
"		<u>M</u>	<u>" "</u>		<u>B Oak</u>	<u>6</u>	<u>N 40 W</u>	<u>17 1/2</u>
"		<u>N</u>	<u>" "</u>		<u>Stone</u>		<u>N 35 W</u>	<u>8 1/2</u>
"		<u>O</u>	<u>" "</u>		"		<u>N 42 W</u>	<u>16</u>
<p><u>Revised</u></p>	"	<u>1</u>	<u>stone</u>		<u>large stone</u>		<u>N 13 1/2 W</u>	<u>7 1/2</u>
	"	<u>2</u>	<u>" "</u>		<u>Sycamore</u>	<u>10</u>	<u>S 48</u>	<u>26 1/2</u>
	"	<u>3</u>	<u>" "</u>		<u>Elm</u>	<u>2</u>	<u>S 16 E</u>	<u>10 1/2</u>
	"	<u>4</u>	<u>" "</u>		<u>White Oak</u>		<u>N 80 1/2</u>	<u>11 1/2</u>
	"	<u>5</u>	<u>" "</u>		<u>History</u>		<u>South 16 E</u>	<u>2 1/2</u>
		<u>T.</u>	<u>stone</u>		<u>black oak</u>	<u>6</u>	<u>North 52 1/2 E</u>	<u>8 1/2</u>

NOTE. Continued 3 pages back of Sec. 26.

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **23** Township **13** North, Range **1E**.



Remarks, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
APRIL 20-1953 Old 5700w. For Keenan and Larsen By Wilbur F. Smith - E.P. Carter 278 9 Rec'd 1953	L	Limestone			Steel post set in concrete		North	15ft.
	M	" "			5" Ash	5"	North	14"
(L to M 20.74chs)	N	old Stone fold wt.			Cedar	10"	South	36'-10"
(All found)					Sand stone		N6°W	10 1/2 LNS
New References					Sand stone		N85 1/2°W	24 LNS
(M to N 20.56 Chs)					Twin W. oak	18"	SE	35 1/2 LNS
N, East to E of old TWP Road = 6.62chs.					Red oak	14"	South	33 LNS
1 (Stone & Pipe) 10.2 m S. of M.					W. oak	8"	EAST	13 LNS
					R. oak	8"	NORTH 15°E	32 LNS
2 Found Corner marked by stone & pipe. NW cor of 10 Acre Tract.					White oak	6"	NE	17 1/2 LNS
					Spiry Hickory	9"	West	8 LNS
	I	IRON PIPE			B. OAK	12"	N75W	21.3'
					S. HICKORY	12"	N30E	28.5'
	L	SEE	SEC 24-P					
	Z	SEE	SEC 27-A					
	C	STONE (1" PIPE OVER)			W. OAK	20"	S22E	26'10"
					SPIL HICK	10"	N45W	23'10"
					W. OAK	9"	N70E	21'9"
	D	STONE (1" PIPE OVER)			MAPLE	3"	W	28'10"
					MAPLE	6"	N30W	2'4"
					MAPLE	3"	N60W	27'1"
	G	STONE (1" PIPE OVER)			B. OAK	12"	N20E	4'2"
					MAPLE	12"	S60E	12'6"
					MAPLE	16"	N23W	25'2"
	H	STONE (1" PIPE OVER)			R. OAK	6"	N25W	16'4"
					TW R OAK	9"	S70W	34'9"
					W OAK	12"	S50E	7'0"
	3.	IP. 320' S of I			HICKORY	6"	N55E	21'0"
					HICKORY	10"	S30E	54'4"

1967  
IP. 320' S of I  
6" S. Hickory N55E 21.0'  
18" R. Hickory S30E 54.4'

SEE ADDITIONAL PAGE 2<sup>nd</sup> PAGE FOLLOWING



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24 Township 13 North, Range 16a

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	D.
	A	Stone			Stone		S 34 W 3	
	"	L	"		"		N 20 W 3	
	"	A	"			Sugar	6 N 30 W 10	
	"	G	"			Beech	30 N 84 W 3	
	"	Z	"			2 Oak	9 N 30 E 5	
	"	Q	"			"	2 45 E 4	
	"	N	"			Beech	10 S 22 E 4	
	"	"	"			Sugar	20 S 8 W 6	
	"	"	"			"	15 N 41 W 7	
	"	"	"			"	17 S 37 E 2	
<p style="text-align: center;">B. J. Butler</p>	"	a			"	18 S 50 1/2 E 5		
	"	b			"	12 S 45 W 6		
	"	"			B Walnut	— S 80 1/2 E 2		
	"	"			Sugar	15 S 62 1/2 W 6		
	"	c			"	18 N 83 1/2 W 2		
	"	B	Stake			S. E. corner of Cane run, Pat.	N 16 1/2	
	"	M	old stone corner of Cane run Pat.			Big Post line stone corner of Cane run Pat.	S 16 1/2	
	"	m	Iron Pipe			Stone	W 18 1/2	
	"	"					E 15 1/2	
	"	"					E 19 1/2	
<p>H. A. Blunk, Apr. 20-1925 Survey for E. M. Easley.</p> <p>m - 19.07 feet of M in stone road</p> <p>Cane run 1956</p> <p>R. 15.31 south of F.</p> <p style="text-align: center;"><u>NOTE: CONTINUED AFTER</u> <u>SEC 36</u></p> <p style="text-align: center;">CDM 66 (BRASS PIN IN STEEL BOX. Nov 1970)</p>	"	G.			old stone			
	"	"			B. oak	8" N. 8 E	22	
	"	"			Sugar	8" SE	19	
	"	"			old stone wit.	SE.	26	
	"	F	"		Sassafras	8" East	20	
	"	"	"		Honey Locust	16" N. 28 E	37	
	"	"	"		Poplar	24" S. 80 w	46	
	"	"	"		Sugar	12" N. 10 w	46	
	"	"	"		Big Post	Stone		
	"	"	"		"	Stone		
<p style="text-align: center;">LIMESTONE IN GL. ROAD</p>	"	P			R CEDAR	8" N 30 W	44.4'	
	"	"			I. S. H. C. COR. POST. S. 44 W		57.10'	
	"	"			ST. F. P.	NW	59.0'	



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA

Section **24**


Township **13**

North, Range

REMARKS, &c., &c.

Course. Stone Mark. Acres. Hua. Bearing Trees. Date.

E  
F  
G  
P  
O  
Z



C STONE  
 I.P. QUER  
 BEING MARK  
 COR POST  
 1845  
  
X LARGE Remnant  
 STONE  
 3/4" I.P.  
 (fluted)  
 UTILITY PILE  
 SE COR STONE HOUSE N10.  
 SW COR STONE HOUSE N20.  
 NW COR SHED  
 530


# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section: 25 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	By W Leadley at d				Beech	8	S 23 E	7
					"	18	N 18 W	25
	No. 6 " L Stone 1/4				Stone		West	20
					"		North	25
	B.B. " a " Engraved				Cash	30	S 30 W	100
	" b " "				Locust	10	N 3 E	28
	" c " "				"	8	N 21 E	53
	Platt " P Stake in brook				Stone neck		West	50
					"		East	50
By Charles O. Kilbuck March 23, 1900.								
		E. Stone Pipe M.X.			Stone M.W.		S 28 W.	17 ft
		k. Sand stone M.X.			Do.		S 28 W	36 ft
		j. " " 23 ft 2 1/2 in dia			Apple Tree		N. 3 W.	19 ft
Note - E is at N.E. Cor of lot #2, - k is at N.W. Cor of lot #2, - j is at S.E. Cor of lot #4. all in Block No. 6. in original Brooklyn. C. Q. S.								
By Carr House, Nov. 1911 (it is 10.59 Ch. North and 19.47 Ch. West of L.)		at m			Iron Pipe		N. 30 W.	20
		at w			Iron Pipe			
By H. A. Blunk Apr. 4-1918 L = 16.9 1/2 Ch N and 13.95 Ch W, of L					Stone		N. 35 E	60
Survey for O. H. Oliver & S. Glidden Nov 8-1918 Frank Smith					Sycamore		S 43 E	20
					Stone			
Checked at 1972 E. O. Gilbert								
Bethany Park Survey Wilbur F Smith Oct 26-51 H. A. Blunk & A. Reeves assts: L is 855' S. 90° E of f)								
So called Base Line - Shown on plat of Bethany Park								
Continued - Back of section 36.								
		M. Red Iron Staff						
	1.	Iron Staff	1120 ch	west M.				
	2.	Iron Staff	on bank of Indiana	south of l.				
	L	Stone M						
		ELI RINKER GRAVE						
					ora R. Rinker S.W. 7 1/2			
					Melvin M. Jester - S.E. 10			
					Stone P. Sec 6. 30 is 206 N.			
	Q	Old Stone						
		W.F. Smith May 1952						
					Stone 22" N 50 E	8'		
					1" Gas pipe at North	43'		
					S.W. Cor of Bethany park			
	f	1" Gas Pipe at	Angle Iron	North	12' 1/2			
		S.W. Cor of Bethany park	Cor. Rock	At Q	South	43' 6"		
	r	1" Gas pipe - south	80° E 855' from	center of Road	South side			
					S.W. Cor of Bethany Park: Base line			
					Lot # 9			
					S.W. Cor of Porch of house on Lot # 9, N.E. 29			
					S.W. Cor of house on Lot # 9			

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA

Section 25 Township 13 North, Range 1 E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>May 1952</p>  <p>By Wilbur F Smith Co. Surv. E. B. Carnesey &amp; A. Reeds Assts For Brooklyn Brick Co.</p>	<p>1</p>	<p>3/4" Gas Pipe</p>	<p>177</p>	<p></p>	<p>Flat Iron Bar N. 45° E</p>	<p>10 ft.</p>	<p>South East corner of small Brick building N. 10° W. 17.4"</p>	<p></p>
<p>Center of street on south side of Bethany part. corner of Buchanan &amp; Brick Co.</p>	<p>2</p>	<p>1" Galv. pipe</p>	<p>769chs</p>	<p>From cor. 1</p>	<p>S. 80° E</p>	<p>2 1/2 ft.</p>	<p>S. W. corner of South West Wing Wall of Rail Road conc. Bridge N. E. 38.4"</p>	<p></p>
<p>S. E. corner of Bethany part and N. E. cor. of Brick yard.</p>	<p>3</p>	<p>3/4" Gas Pipe</p>	<p>655ch</p>	<p>From corner</p>	<p>S. 45° W.</p>	<p>177</p>	<p>7° S. 72° W. 17.5"</p>	<p>177</p>
<p>Corner of Buchanan &amp; Brick Co. Property</p>	<p>4</p>	<p>2 1/2" Flat steel</p>	<p></p>	<p>on west line of</p>	<p></p>	<p></p>	<p>177</p>	<p>9.15° W. 14.3"</p>
<p></p>	<p>✓</p>	<p>STONE (ENGRAVED)</p>	<p></p>	<p></p>	<p>POPLAR</p>	<p>6"</p>	<p>WEST</p>	<p>12.0'</p>
<p></p>	<p></p>	<p></p>	<p></p>	<p></p>	<p>POPLAR</p>	<p>7"</p>	<p>S 45° E</p>	<p>9.0'</p>
<p></p>	<p></p>	<p></p>	<p></p>	<p></p>	<p>HARD MAPLE</p>	<p>8"</p>	<p>N 50° E</p>	<p>20.0'</p>

R

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 26      Township 13      North, Range 1 E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>Frank D. Gullett + H.O. Blount 1946</i></p> <p><i>Wilbur F Smith May 1952</i></p> <p style="text-align: center;"><i>12-2-65</i></p> <p style="text-align: center;"><i>R Holloway 1970</i></p> <p style="text-align: center;"><i>Reginald McCracken</i></p>	N	Iron Nail	4.81		48% north of W S. DAK 15.20 S. of T.	12"	S. 45 1/2° W	12.8 ft
	K	Iron Nail & Stone			Hickory Oak	6"	N. 1° W	6.8 ft
	W	Stone - Also 1/2" Galv. Pipe			" B. Hickory White oak	10" 14"	S. 42° W S 45° E N. 82° E North	10.7 ft 23.9 ft 18.1 ft 41.4 ft
	W	8.58 ch East of W.						
	W	To W. 4.80 ch						
	W	To Cor 4 sec. 25 = 22.50 ch.						
	Cor. 5	3/4" Galv. Pipe	17.16 ch		White oak " "	6" 8"	S. 37° E N. 45° E.	7.0 5.0
	N	Iron Pipe			W OAK W OAK	15" 18"	N 80° W S 15° E	13.0' 13.0'
	E	SEE SEC 27-A						
	O	Stone engraved 1 1/4 ft			OAK OAK OAK	10" 12" 8"	N 10° W West S 70° E	5' 2" 10' 10" 24' 10"
X	LARGE STONE (IRON FENCE POST) ON SIDE			SHELL HICK RED OAK	8" 10"	S 60° E N 60° W	15' 10" 24' 2"	
R	ENGRAVED STONE			WHITE OAK OAK SHELL HICK W OAK	8" 10" 4" 7"	S S 14° W S 60° E N 10° W	28' 0" 7' 10" 17' 4" 13' 0"	
F	IP in Concrete			PK Nail in Concrete "		N 60° 34' 14" W N 31° 45' 02" E	14.38' 16.45'	


# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27

Township 13

North, Range 1 East

REMARKS, &c., &c.



By Jerry Bradley

for He. Marshall et al.

Sept 12<sup>th</sup> 1887. W. Marshall

Marion Griffith and J. S.

Phillips Executors.

George W. Parcell Surveyor

By H. A. Blunk

By S. B. Christy 1929.

U.S. 19,0924. Nov. 1.  
1889 Ch. S. or L.  
K. T. W. = 20.78 ch

Course.	Dist.	Beating Trees.	Diam.	Course.	Dist.
W Oak	30	W Oak	30	S 57° E	40
Poplar	30	Poplar	30	S 21° W	61
Oak	12	Oak	12	N 36° W	84
Beech	22	Beech	22	S 69° W	79
W Oak	16	W Oak	16	N 75° W	16
do	18	do	18	N 70° E	16
Beech	14	Beech	14	N 22° W	26
Oak	14	Oak	14	S 5° E	30
Beech	16	Beech	16	West	7
Ash	12	Ash	12	S - E	49
Beech	12	Beech	12	S 65° E	17
"	8	"	8	N 24° E	50
Stone	8	Stone	8	South	50
Beech	8	Beech	8	S 10° W	15
Hickory	4	Hickory	4	N 77° W	17½
"	8	"	8	S 45° E	19
Beech	12	Beech	12	N 62° W	35
Elm	12	Elm	12	N 40° W	20
Hickory	4	Hickory	4	S 15° E	26
Walnut	7	Walnut	7	N 53° E	40
Hickory	20	Hickory	20	S 24° E	75
Beech	19	Beech	19	S 61° E	42
W Oak	11	W Oak	11	S 6° W	53
R. Oak	10	R. Oak	10	N 65° W	29
W Oak	24	W Oak	24	S 5½° W	34
Stone	"	Stone	"	East	31½
"	"	"	"	South	30½
Sugar	24	Sugar	24	N 58° W	26
Beech	15	Beech	15	S 37½° W	43
"	"	"	"	"	"
Hickory	8"	Hickory	8"	N 17° E	25 L
W Oak	6"	W Oak	6"	N 45° W	9½
Stone	"	Stone	"	S 36½° W	56 L
Stone	16"	Stone	16"	N	28½
"	"	"	"	W	40

Old Cor. Found  
L  
Old Cor. Found  
V  
Old Cor. Found.  
W

Stone (+)  
"  
"  
Stone (+)

(+)  
(+)  
(+) (also 3/4 Iron pipe)

Stone  
Stone  
Stone

Hickory  
W Oak  
Stone

8"  
6"

N 17° E  
N 45° W  
S 36½° W

25 L  
9½  
56 L

28½  
40



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 27 Township 13 North, Range 1E

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.
	V.	1" I.P. (1/4 RD)			UTIL POLE LOR POST		N70E W	16.0 14.1
	U	STONE CIL RP (2 1/2" I.P.) BESIDE)			LOR PST LOR PST ASH		E W 4" 588W	9.5 12.0 28.0

B  
E  
Y  
F  
P  
O  
Z

For  
W.M.  
Staff  
  
 From  
W.M.  
Cresto

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28 Township 13 North, Range East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By W Headley</p> <p style="text-align: right;">J. Ke.</p>	AT				W Oak	18	N 36 E	13
		J			Beech	12	S 22 W	26
		Q			B Gum	18	S 31 W	31 1/2
		R			Beech	20	S 49 E	15
		O			Lynx	9	S 27 W	18
		S			Oak	3	N 62 E	25
		T			Beech	6	S 27 W	8
		U			W Oak	18	N 24 E	30
		V			Dogwood	3	S 45 E	22
		W			Cherry	4	S 66 E	29 1/2
		X			Beech	18	N 65 W	21
		Y			"	15	N 25 W	19
		Z			Stone		North	10
					"		East	10
	Mc Nabbs	N			Beech	13	S 14 W	14 1/2
	H			"	18	N 64 W	14 1/2	
	K			"	7	S 20 E	63	
	L			"	6	S 32 W	56 1/2	
	M			Sycamore	18	N 57 E	7 1/2	
	N			Ash	6	N 88 E	99	
	O			Beech	12	S 62 E	15	
	P			"	16	N 35 E	33	
Ke J. Craig	a			W Oak	14	S 72 E	34	
	B			do	24	S 73 W	15	
	C			do	10	N 7 W	14 1/2	
	D			do	10	N 25 E	26 1/2	
J. S. Kozelund	L		76	Oak	3	S 45 E	50	
	M			R Oak	5	S 13 1/2 W	48 1/2	
Michael Kease Deputy	M			Beech	30	N 28 1/2 W	10 1/2	
April 13 <sup>th</sup> 1893	a			W. Oak	8	S 19 E	14 3/4	
	B			Cherry	3	S 56 1/2 E	34 3/4	
	C			Sugar	2	S 87 1/2 E	65	
	D			Beech	20	S 33 1/2 W	15 1/2	
	E			Sugar	2	N 37 1/2 W	19	

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 28 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By Michael Kease</p> <p>Earle O. Gilbert 5-24-06- H.A. Blunk assistant</p>	At 8				Beech	11	N 20 W	5
					"	2	R 1 W	9
	K	old stone - found			Beech	40"	East	26ft
		W.F. Smith April 5, 1951			Poplar	8"	South	20ft.
	D	old stone			Beech	22"	S. 85° E	60 1/2
					W. oak	8"	S 71° W.	19
	b	16.94 West of X stake			So. Oak	12	N. 89° E	36
	a.	16.94 West of N. stake			W. Oak	15	N. 55° E	49
	L	stake			Ash	10	S. 73° E	25
	c.	39.36 North of V stake			Sassafras	14	N. 32° W	25 1/2
				W. Oak	24	E.	95 1/2	
				Ash	8"	N. 89° W	29 1/2	
				Pet-bitters	4"	S. 40 1/2° W	22 1/2	
				Sassafras	8"	N. 5° W	34	
d.	39.36 North 16.94 W of X stake			Twin Elm	24	N. 5° W	93	
				B Walnut	12	S E.	26	
				Elm	9	S W.	44	
L	S E E	SEC 27 - P						

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.


Section 29 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By M<sup>o</sup> Nabv</p> <p style="text-align: center;">Liram Kraig</p>	At N	Stone cor.			Beech	6	North	19 1/2
	" S				"	5	N78W	38
	" O				"	6	N65W	32
	" S				"	14	N74E	33
	" S				Sugar	24	N27W	46
	" S				W Oak	30	N27E	37
	" S				Poplar	14	N13E	6
	" M				Ironwood	8	N13W	5
	" W	" "	" "		Beech	18	N54E	36
	" S	" "	" "		"	18	N50W	38
	" Q	" "	" "		Hickory	8	N56E	32
	" R	" "	" "		Beech	12	N19W	34
	" S	" "	" "		W Oak	18	N23W	20
	" S	" "	" "		Maple	22	N28W	22
	<p style="text-align: center;">By H. A. Blends 5/5-27 d-54 ch. bench of D</p> <p>Wilbur F. Smith 5/35 for Cora and Edward Vonspeckel/son</p> <p><del>At S</del> 15-427.02 ft West of S S<sub>1</sub> 528 ft North of S N<sub>1</sub> 380.16 ft North of S<sub>1</sub> R<sub>1</sub> 15 N of R 528 ft C<sub>1</sub> 15 380.16 ft N of R</p>	" K	Brown stone in creek			Lycium	32	N70E
" B		Stone cor.			Elm	10	N73E	95
" C		" "			Hickory	7	N7E	15
" R		" "			Maple	20	N45W	28
" S		" "			Beech	8	N24W	17
" S		" "			"	18	N15E	37 1/2
" S		" "			"	11	N70W	12 1/2
" S		" "			Dogwood	2	N33E	19
" S		" "			Sugar	10	N24W	44
" S		" "			Poplar	2	N72E	23
" S		" "			Hickory	2 1/2	N51E	16 1/2
" S		T, Rail			Beech	36"	North	27 1/2
" R		original stone			Hickory	15"	East	34 1/2
" S		stake			Black oak 16"		S. 9 1/2 E	5 1/2
" S <sub>1</sub>		stake			White oak 16"		N. 76 1/2 W	26
" N	stake			17 center of Road.				
" R	stake			17 center of Road.				
" O	stake			17 center of Road.				

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 29 Township 13 North, Range 10

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.
Canatsey - Sept 1955	E	old stone +			B. oak	30"	S 30° E 31
		IRON PIPE			Beech	24"	East 30
					SUGAR	12"	EAST 21
					SUGAR	10"	N 85° W 13
					SUGAR	8"	South 13
	1 32 ADS E OF "F" STONE						
	1970 E N F	SEE	SEC	20-Z			
		SEE	SEC	31-A			
		SEE	SEC	30-K			



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 30 Township 13 North, Range 1 East.

REMARKS, do., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By <i>J. Hadley</i></p>	At K				Beech	15	North	13 1/2
	"	L			"	15	N 59 W	23 1/2
	"	"			"	12	N 35 W	30
	"	"			"	10	S 84 W	40 1/2
	"	"			"	18	N 16 W	6
	"	"			"	3	N-W	14
	"	"			"	24	S 11 W	35
	"	"			"	15	S 43 E	18 1/2
	"	"			"	3	N 20 E	3
	"	"			"	6	N 14 W	5
	"	"			"	20	N 69 W	11
	"	"	Stone		"	4	N 16 E	10
	"	"	"		"	4	S 63 W	20
	"	"	"		"	12	N 71 1/2 W	57
	"	"	"		"	20	N 69 1/2 E	185
"	"	"		"	20	N 50 E	124	
"	"	"		"	6	S 72 W	15	
"	"	"		"	20	S 23 E	38	
"	"	"		"	14	N 28 E	16	
"	"	"		"	13	S 66 E	7 1/2	
"	"	"		"	22	N 72 E	63	
"	"	"		"		N 32 1/2 E	87	
"	"	"		"	12	S 51 E	25	
"	"	"		"	8	N 31 1/2 W	15	
"	"	"		"	30	N 54 E	123 1/2	
"	"	"		"	8	N 87 E	23	
"	"	"		"	7	S, 8 1/2 W	16 1/2	
"	"	"		"	6"	N 7 1/2 W	9 1/2	
"	"	"		"	18"	N 78 1/2 W	15 1/2	
"	"	"		"	4"	S 76 E	28	
"	"	"		"	10	S. 2 W	115	
"	"	"		"	10	N. 53 W	1.13	
"	"	"		"	8	N. 20 W	1.3.	
<p><i>S. Cratt Mar. 30<sup>th</sup> 1883</i></p>	"	"		"	"	"	"	"
<p><i>By H. A. Blank, Mar 27, 1910</i></p>	"	"		"	"	"	"	"
<p><i>By H. A. Blank - May 23-1932</i></p>	"	"		"	"	"	"	"
<p><i>H. A. Blank, Aug 10-1932</i></p>	"	"		"	"	"	"	"
<p><i>Survey by D. D. Roberts</i></p>	"	"		"	"	"	"	"
<p><i>By Elias Shields, Deputy</i></p>	"	"		"	"	"	"	"
<p><i>April 18-1934</i></p>	"	"		"	"	"	"	"
<p><i>- N is 14.75 ch. with P</i></p>	"	"		"	"	"	"	"
<p><i>By Cass Haas Aug 1934</i></p>	"	"		"	"	"	"	"
<p><i>C is 14.50 west of M.</i></p>	"	"		"	"	"	"	"

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 30 Township 13 North, Range 12

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dis.
<p>Canatsey - Nov. 19-1954 For Ernie Templin</p>	U	old Stone			oak	18"	N.E.	35'
	A	STONE			b. oak	12"	N. 80 W	16.2
					BEECH	26"	N80E	29.8
					R OAK	28"	SISE	31.2
	K	STONE			P HICKORY	5"	WEST	14.6
					P HICKORY	10"	SOUTH	24.6'
					ASH	10"	N30W	20.6
					ASH	12"	N20E	17.5'
	M	STONE			SHELL HICKORY	10"	S80W	14.4'
					R OAK	8"	SISE	10.8'
				SHELL HICKORY	14"	E	14.8'	
	C	SEE	SEC	19-X				
	E	SEE	SEC	19-Z				
	V	SEE	SEC	31-A				
	P	old STONE	1/4 P. side		Maple	24"	N80W	9'8"
					Red Oak	6"	S	52'
					Strip Hickory	6"	S30W	26'8"
	W	SEE	SEC	31	"B"			

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 31 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Di.
<p style="font-size: 1.2em; margin: 0;">By M. Headley</p>	at M				Beech	22	N 50 E	27
	" B				Ash	18	S 8 W	17
	" S				Sugar	20	N 70 E	21
	" M				Beech	18	N 58 W	39
	" H. H.	Structure			Logwood	5	N 27 W	11
	" G				Beech	6	S 27 E	22
	" N				"	15	N 39 E	10
	" Y				"	16	N 58 W	39
	" S				"	8	N 8 E	40
	" O				"	18	S 64 W	16
	" R				R. Oak	5	S 5 W	84
	" K				Sugar	—	N 57 E	12
	" a				Logwood	—	N 68 W	27
	" B				Cottonwood	2	S 41 E	16
	" W				"	1	S 63 W	12
	" U				Walnut	5	S 57 W	43
	" X				Sycamore	12	N 80 E	16
	" V				Beech	—	S 83 E	28
					"	22	S 44 1/2 W	11
					R. Oak	3	N 54 W	7
				Sassafras	12	S 70 E	20	
				W. Oak	20	S 75 W	9	
				do	16	S 8 W	16	
				B. Walnut	6	S 11 1/2 W	91	
				Sassafras	3	S 64 W	11	
				White Oak	5	N 41 E	37	
				walnut	4	N 79 W	44	
				Elm	6	S 47 E	3	
				Blackoak	10	N 77 1/2 E	19	
				"	7	S 58 E	21	
				Jack oak	7	N 61 1/2 W	31 1/2	
				Hickory	4	N 45 1/2 W	36 1/2	
				Wild Cherry	14	N 18 1/2 E	21	
				Hickory	4	N 11 1/4 W	3	

By C. G. Ke. Jones Deputy  
Feb 28<sup>th</sup> 1885

By H. R. Blumfeldt Mar 30, 1910  
2 431 south and 1800 E East of D  
2 431 south of D on  
Meridian Line

By Haake May 15-1911



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 32 Township 13 North, Range 1 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist	
<p style="font-size: 1.2em; font-weight: bold;">By Jerry Hadley</p>	At a				Beech	6	N 15 1/2 W	13	
	" B				"	12	N 7 1/2 E	27	
	" C				Sugar	18	N 22 E	20	
	" D				Beech	15	N 45 E	22	
	" E				"	7	N 21 W	43	
	" F				"	18	N 63 W	7	
	" G				Dogwood	3	N 2 W	14	
	" H				Hickory	22	N 21 E	28	
	" I				Beech	18	N 81 E	12	
	" J				"	9	N 19 W	32	
	" K				W. Oak	4	N 4 E	30	
	" L				do	24	N 56 W	34	
	" M				Beech	20	N 67 E	50	
	" N				"	18	N 56 E	11	
	" O				W. Oak	30	N 42 E	14	
	" P				do	36	N 40 E	15 1/2	
	" Q				Stone		N 12 E	21	
	" R				"		West	25	
	<p>Robt M. Pheters Apr 12<sup>th</sup> 1890</p>	" S				Beech	12	N 62 1/2 E	46
		" T				"	15	N 70 E	40
	" U				Hickory	19	N 80 3/4 E	28	
	" V				Beech	24	N 75 3/4 W	36	
	" W				Stone		South	25	
	" X				"		North	38	
	" Y				Blk Oak	13	N 10 1/2 E	30	
	" Z				W Oak	12	N 63 E	38 1/2	
<p>2 E. O. Gilbert 6-17-44</p>	"				Stone		East	22	
	"				"		West	22	
<p>BY Wilbur F Smith 2-13-52</p>	"				W. oak	40	NE	24	
<p>Lap Corner. From W west</p>	"				Oak	36	NW	26	
<p>3.29 ch TO Corner B. section</p>	W	4" x 4" concrete marked I-U.			Iron Wood	5"	S. E.	1 ft	
<p>5 Twp. 12 N R 1 E</p>					Ash?	6"	West	14 1/2	





# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 33 Township 13 North, Range 1 East.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By W. Hadley</p> <p style="text-align: center;">L. J. Crady</p> <p style="text-align: center;">M. Matt</p> <p style="text-align: center;">Craig</p> <p style="text-align: center;">G. W. Pearce March 24, 1887</p> <p>For J. Hambright et al. 4/1887 W. Maxwell, J. J. Phillips and W. H. Stafford Assets G. W. Pearce sur.</p> <p>For L. E. Campbell et al. 7/3/1888 W. Hayes, J. J. Allen &amp; A. Cummings Assets G. W. Pearce Surveyor</p>	W. H.				Elm	10	N70W	12 1/2
	"	"			"	10	N72E	24
	"	"			Dogwood	2	S70E	3
	"	"			Sassafras	3	N5W	36
	"	"			R Oak	24	S56E	17
	"	"			Dogwood	2	S12E	9 1/2
	"	"	Stone cor.		Beech	-	S64W	63
	"	"			Poplar	9	N82W	58
	"	"			Bushy	10	N15E	13
	"	"			Bash	-	South	9
	"	"			S Oak	3	N44W	20 1/2
	"	"			Beech	10	N31E	27 1/2
	"	"			W Oak	6	S4E	6 1/2
	"	"			Beech	24	N64W	61
	"	"			Sugar	18	East	65
	"	"			Beech	18	N63E	8
	"	"			Dogwood	5	N51W	9
	"	"			R Oak	3	S67E	38
	"	"			Beech	15	S23W	28
	"	"			W Walnut	6	S43E	41
"	"			B Walnut	20	S53 1/2 W	75	
"	"			Beech	-	S13 1/2 E	179	
"	"			"	12	N52E	22	
"	"			Sugar	16	N75 1/2 W	53	
"	"			W Oak	19	N15E	24	
"	"			Hickory	12	S40E	16	
"	"			Elm	8	N80W	3 1/2	
"	"			"	4	S70E	3 1/2	
"	"			Stone		North	26	
"	"			"		East	25	
"	"			Beech	7	S55W	25	
"	"			B Oak	3	S68 1/2 E	7 1/2	
"	"			B Walnut	14	N1W	61	
"	"			Beech	10	N42E	41	
"	"			Dogwood	2	N30W	27	



# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 13 North, Range East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By <i>A. Headley</i></p>	at N				Sugar	4	N76W	2
	" M				Hickory	5	N11E	9
	" K				B Walnut	5	N10E	30
	" H				Poplar	6	N64W	33
	" G				Maple	20	N22E	20
	" F				W Oak	40	N40W	31
	" E				Sugar	17	N22W	6
	" D				Hickory	10	N38E	16
	" C				Gash	8	N6W	10
	" B				do	5	N6E	10
	" A				Beech	6	N45W	6
	" V				W Oak	36	N45E	26
	" U				B Oak	5	N37E	8 1/2
	" T				do	8	N44E	33
	" S				W Oak	18	N36W	21
" R				do	-	N83E	32	
" Q				do	-	N38E	131	
" P				R. Oak	8	South	29	
" O				W Elm	8	N88E	14 1/2	
" N				W Walnut	12	N22E	3 1/2	
" M				Plum	6	N38E	162	
" L				Beech	18	N88W	22	
" K				"	6	N62E	33	
" J				Hickory	17	N9E	4	
" I				W Oak	4	N52W	20	
" H				B Oak	9	N33E	23 1/2	
" G				do	5	N50E	24	
" F				J Oak	4	N72W	7	
" E				Maple	8	N29W	24	
" D				B Oak	-	N22E	13	
" C				W Oak	18	N39W	31	
" B				do	20	N35W	10	
" A				Sassafras	14	N15E	98	
" V				Logwood	4	N60 1/2 W	12	
" U				White Oak	14	N48 1/4 W	9	
" T				White Oak	10	S69 1/2 W	9	

*J. Headley*


*Craig*

By *Caro Haase* 1947  
 5 1/2 hrs. south of D.

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 34 Township 13 North, Range 1 East

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diap.	Courses.	Dist.
By E. A. Bourne	at a structure				W. Oak	6	N 16 1/2 E	17
					B "	5	N 75 W	1
					" "	5	N 23	
					Hickory	—	25 E	27
					Sassafras	6	N 74 W	30 ct.
					Elm	12	N 25 1/2 W	65 "
					Sugar	24"	S. 12° E.	23 lks
					Sugar	10"	S. 85 W	8 1/2 "
					Box	24"	S. 99° W	6 1/2 lks
					W. Oak	24"	S 63° W.	8 1/2 lks.
By J. Headley	at B on 3 1/2 ch. W. Oak				Beech	22	N 65 E	—
					"	22	N 15 E	30
For Jas. McKinley & Dr. Maxwell & Jim Ray	B Stone, corr. eng.				Stone		North	28 1/2
Jan. 19 <sup>th</sup> 1899. Reg. K. Johnson, Surveyor					"		West	27
Dec 23 <sup>rd</sup> 1904 " " " "	M. " " Perpetuated.				"		West	133
	" " " "				"		East	133
	L " " "				"		West	25
					"		South	25
					"		North	22
By H. A. Blunk 8/30/97	C 11.79 ch stone				Apple	1	S 41 3/4 W	45
	E of 9				W. Oak	10	S 18 1/2 W	91
H. A. Blunk, Dec 12-1898	a stone				W. Oak	20	S 63 1/2 W	88
Survey for Jess Buckner.	b stone				Black Oak	15	S 88 W	63 1/2
a 10.15 ch. North of G.					Cherry	18	S 13 1/2 W	5
b 11.22 ch. South of E					Sugar	20	S 12 E	23
	P. Stone from old architect				W. Oak	8	S 75 E	24
Carroll H. H. Jan. 1947	C.				White Oak	20	S. 16 1/2 E	14 1/2
	H.				Hickory	5	N.	18 1/2
	D.				Hackberry	17	N 14 E	18 1/2
					Elm	14	S. 74 E	11 1/2
					Hickory	7	N. 63 E	14 1/2
					Ash	8	N. 50 W	27 1/2
					Hickory	14	N. 72 W	13 1/2
					W. Oak	18	N 60 W.	22 1/2



See sec 35.

See pages 104-107  
 Section 35 for note  
 Record

Section

34

Township

13

North, Range

1 E

REMARKS	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hum.	Bearing Trees.	Diam.	Courses.	Dist.
By <i>W. C.</i>	<i>E. O. Gilbert &amp; H. H. Blunk</i> <i>10-19-45</i>	S.	<i>Found old Stone.</i>			<i>New Witness</i>			
						<i>T3. Oak</i>	<i>16</i>	<i>NE</i>	<i>22</i>
						<i>Twin T3. Oak</i>	<i>24</i>	<i>S.W.</i>	<i>32</i>
<i>5. a</i>		<i>Z</i>	<i>10 CENTRE MARK</i>			<i>RED OAK</i>	<i>20"</i>	<i>N</i>	<i>24</i>
<i>publ</i>						<i>SP16 HICK</i>	<i>14"</i>	<i>E</i>	<i>39.8</i>
						<i>RED OAK</i>	<i>24"</i>	<i>S45E</i>	<i>40</i>
<i>C</i>									
<i>O</i>		<i>L</i>	<i>SEE</i>	<i>SEC</i>	<i>35-P</i>				
<i>a</i>									
<i>R</i>									
<i>Y</i>									

*W. C. Case*  
*10-19-45*

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township 13 North, Range 1 East

By	REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By	J. Headley	At O Stone cor.				Stone		N 45 W 25	
D						"		S 52 E 26	
H		" 5	" "	see old book		W Oak 24		S 84 E 31 1/2	
C		" 6	" "			Maple 20		S 23 W 21	
O		" 7	" "			Grass 24		S 80 E 21	
a		" 8	" "			Beech		N 59 W 22 1/2	
R		" 9	" "			W Oak 3		S 62 W 18	
Y		" 10	" "			Poplar 12		S 32 E 23	
		" 11	" "			Hickory 5		N 51 W 16 1/2	
		" 12	" "			R Oak 10		N 60 E 30	
		" 13	" "			W Oak 24		S 49 W 40	
		" 14	" "			do 24		S 67 E 58	
		" 15	" "			Beech 18		N 60 E 12	
		" 16	" "			" 16		S 85 E 26	
		" 17	" "			" 20		N 77 E 31 1/2	
		" 18	" "			W Walnut 10		S 85 W 11 1/2	
		" 19	" "			W Oak 22		S 59 E 13 1/2	
		" 20	" "			Hickory 20		S 24 W 27	
		" 21	" "			Cherry 22		N 85 W 11 1/2	
		" 22	" "			Apples 4		S 76 1/2 W 14 1/2	
		" 23	" "			Apple 8		S 51 1/2 E 7 1/2	
		" 24	" "			B Walnut 18		N 34 W 10 1/2	
		" 25	" "			Haw 4		S 7 1/2 E 27	
		" 26	" "			W Walnut 16		N 7 1/2 W 62	
		" 27	" "			Hackberry 1 1/2		N 40 E 2	
		" 28	" "					Corner	
		" 29	" "			Stone (by fence)		S 36 1/2 W 56 1/2	
		" 30	" "			"		Orchard 25	
		" 31	" "			Apple tree		N 70 W 22	
		" 32	" "			Stone		West 36	
		" 33	" "			"		North 14	
		" 34	" "			"		N 45 W 33	
		" 35	" "			"		S 45 E 52	
		" 36	" "			Stone		South 25	
		" 37	" "			"		North 22	
		" 38	" "			"			
		" 39	" "			"			
		" 40	" "			"			
		" 41	" "			"			
		" 42	" "			"			
		" 43	" "			"			
		" 44	" "			"			
		" 45	" "			"			
		" 46	" "			"			
		" 47	" "			"			
		" 48	" "			"			
		" 49	" "			"			
		" 50	" "			"			

Survey for Morton Bredlow et. al.  
 Jan. 11-19-1899. J. M. Maxwell  
 Chairman & West John Hull  
 Jim Lang.  
 By Ca. Hig. K. Johnson, Surveyor.

d = 11.52 ch. east of C.

see below

By Ca. 1898

# RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township 13 N North, Range 1 E.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p><i>Earle O Gillert + H. G. Blank</i> 1946</p> <p>By Wilbur F Smith Co. Surveyor E. D. Carotney + A. Reuss Ass'ts. For Clyde Weddel July 10-52 Corner h is 552 ft West and 1468 ft North of N. h' is 448 North of h h' to c 692 ft. x is 484.5 ft West of h' o to d is 786' d to N is 552' <u>1338</u></p>	D. ✓	Stone			Davee Monument 71 Grave Yard		S. W	92 1/2 L	
	a.		17' 0 1/2 7' 0 1/2 in 20' of Clay Road North 8 1/4' from Road			John Stauffer 71 Grave Yard		N. W	119 L
						S. W cor. of Ben Knox Patch		N. 65° E	95.85'
						S E cor. of East Lowry House		N. 21° W	126.33
		h	Stone Found			R. Oak	20"	N. W	37 1/2"
						HICKORY	18"	West	38 1/2"
			Pieces of Conc. post 4" x 4" x 16"			Poplar	6"	N. E.	14 1/8"
						S. Oak	3"	S. E.	31 1/8"
		c	Piece of Conc. Post 4" x 4" x 18"			Twin Hickory	6"	S. E.	69 1/2"
						Elm	24"	N. 82° W	145 ft.
	x	4 1/2" x 1 1/2" Conc. on E side of S. N. # 67			Elm	12"	N. E.	62 1/2"	
					Hickory	8"	S. 75° E	59 1/2"	
					Center Line of Concrete Pavement S. N. # 67		West	29 1/2"	
	P	STONE			HACKBERRY	12"	N 30 E	9' 5"	
					BUCKEYE	12"	E	33'	

1300  
1300  
1372



