

				37.70	37.8	37.70				
6	5	4	3	2	1	g				
			8.47			37.74				
7	8	9	10	11	12	h				
			8.28	8.04	10	37.70				
18	17	16	15	14	13	i				
			7.70	8.00	10	37.78				
19	20	21	22	23	24	k				
			7.64	2	1	l				
30	29	28	27	26	25					
			7.60	2	1	m				
31	32	33	34	35	36	n				
			37.7	37.1	37.7					

Township 11 North Range 2 West.

3
2
1
0

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township

11

North, Range 2 *West*

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
At 25.26.35.36	Beech	16	N 20 E	25						
	"	5	S 50 W	5						
23.24.25.26	Box Alder	6	N 9 E	12						
	hackberry	5	S 42 W	23						
13.14.23.24	Elm	6	S 22 E	5						
	hackberry	4	N 12 W	14						
11.12.13.14	Maple	14	N 19 W	15						
	Sugar	16	S 40 E	27						
1.2.11.12	Beech	13	S 55 E	17						
	"	14	N 20 W	17						
26.27.34.35	Sugar	20	N 29 E	25						
	Walnut	24	S 24 E	16						
22.23.26.27	Sugar	22	S 85 W	5						
	Ash	32	S 76 E	16						
14.15.22.23	B. Walnut	6	N 21 E	29						
	W. "	7	N 86 W	19						
10.11.14.15	Sugar	17	S 75 W	15						
	Beech	18	N 70 E	27						
2.3.10.11	"	26	N 81 E	17						
	"	7	S 63 W	25						
27.28.33.34	hackberry	16	N 17 E	27						
	hackberry	12	S 21 W	25						
21.22.27.28	"	16	N 10 W	10						
	Maple	18	S 7 E	12						
15.16.21.22	hackberry	14	N 23 W	7						
	Beech	14	S 8 E	18						
9.10.15.16	"	4	S 47 E	19						
	Sugar	5	N 14 W	14						
3.4.9.10	"	15	N 22 E	25						
	"	20	S 27 W	28						

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township

11

North, Range 2 West

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
From M to L						From O to J				
at 1	Beech	5	N 44 W	5		at 1	Hogwood	3	N 35 W	11
	"	4	S 24 E	25			Beech	4	S 65 E	11
" 2	"	6	N 23 W	14		" 2	Hogwood	5	S 80 W	12
	Hogwood	8	S 25 W	21			Hornbeam	5	N 22 E	19
" 3	Buckeye	13	S 38 W	14		" 3	Hackberry	14	S 55 W	2
L to F							"	4	N 54 E	7
at 1	Walnut	15	S 67 E	16		" 4	Hickory	3	N 63 W	11
	Sycamore	44	N 67 W	20			Beech	21	S 69 E	29
" 2	Hackberry	16	S 61 W	10		" 5	Hogwood	4	S 49 W	25
	Hornbeam	6	N 19 W	14			Hickory	18	N 28 E	18
" 3	Walnut	3	N 49 W	21		" 6	W. Oak	16	N 41 W	8
	Sugar	25	S 79 E	29			Beech	23	S 76 E	10
K to H						" O to E				
at 1	Beech	15	S 46 E	14		at 1	Poplar	14	N 65 E	12
	"	18	N 9 W	23			Hogwood	2	S 61 W	24
" 2	Sugar	27	N 78 E	13		" 2	Hickory	4	N 52 E	20
	Beech	19	N 17 W	23			Hackberry	21	N 30 W	26
" 3	Ironwood	4	S 12 E	24		" 3	"	17	N 20 E	11
	W. Oak	14	N 63 W	46			"	14	S 62 W	28
I to G						" 4	Hickory	4	S 44 W	13
at 1	S. Oak	10	N 53 E	12			Beech	8	S 65 E	10
	W. "	14	S 53 E	28		" 5	Sassafras	8	N 76 W	9
" 2	Beech	16	S 44 E	11			Ironwood	6	S 37 E	10
	Hogwood	5	N 43 -	25		" 6	Beech	18	N 64 W	14
" 3	Beech	13	S 16 W	24			Sugar	20	N 78 E	29
	Sugar	17	N 11 E	29		" Q to D				
L to G						at 1	Hackberry	26	N 43 W	10
at 1	Hornbeam	5	N 70 E	14			Sugar	4	S 19 E	8
	Beech	15	N 79 W	17		" 2	Hornbeam	4	N 65 W	13
" 2	W. Oak	6	N 62 E	5			Beech	18	N 42 E	18
	Sassafras	14	S 54 W	14		" 3	"	18	N 49 W	11
" 3	Ironwood	6	N 34 W	16			W. Oak	16	S 36 E	26
	Beech	15	S 65 E	19		" 4	Hogwood	3	S 50 W	7
							Beech	3	N 59 E	8

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 1 Township 11 North, Range 2 100

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dir.	
<p style="text-align: center;">By B. H. Butler</p>	A & E	Stone			B. Walnut	5	S 71° E	7	
	"	A	"		Stone		N 84 1/2° W	4	
	"	B	"		Beech	12	S 85 1/2° E	3	
	"	"	"		"	15	S 88° W	2	
	"	C	"		Sycamore	16	S 72 3/4° W	1	
	"	"	"		"	12	S 56° E	4	
	"	D	"		Beech	20	N 42° W	2	
	"	"	"		H. Oak	15	S 40° E	2	
	"	E	"		Stone		S 25 1/2° E	4	
	"	"	"		H. Walnut	4	S 67 1/2° W	4	
	"	"	"		Elm	10	N 53° E	4	
	"	R	Cross on rock					in bottom of ravine	
	"	"	"		Hickory	6	N 69° E	2	
	"	S	Stone		Beech	3	N 25° W	2	
	"	M	"		H. Maple	7	S 31 1/2° E	2	
"	"	"		Hickory	2	N 42° W	6		
"	O	"		B. Gum	12	S 38 1/2° W	1		
"	"	"		R. Oak	20	S 84 1/2° E	2		
"	"	"		Beech	3	S 7° E	6		
"	a	"		H. Oak	6	S 83° W	1		
"	"	"		Hickory	6	N 68 1/2° E	7		
"	"	"		Elm	3	S 50° E	3		
"	"	"		H. Maple	12	N 78 1/2° E	18		
"	"	"		Jack Oak	4	N 40 3/4° W	1		
"	"	"		Elm	2	S 51° E	5		
<p>By Carr & Haake, Apr. 13-1872.</p> <p style="margin-left: 20px;">N 24 1/2° W of K</p> <p>H. A. Blunk - Mar. 2-1918</p>	L	Iron rod			W. Beech	12	S 89° W	6	
	"	K	"		Black Gum	7	S 92° W	5	
	"	"	"		Black Walnut	5	N 74° W	1	
	"	"	"		Hickory	13	S 50° W	1	
	"	"	"		Hickory	20	S 33 1/4° E	4	
	"	"	"		Beech	10"	S 20 1/2° W	5	
	"	"	"		"	8"	N 13 1/2° W	7	
	"	"	"		Hickory	8"	S 62 1/2° E	4	
	"	"	"		White oak		N 36 1/2° E	7	
	"	"	"		"				
See section 1 Continued First Page Back, Section 36.									

FIELD NOTES OF MORGAN COUNTY, INDIANA.

Township 11 North, Range 2 West

Corners.	Bearing Tress.	Diam.	Courses.	Dist.		Corners.	Bearing Tress.	Diam.	Courses.	Dist.
From Q to at 5	Lickmy Beech	15	N54W	21						
6	"	6	S69E	13						
"	"	15	N71E	13						
"	"	14	N71W	13						

1
7
7
3
5
7
4
10
12
1
4
2
5
0
6
1
3
6
7
1
5
8
1
1

SECTION 20.

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section / Township // North, Range Z W.


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By Wilbur F Smith Co. Surveyor Dec. 17-52 E. B. Cantray & A. Reeves Assts. For Costin and Brown.								
	Z	old. Stone			Beech	48"	N. 25° W.	94.11'
					Sugar	18"	S. 83° E.	56.3°
					4" x 4" Corn. Post placed south of and adjacent to stone.			
	Y	6" x 6" stone old Grave Marker			Beech	30"	S. 10° E.	19.5'
					Poplar	8"	S. 82° W.	6.3'
			19.88chs		Hickory	12"	S. 52° E.	36.6'
	Y-1/2	4" x 4" Concrete Corner Marker 4' long			Sugar	12"	N. 80° E.	9.5'
			distance Y to Z		Sugar	12"	S. W.	17.2'
					SUGAR	12"	S 80 W	10.10'
					SUGAR	12"	East	42.6'
	Q	4" x 4" Concrete Corner Marker 4' long			Beech	17"	S. 80° W.	12.9°
					Sugar	12"	S. 80° E.	13.6°
					Re Established From old References: Z TO Q 20.12chs.			
	Q	4" x 4" Concrete corner marker 4' long. & distance Q TO Z.			Beech	14"	West	8.6'
	C	1" IP			Cottonwood	5"	WEST	39.7'
					Box ELDER	8"	South	5.5'
					ELM	9"	N 70 E	76.8'
	N	1" IP			Maple	3"	N 40 W	24.8'
					Maple	24"	S 10 E	32.0'
					Maple	3"	S 30 E	8.0'
	Z	stone			Maple	10"	North	29.8'
					Hickory	8"	S 80 W	27.7'
					4" x 4" Corn. Marker S to stone			
	Q	1" IP			4" x 4" Corn. Marker East			0.6'
					Sugar	14"	S 80 E	15.6'
					Hickory	4"	N 75 E	20.4'
					Beech	20"	S 80 W	12.6'
	S	1" IP			Maple	8"	N 50 E	13.3'
					Hickory	20"	N 30 W	2.7'
					Beech	12"	S 10 W	24.6'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 2

Township //

North, Range 2 West

REMARKS, &c., &c.	Corner.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Course.	Dist.
By Richard 	A	Stru con			Stru		S 84 W	20
	B	"			"		N 80 E	26
	C	"			"		N 28 W	23
	D	"			"		N 16 E	17
	E	"			"		S 41 E	77 1/2
	F	"			"		N 70 1/2 E	78
	G	"			"		N 87 E	38
	H	"			"		S 88 1/2 E	84
	I	"			"		S 8 E	20
	J	"			"		N 57	21 1/2
By Con. Hare Dept. 1. 1913-11 6. 15000 South of A 2. 1800 South of C 4. 800 South of A. 4. 800 " " " C By H.A. Blankenship - 1918 B. E. D. Cemetery - Apr. 11 - 1928	K	"			" Sugar	6	S 28 E	70 1/2
	L	"			" Wild Cherry	20	N 58 E	50
	M	"			" White Oak	16	N 84 W	50
	N	"			" Iron Boulder		N 19 1/2 E	42
	O	"			" White Oak	12	S 12 W	87
	P	"			" Beech	30	N 40 1/2 E	30
	Q	"			" Stone		North	20
	R	"			" "		South	20
	S	"			" Iron Oak	14	N 15 E	51
	T	"			" White Oak	4	N 77 E E	27
By Con. Hare Dept. 1. 1913-11 6. 15000 South of A 2. 1800 South of C 4. 800 South of A. 4. 800 " " " C By H.A. Blankenship - 1918 B. E. D. Cemetery - Apr. 11 - 1928	U	"			" Black Oak	4	S 22 1/2 W	63
	V	"			" "	14	S 68 E	94
	W	"			" B. Walnut	12	S 8 1/2 W	43
	X	"			" "	15	S 1 1/4 W	99 1/2
	Y	"			" Stone		South	20
	Z	"			" Iron Oak	7	S 28 1/2 W	67
	A	"			" Beech	9	N 84 E	59
	B	"			" Elm	6	S 23 1/2 E	49
	C	"			" Stone		North	20
	D	"			" "		West	20
By H.A. Blankenship - 1918 B. E. D. Cemetery - Apr. 11 - 1928	E	"			" Sycamore	3	S 60 1/2 E	20
	F	"			" Sycamore	4	S 19 W	8
	G	"			" Black oak	4	N 43 E	15
		Stone on rd stone			" Stone		North	2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 2 Township TP 11 North, Range 2 W


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p><i>Canatsev & Raerka for Goss & Brown Dec. 29 - 1962</i></p> <div style="text-align: center;"> </div>	<p>W.</p> <p>W. to T. = 20.12 ch.</p> <p>T.</p> <p>V. to W = 20.56</p> <p>V.</p>	<p>old Stone</p> <p>4" x 4" Conc. post</p> <p>SEE 1-2</p>			<p>Beech</p> <p>Hickory</p> <p>Hickory</p> <p>White Oak</p>	<p>10"</p> <p>8</p> <p>10"</p> <p>12"</p>	<p>N. 85° E</p> <p>S. W.</p> <p>S. 15 E</p> <p>N. W.</p>	<p>31.4</p> <p>26.4</p> <p>15 ft.</p> <p>13 ft.</p>

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **3**

Township **11**

North, Range **2 West**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hum.	Bearing Trees.	Diam.	Courses.	Dist.
 <p style="margin-top: 20px;">now in Partition of Methodist state. May 20, 1886 T. W. Pearce Surveyor</p> <p style="margin-top: 20px;">surveyed June 6, 1886 in now same as above W. Pearce Surveyor</p> <p style="margin-top: 20px;">Ch. H. Gros</p> <p style="margin-top: 20px;">March 6 Caro - Haase 1936</p>	At B				B Walnut	14	N 45 E	10
	J				Hickory	2 1/2	S 17 E	11
					Beech	24	S 48 W	9
					"	18	N 5 E	55
		L	Stone		Slip Elm	6	N 87 E	23
					Live Stone		S 88 E	34
					Stone		S 8 E	20
					"		N 5 W	21 1/2
					Sugar	22	N 19 1/2 W	85
					"	22	N 30 E	130
		M	"		Beech	7	S 30 E	43
					Sugar	22	S 76 E	38
					Beech	20	S 73 E	26
					"	12	N 56 E	22
					Sugar	24	S 67 1/2 W	62
				"	30	N 44 1/2 W	65 1/2	
	D	"		Beech	25	S 89 1/2 W	87	
	H	Stone		Ash	67	S 57 1/2 E	13	
				Blk Gum	5	S 67 W	19 1/2	
	R	"		B Walnut	18	N 68 1/2 E	31	
				B Gum	15	S 81 E	53 1/2	
				N Oak	28	S 17 1/2 E	30 1/2	
				do.	20	N 51 E	30	
	X	Stone cor	7.6	Stone		East 1/2 M.	27 1/2	
				"		South 1/2 M.	28	
	Y	"	7.6	N Oak	22	N 43 E	20	
				do.	17	S 74 E	19 1/2	
				N Oak	6	West	34 1/2	
				do.	4	S 71 1/2 E	21	
				1/2 between a + b	10	S 76 W	23	
	J	"		Red Oak	23	N 83 E	51 1/2	
				Beech	5	N 14 1/2 W	49 1/2	
				Ash	3	N 42 W	30 1/2	
				Poplar	3	N 42 W	30 1/2	
				Beech	12	N 62 W	78 1/2	
				elm	17	N 30 1/2 W	88 1/2	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section //

Township //

North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p>By M. Riggs</p>	At D				Walnut stump	40	S 62 W	12
	" a				A Walnut	8	S 22 W	28
	" b				do	8	N 70 W	29
	" c				Poplar	4	N 68 E	8
	" d				Ash	3	S 78 W	12
	" e				Poplar	12	S 53 E	18
	" f				Maple	4	N 85 W	6
	" g				Sassafras	5	N 37 W	20
	" h				"	-	S 70 E	5
	" i				Sogwood	4	S 21 E	12
	" j				Poplar	40	S 54 W	21
	" k				Sassafras	6	S 45 E	3
	" l				Maple	3	N 60 W	77
	" m				Poplar	40	S 16 E	19
	" n				Beech	14	S 60 W	15
<p>By Ch. H. Goss</p> <p>Michael Caase Spu.</p> <p>April 4th 1893</p> <p>By Carr House Deft 1914</p> <p>10 ch. west of S and 2 ch. south</p> <p>Sep. 2.</p> <p>By Carl Haas 1943</p>	" o				B. Walnut	20	N 69 W	35
	" p				Ash	22	S 61 W	22
	" q				Beech	-	N 8 W	21
	" r				"	-	N 62 W	36
	" s				"	20	S 57 W	8
	" t				R. Oak	6	N 25 W	28
	" u				Sogwood	4	N 36 E	30
	" v				R. Oak	14	S 29 W	-
	" w				Ash	22	S 42 W	30
	" x				Stone		N 57 E	3
" y				Sugar	12	N 74 W	9	
" z				B. Walnut	4	S 87 E	33	
	S				● Ficus	7	N 54 1/4 W	11 1/2
	"				"	5	S 62 1/4 E	4
	s				Catalpa	4	N 79 1/2 E	30
	u	+ mark on bed rock			R. Oak	6	S. E	9 1/2
	"				ash	6	S. W.	11 1/2
	K.	1 in Steel Pin			B. Walnut	20	N. E.	23 1/2
	L	Lime Stone			Wild Cherry	12	S. 7 1/2 W	61 E
					Elm.	12	S. 44 W	30 1/2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 12 Township 11

North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Di
<p>By M. Riggs</p>	At Rt				Beech	18	272 E	10
	" J	stru			"	16	260 W	38
	" 5(E)	"			Poplar	12	231 W	50
	" a	"			B Gum	20	765 1/2 E	113
	" b	"			Sugar-	20	708 3/4 W	67
	" c	"			G Ash	8	703 1/2 E	4
	" d	"			2 Oak	5	247 1/2 W	12
	" e	"			Poplar	5	705 1/2 E	19
	" f	"			"	8	708 W	26
	" g	"			Beech	18	215 W	19
<p>By Michael Haase Opf April 20 " 1893</p> <p>E.O. Gilbert, HATON 7-24-47</p>	" h	"			Sycamore	15	East	3
	" i	"			H Walnut	16	2107 1/2 E	51
	" j	"			Elm	18	2447 1/2 W	67
	" k	"			"	10	255 W	9
	" l	"			H Walnut	8	7024 E	37
	" m	"			2 Oak	10	228 E	34
	" n	"			B Oak	12	703 1/2 E	14
	" o	"			Hickory	8	285 E	17
	" p	"			"	12	224 W	10
	" q	"			B Oak	20	7082 1/2 E	76
" r	"			do.	20	7032 1/2 W	5	
" s	"			B Walnut	10	215 E	5	
" t	"			stru		North	3	
" u	"			177 ft	10	NW	31	
" v	"			W. Oak	12	NE	31	
	E	SEE	1-2					

SURVEYS IN MORGAN COUNTY, INDIANA.

Range 2 West



RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 14

Township 11

North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By M. Reggus	A				B. Oak	36	S 22° E	33
E — D — C — B — A	M				Beech	20	S 35° W	47
	O				Sycamores	6	S 45° E	3
F — G — H — I — K	A				Maple	3	N 60° W	17
K					Poplar	40	S 10° E	19
L					Beech	14	S 60° W	15
P — O — N — M — L					Hickory	4	N 26° W	9 1/2
L ¹³					Ash	5	N 85 1/2° W	10
Apr. 3 rd 1893					Sugar	14	N 49° W	31
Apr. 12 th 1893					R Elm	7	N 24 1/2° E	18
by					H Elm	4	S 83 1/2° W	8
Michael Haase Deputy					do	16	S 77 1/2° W	60
Z — Y — X — W — V					do	12	S 25 1/2° E	47 1/2
Michael Haase Deputy					Poplar	17	S 17 1/2° W	15
					Hickory	4	S 58° E	2
April 5 th 1893					Swan Elm	10	N 25 1/2° W	46
Michael Haase					H. Oak	14	S 26 1/2° W	60 1/2
					R Elm	20	West	12 1/2
					Sugar	10	N 71° E	27 1/2
					Cherry	5	S 43 1/2° W	10
					Cherry	4	N 10° W	39
for Helen Hodson et al								
Sept. 20 - 1926								
Canatsey								
Found by Guy Moore								
April 28, 1988								

I old stone found
W 1/2 dist. from X to V = 40.21 ch W. of V = 20.10 1/2

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 22

Township 11

North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hum.	Bearing Trees.	Diam.	Courses.	Dist.
By Lewis J. Craig	At E	Stone cov.			Beech	26	S 80 E	41
	"	B	"	"	B Oak	5	N 88 E	26
	"	"	"	"	H. Oak	18	N 78 E	29
	"	"	"	"	do	20	S 13 E	25
	"	a	"	"	Appletree	5	N 13 W	26
	"	"	"	"	"	12	N 55 E	42
	"	b	"	"	Beech	30	N 62 W	44
	"	"	"	"	H. Oak	12	S 15 W	77
	"	c	"	"	Beech	7	N 37 E	25 1/2
	"	"	"	"	"	30	N 75 W	30
	By C. H. Gross May 25 th 1891	"	2 corners edge of Oak bank			Stone 5 links East of tree corner		
"	"	2 corners in creek			Stone 21 links West of tree corner			
By G. H. Gross Apr. 11 th 1892	"	O	Stone		H. Locust	12	S 97 1/2 E	21
	"	"	"		Ash	12	N 87 1/2 E	51 1/2
	"	"	"		Stone		South	17
	"	"	"		Stone		East	17
	"	"	"		Beech	15	N 68 W	109
By H. J. Johnson April 6 th 1899	"	C	"	Eng	Stone	-	S 25 1/2 E	40
For Vin Baker et al. 1954	"	D	"	"	do	-	West	25
Ed Lingle (Chairman)	"	E	"	"	do	-	South	38 1/2
(William Burris)	"	F	"	"	Thorn	10	N 4 W	59
"	"	G	"	"	do	5	South	14
Feb 20. 1900. For T. D. Bryant, et al.	"	d	drow pipe 20 ch. S. of (A)		Eng Stone		West	10
Feb 6. 1922 by J. Smith for Brasias & Blockmuller	"	"	"	10 ch. E. of (d)	Burr Oak	4	N 24 1/2 E	70
	"	"	"	"	Jack Oak	4	N 33 W	67 1/2
	"	"	"	"	Elm	14	N 46 1/2 W	57 1/2
Earle O Gilbert old stone found 7-5-1948 Apr. 23-54	"	"	"	"	Ash	10	S. 36 W	36
Apr. 23 - 1954 (Cannatsey) old stone	"	"	"	"	B. Walnut	10	S 15 E	55 1/2
	"	"	"	"	Concrete post		North	32 1/2
Apr. 23 - 1954 (Cannatsey) old stone	"	"	"	"	stone		North	25'
	"	"	"	"	"		West	36'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **23**

Township **11**


North, Range **2 West**

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	At P	Stone			H Walnut	18	S 86 E	61
	" O	"			"	18	S 16 E	92 1/2
	" L	"			Maple	18	S 43 1/2 W	240
	" M	"			Plum	5	S 84 1/2 W	144
	" N	"			B Walnut	12	S 62 1/2 W	36
	" O	"			do	12	S 13 E	84
	" P	"			Oak	12	N 22 E	98
	" Q	"			Locust	2	S 80 W	44
	" R	"			Elm	4	S 80 W	2
	" S	"			Mulberry	3	N 57 1/2 W	26
	" T	"			B Walnut	18	S 82 1/2 E	25 1/2
	" U	"			do	18	S 57 E	3
	" V	"			H Walnut	36	S 79 1/2 W	68
	" W	"			Maple	9	N 25 W	9
	" X	"			H Walnut	22	N 88 1/2 W	20 1/2
" Y	"			Sugar	8	S 35 1/2 E	14 1/2	
" Z	"			Elm	20	S 58 1/2 E	39	
	"			"	18	N 5 E	88	
	" R			S. Ash	5	S 48 E	43	
	" S			Elm	2	N 80 E	33 1/2	
	" T			Mulberry	3	N 13 E	24	
	" U			Stone		N 44 1/2 E	29	
	" V			B Walnut	18	N 58 W	108	
	" W			H Oak	28	S 88 W	26	
	" X			do	30	S 14 E	292	
	" Y			Burr Oak	20	N 22 E	98	
	" Z			Elm	15	S 25 E	64	
	"			Locust	20	N 80 W	44	
	"			Walnut	15	N 18 E	127	
	"			Stone	-	S 2 E	61	
	At R.	Stone	38	Acres	28	ft. S. of R.		
	At Q.	"	40	"	40	" S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		
	At P.	Stone	1	Acres	1	ft. S. of P.		
	At R.	Stone	1	Acres	1	ft. S. of R.		
	At Q.	Stone	1	Acres	1	ft. S. of Q.		

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 23 Township 11 N North, Range 2 W.

H. A. Runk, 7/23-1914




Wilbur F. Smith, April 29 1937
Survey to establish corner P
for Robert Shreve

Found 5/86 ESW Monument is
at Water Elevation

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	L.	Stone			Buckeye	20	S 94 1/2 E	89.06
					Gray Ash	10	South	118.06
	L.	Re-established			Buckeye	20"	S 34 1/2 E	93.06
					Gray Ash	10"	South	118.06
	A	Re-witnessed.			Elm	20"	South	19.06
					Oak	15"	S. 80° W.	34.06
	O	stone			N.W. corner of concrete porch		S. E	106.06
	P	1" Brass Pitt set in concrete.			Maple	30"	77.65° W.	91.125
					Willow	2 1/2"	South	32.54
					End of S.E. wing wall		N.E.	38.106
					End of S.W. wing wall.		S. W.	64.06
	O	STONE			NW COR PORCH		SE	71'
					HEADPOST		WEST	164.2'
					MAPLE	30	N 85° W	60.6'
	Y	SEE	26-D					
	P	1" Brass Plug in Concrete Post 35' feet Deep on Slope of East Bank of Butler Creek Punch Mark Placed in Center of Plug						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24 Township 11 North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hus.	Bearing Trees.	Diams.	Courses.	Dist.
By <u>J. E. England</u> at <u>A Stone</u>								
								
By <u>O. H. Goo</u> Dec 12 th 1895	O	Stone			Maple	15	N 85 W	18 1/2
	P	Stone			Ash	14	S 41 E	30 1/2
	N	Stone			B. Redwood	16	N 5 1/2 W	33
	a	Stone			Factory	12	S 11 E	28
	b	Stone			Stone	20	S 76 E	43
	c	Stone			Stone	4	S 26 1/2 W	61
	d	Stone			A. Redwood	15	N 4 1/2 E	21
	e	Stone			do	6	N 49 W	57
	f	Stone			Ash	19	N 35 W	72
	g	Stone			"	18	S 53 1/2 W	65
	h	Stone			Blackberry	6	N 13 1/2 W	10
	i	Stone			White Elm	10	S 78 E	29
	j	Stone			Stone		East	25
	k	Stone			Stone		East	25
	l	Stone			Stone		West	25
	m	Stone			Maple	2	S 14 W	6
	n	Stone			do	2	S 53 E	18
	o	Stone						
	p	Stone						
	q	Stone						
	r	Stone						
	s	Stone						
	t	Stone						
	u	Stone						
	v	Stone						
	w	Stone						
	x	Stone						
	y	Stone						
	z	Stone						
	aa	Stone						
	ab	Stone						
	ac	Stone						
	ad	Stone						
	ae	Stone						
	af	Stone						
	ag	Stone						
	ah	Stone						
	ai	Stone						
	aj	Stone						
	ak	Stone						
	al	Stone						
	am	Stone						
	an	Stone						
	ao	Stone						
	ap	Stone						
	aq	Stone						
	ar	Stone						
	as	Stone						
	at	Stone						
	au	Stone						
	av	Stone						
	aw	Stone						
	ax	Stone						
	ay	Stone						
	az	Stone						
	ba	Stone						
	bb	Stone						
	bc	Stone						
	bd	Stone						
	be	Stone						
	bf	Stone						
	bg	Stone						
	bh	Stone						
	bi	Stone						
	bj	Stone						
	bk	Stone						
	bl	Stone						
	bm	Stone						
	bn	Stone						
	bo	Stone						
	bp	Stone						
	bq	Stone						
	br	Stone						
	bs	Stone						
	bt	Stone						
	bu	Stone						
	bv	Stone						
	bw	Stone						
	bx	Stone						
	by	Stone						
	bz	Stone						
	ca	Stone						
	cb	Stone						
	cc	Stone						
	cd	Stone						
	ce	Stone						
	cf	Stone						
	cg	Stone						
	ch	Stone						
	ci	Stone						
	cj	Stone						
	ck	Stone						
	cl	Stone						
	cm	Stone						
	cn	Stone						
	co	Stone						
	cp	Stone						
	cq	Stone						
	cr	Stone						
	cs	Stone						
	ct	Stone						
	cu	Stone						
	cv	Stone						
	cw	Stone						
	cx	Stone						
	cy	Stone						
	cz	Stone						
	da	Stone						
	db	Stone						
	dc	Stone						
	dd	Stone						
	de	Stone						
	df	Stone						
	dg	Stone						
	dh	Stone						
	di	Stone						
	dj	Stone						
	dk	Stone						
	dl	Stone						
	dm	Stone						
	dn	Stone						
	do	Stone						
	dp	Stone						
	dq	Stone						
	dr	Stone						
	ds	Stone						
	dt	Stone						
	du	Stone						
	dv	Stone						
	dw	Stone						
	dx	Stone						
	dy	Stone						
	dz	Stone						
	ea	Stone						
	eb	Stone						
	ec	Stone						
	ed	Stone						
	ee	Stone						
	ef	Stone						
	eg	Stone						
	eh	Stone						
	ei	Stone						
	ej	Stone						
	ek	Stone						
	el	Stone						
	em	Stone						
	en	Stone						
	eo	Stone						
	ep	Stone						
	eq	Stone						
	er	Stone						
	es	Stone						
	et	Stone						
	eu	Stone						
	ev	Stone						
	ew	Stone						
	ex	Stone						
	ey	Stone						
	ez	Stone						
	fa	Stone						
	fb	Stone						
	fc	Stone						
	fd	Stone						
	fe	Stone						
	ff	Stone						
	fg	Stone						
	fh	Stone						
	fi	Stone						
	fj	Stone						
	fk	Stone						
	fl	Stone						

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24 Township 11 North, Range 2W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">31.14 ch. S of (h.)</p> <p style="text-align: center;">Earle O Gilbert & H.A. Blunk. June 16th 1915</p> <p>These stones were set and agreed to by Cecil Vickory and Harlan Hodge Agent for Earl Wilson.</p> <p style="text-align: center;">June 14 - 1949</p> <p>See M17 P561</p>	k.	Stone Cor. in rounded			Ash	4"	North	23
	a	Angle iron fence post			TWIN HACK	7"	S. E.	5.8 ft.
	b	1/2" Iron pipe			B. Oak	6"	S. E.	6 ft.
	c	1" Iron pipe			Buckeye	8"	S. E.	2 1/2 ft.
	d	Buggy axle			TWIN Elm	30"	West	10.13 ft.
		Stone			Stone		S. 10 W	25 L
		17.43 - E of SW cor - sec. 24			"		N 10 E	25 L
		Gas pipe			"		N. 10 E	25 L
		17.59 E. and 10.40 S of SW cor of sec. 24			"		West	25 L
		Stone			"		West	25 L
	25.20 E of SW corner of sec. 24			"		North	25 L	
	Stone			"		South	25 L	
	22.25 South and 25.20 East of NW 1/4 mile corner of section 24.			"		West	25 L	
	k.	17.09 south and 0.75 east of C			Maple		S. 10 E	25 ft
	b.	45.45 S. and 24.04 W. of C			Box Elder	15"	S. 5 W.	24 1/2 L
	m.	33.78 south and 0.75 east of C			Maple	10"	S. 72 W.	22 1/2 L
					Triple Maple	30"	S 55 W	59 L
					Stake in concrete wall		West	8 1/2 L
<p>Wilbur F Smith Co. Surveyer April 29-52</p> <p>E.D. Canaway and Arlie Reeves posts.</p> <p>For Ralph Hedges, Harlan Hedges and Lowell Burkhardt.</p> <p>E to P 40.72 chs</p> <p>l to P 10.20 chs</p> <p>l to m 12.50 chs</p> <p>P to O 20.45 chs</p> <p>P to Z 40.72 chs</p> <p>q 22.50 South of P</p> <p>q on North Bank of old bed of River 110 chs S of q</p> <p>r 25.23 chs West of q</p> <p>Z old stone found. large stone. No references.</p> <p>E to South 2.67 chs to d and to 12.19 chs to 67</p>	E	Stone			Large Sandstone		20" South	19 1/2 L
	P	Sawed Limestone			OAK	18"	S. 80° W	36 1/2 L
	l	Sawed Limestone			Sawed Limestone		15" South	5 ft.
					Gray Ash		3.17° E	113 L
					Well pipe			58 ft.
	l	Sawed Limestone			Buckeye	22"	S 34 1/2° E	93 L
	O	Sawed Limestone			Steel Fence post		West	5 ft.
	m	Large Stone			1" pipe		West	16 1/2 ft.
	q	Sawed Limestone			TWIN Hackberry		N 20° W	62.8"
	r	Large Stone			Stone		West	16 1/2 ft.
	q	Sawed Limestone			Stone		North	16 1/2 ft.
	q'	Sawed Limestone			Locust	18"	S 30° W	17 ft.
					Twin "	18"	N 10° W	42.4 ft.
						18"	East	19.5 ft.
					Clusct Locust		East	17 ft.
					on North Bank of River bed	6"	N. 20° E.	12 1/2 ft.

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 24

Township 11

North, Range 2W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.																									
<p><i>Reg. McCracken Recorded 2-27</i></p> <p style="text-align: right;"><i>Found 6-83</i></p> <div style="display: flex; justify-content: space-around; align-items: center;"> <table border="1" style="border-collapse: collapse; text-align: center;"> <tr><td>E</td><td>D</td><td>C</td><td>B</td><td>A</td></tr> <tr><td>F</td><td>G</td><td>H</td><td>I</td><td>K</td></tr> <tr><td>P</td><td>O</td><td>N</td><td>M</td><td>L</td></tr> <tr><td>O</td><td>R</td><td>S</td><td>T</td><td>U</td></tr> <tr><td>Z</td><td>Y</td><td>X</td><td>W</td><td>V</td></tr> </table> <div style="margin-left: 20px;"> <p>E stone (in drainage ditch No stone set or found)</p> <p>E₁ IPincement set 50.1' E of "E" on southline S 18</p> </div> </div>	E	D	C	B	A	F	G	H	I	K	P	O	N	M	L	O	R	S	T	U	Z	Y	X	W	V					<p>Ref. Mon. A N 2 E</p> <p>Ref. Mon. B S 50 W</p> <p>Ref. Mon. C N 54 W</p>		<p>N 2 E</p> <p>S 50 W</p> <p>N 54 W</p>	<p>20.43'</p> <p>43.55'</p> <p>26.37'</p>
E	D	C	B	A																													
F	G	H	I	K																													
P	O	N	M	L																													
O	R	S	T	U																													
Z	Y	X	W	V																													


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 25 Township 11 North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	
	<i>By C. B. H. Bros.</i>							
		At. A.	Stone			Stone	-	East
		" B.	"			"	-	South
	" C.	"			Q. Ash	15"	N 56 1/2 W	
	" D.	"			Stone	-	East	
	" E.	"			"	-	West	
	" F.	"			"	-	North	
<i>By H. J. Johnson 7/17/1901.</i>								
	At. a-	lime stone	33.45 c. N. of M.		Sycamore	10"	N 17° E	
	" b-	"	17.00 c. N. of J.		Stone	-	North	
	" c-	"			"	-	"	
	" d-	"			"	-	East	
<i>H. A. Almont, Aug 9-1924</i>	X	Stake			Bush	20"	South	
					Log	18"	N 17 W	
					SEE SEC 76	6"	"	
<i>E. O. Gilbert</i>	R.	1/2" PIPE			SUGAR	12"	S. 8° E	
					"	8"	N 32 W	
	T.	STONE (1" PIPE) 13" HIND			NW cor com with S 30 E SE cor com with WEST STONE WEST 16"			
	W.	STONE (1" PIPE) OVER			MAPLE	4"	N 40 E	
					MAPLE	8"	N 35 W	
					BEECH	5"	S 20 W	


RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 26 Township 11 North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
By <u>D. Keiatt</u>	<u>At L</u>	<u>Stone</u>			<u>Almond</u>	<u>1</u>	<u>S 80° 4' W</u>	<u>12</u>
	"	<u>1 Stake</u>			<u>Beech</u>	<u>18</u>	<u>S 35° E</u>	<u>21 1/2</u>
		<u>At A Stone</u>			<u>B. Walnut</u>	<u>18</u>	<u>S 22° W</u>	<u>34 1/2</u>
					<u>Sycamore</u>	<u>18</u>	<u>N 18° E</u>	
<u>Survey for Jim Smith and Joseph Genshous</u>								
<u>Apr 30, 21, Frank Smith & Co</u>								
	<u>E</u>	<u>Corner in creek 200 ft West 87° 40' West of D.</u>						
	<u>F</u>	<u>South 7/8° West of E. 20.21 Ch. is a Stone Round 4" x 4" - 8" long</u>			<u>Stone North</u>		<u>North</u>	<u>21.9 ft</u>
	<u>G</u>	<u>4" Iron Pipe 8 ft in old bed of Creek</u>			<u>" East</u>		<u>North 87° West</u>	<u>12.9 ft</u>
	<u>H</u>	<u>4" Iron Pipe 4 ft</u>			<u>Sycamore 4" long</u>		<u>North 7/8° East</u>	<u>18.4 ft</u>
<u>lot 6 - 22 by Frank Smith for Brasie Blackub and</u>	<u>I</u>	<u>Round Stone 12" x 24" North of O 20 Ch 2 1/2 in Bearing North 7/8° East</u>			<u>Stone East on west bank of Creek</u>		<u>37 ft</u>	
	<u>J</u>	<u>Round Stone West bank of Creek</u>			<u>" North West</u>		<u>26 ft</u>	
	<u>K</u>	<u>Stone</u>			<u>4" x 6" 20" 20"</u>		<u>1 inch round</u>	
	<u>L</u>	<u>Stone</u>			<u>Creek 10" wide</u>		<u>18 1/2"</u>	
	<u>M</u>	<u>4" x 4" Stone</u>			<u>Stone</u>		<u>North</u>	<u>21.9</u>
<u>E. D. C.</u>	<u>N</u>	<u>old stone found</u>			<u>(old wit.) Beech</u>	<u>30"</u>	<u>S 35° E</u>	<u>21 1/2</u>
<u>Nov. 25 - 1924 by C. V. Conaway for Eph. Ess.</u>	<u>O</u>	<u>old stone found</u>			<u>Sycamore</u>	<u>6"</u>	<u>S 78° E</u>	<u>25.5 ft</u>
<u>From L to V - 41 Chains.</u>	<u>P</u>	<u>Well Point</u>			<u>No witness</u>			
<u>By H. A. Blunk, Nov. 29 - 1940</u>	<u>Q</u>	<u>Stone</u>			<u>Round white maple</u>	<u>40"</u>	<u>S 82° E</u>	<u>73 1/2</u>
<u>O is 13.32 Ch. North of P</u>	<u>R</u>	<u>Iron Rod in Dredge</u>			<u>BURROAK</u>	<u>27"</u>	<u>S. 88° W.</u>	<u>24</u>
<u>P is 15.49 Ch. East of O</u>	<u>S</u>	<u>Iron Rod in Dredge</u>			<u>Catalpa</u>	<u>12</u>	<u>S. 88° E.</u>	<u>26</u>
<u>Q is 34.62 Ch. East of P</u>	<u>T</u>							
<u>H. A. Blunk - Aug. 11 - 1944</u>	<u>U</u>							
	<u>V</u>							

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 26 Township 11 N North, Range 2 W



E.D. Canstey June 3-1952


REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	V	old Stone			Beech	14"	S. 35° E	46 1/2 L
	V	10 W - 20 Ch.			W. Oak	10"	N. 45° W	32 L
	W	Stone			Elm	12"	West	31.5 ft
	V	to X = 40 Ch.			Ash	8"	N. 45° E	13.0 ft
	X	Stone			Sugar	12"	N. 70° E	4 ft
					Hackberry	10"	N 70 W	16.6..
	a	X to a = 10 Ch.			Dogwood	6"	S. W.	17.8..
		Stone			B. Oak	14"	East	15 L
					Hickory	6"	N. N.	13 1/2 L
	Y	Stone		old stone re-set	Hickory	8"	S. E.	8'-4"
					R. Elm	10"	N 20 W	7'-2"
					B. Oak	6"	S 30 W	8'-10"
	L	old Stone			Ash	14"	S. 35 W	7.0 ft
		1" Iron Rod			Ash	8"	N. 86 E	10.0..
					Ash	12"	North	10.8..
	D	STONE			Hickory	28"	N 88 W	46' 10"
					1" I.P. (Baird)		EAST	15' 0"
					1" I.P. (BOKIER)		N 16 E	20' 0"

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section **27**

Township **11**

North, Range **2 West**



By G.W. Canaway 1927
High Hodges East.

By Wilbur F. Smith Oct. 1936
for Fred W. Morgan.
from Q to R - 20.05 ch. S. 14° E.
R " Q - 19.96 " S. 89° W.
Q " P - 20.10 " N. 14° W.
P " Q - 19.90 " N. 88° E.

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
	1.	stone 10 E 3 East of B						
	2	" 14 C 18 North of O						
	3	" 10 C 7.4 East 2.						
	4	" 11 C 7 L " of O.						
	5	stone 10 C 7.4 " of 18.						
	6	" 20 C 81 SW. 2 East 15 wts of Stone East						
	7	10 C 15 L South to T.						
	8	10 C 15 L " S.S.						
	9	2 C East of R.						
	10	Run 2 C West of Q.						
	h	Stone 503 N. of I			Twin Thorn	8"	North	8 1/2 L
	i	stone 12.06 W. of i						
	j	stone 12.73 S. of h						
	k	N. old stone 12.73 S. of m						
	5	stone 10.07 E. of N						
	M	stone 10.07 S. of 5						
	L	stone 2.14 E. of M.			stone		North	21.96 L
	x				Locust	16"	East	25 L
	t	Stone & iron Pipe = 14.77 1/2 S. of M.			Hedge	4"	South	84 L
	l	(Iron pipe and 25 links B.) = 14.77 1/2 S. of L			Locust	18"	North	15 L
					Hedge	8"	South	16 "
	w	iron pipe & stone 14.77 S. of t			stone		South	95 L
	w	" " " " 1.54 ch. East of W.						
	O	stone			Locust	6"	77.85° W	32.5 L
	R	"			Hackberry	6"	S. 45° W	26 L
	F	"			Twin Elm	8"	S. 15° E	39 L
					Elm	12"	S. 19° W	10 1/2 L
	Q	1/4 iron shaft Att. 1579.			Twin Hickory	8"	West	38 1/2 L
					" Ash	6"	South	31 L
	P	stone			Thorn	4"	N. 5° E	6 L
					Twin Thorn	4"	S. 45° E	7 L

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 35 Township 11 North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.	
<p style="text-align: center;"><i>By Keram J Craig</i></p>	ATM	Stone			Beech	14	284W	19	
	"	B	"		"	6	N88E	47	
	"	"	"		"	20	N56E	15	
	"	"	"		"	N Beech	3	222E	19
	"	"	"		"	Sycamore	30	N62W	15
	"	"	"		"	Stone		230N	26
	"	"	"		"	Hickory	12	S42E	39 1/2
	"	"	"		"	"	12	N62W	20
	"	"	"		"	H. Locust	8	N8N	7 1/2
	"	"	"		"	Sycamore	4	S53E	16
<p style="text-align: center;"><i>By G. A. Pearce</i></p>	"	"		"	"	6	S18E	26 1/2	
	"	B	"		Beech	15	N29E	47	
	"	"	"		Elm	4	S48 1/2 W	31	
	"	"	"		Hickory	18	S33N	23	
	"	"	"		B Oak	1	S57 1/2 E	12 1/2	

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 11 North, Range 2 West

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Courses.	Dist.
<p style="text-align: center;">By _____</p> <p style="text-align: center;">Flug. 12 - 1927 E. D. Albert + H. Q. Johnson</p> <p>Quinton Survey</p> <p>Quinton Survey 1351 ft B to I</p> <p>Quinton Survey</p>	At G	Stru en.			Poplar	5	S 74° E	7
	"	R	" "		Beech	12	S 51 1/2° E	36
	"	J	" "		"	4	N 72° W	46
	"	"	" "		Hickory	15	S 70° E	19
	"	"	" "		Beech	6	S 47° E	9
	"	S	" "		"	5	N 57° W	19
	"	"	" "		"	18	S 62 1/2° W	26
	"	"	" "		"	4	N 34° W	11
	"	J	stake		sycamore	14	N 66° W	45
	"	On	"		B Walnut	14	S 55° W	67
	"	"	"		gray ash	12	S 87° W	19
	"	I	wood stake 3/4 17071 pipe		Sugar	16	N 60° W	49
	"	"	"		elm	26	N. 35° W	80
	"	"	"		Maple	7	S. 14° E	93
		B	See Sec	Sec 25-W				
	near C	STONE			under 24" Beech			
	near N	STONE 1" I.P. oak			maple W. Oak B Oak	10" 14" 14"	S 80° W N 35° W E	137' 18' 47'
	near H	I.P.			Corner Post Walnut Hickory	10" 10"	S 45° W N 75° E N 45° W	26' 43' 56'
	near I	3/4 I.P.			NW corner Farm Hse SW " " utility Pole		E S 70° E W	66' 74' 36'
	near M	3/4 I.P.			Beech Hickory Beech	12" 14" 14"	S 5° W N 70° W N 10° E	13' 43' 25'

RECORD OF SURVEYS IN MORGAN COUNTY, INDIANA.

Section 36 Township 11 North, Range 2 W

REMARKS, &c., &c.	Corners.	Stone Mark.	Acres.	Hun.	Bearing Trees.	Diam.	Course.	Dist.
	S	STONE 3/4" I.P. over			Asch " " Hickory	16" 13" 7"	N34W N45E S15W N35E	112 49'8" 13'11" 49'9"
	T	STONE 3/4" I.P. over.			Beech Pine Beech	30" 10" 5" 10"	S47E N40W S15W N45E	96 28'4" 23'4" 44'11"
	X	1" I.P.	Quinton Survey			2675.9"	I 76 T	
	U	1" I.P.			W. OAK SHELL HICKORY W. OAK	8" 6" 8"	S20W S45E N25W	36'4" 34'4" 21'2"
	V	1" I.P.			W. OAK R. OAK W. OAK	10" 13" 10"	W S50W N60W	9'3" 25'6" 21'11"
	W	1" I.P.			TRIPLE WALNUT SYCAMORE SYCAMORE	8" 24" 14"	E N20W W	31'0" 78'6" 106'6"
	1.	1" I.P.			-POINT IN C/L ROAD		258.4	EAST OF "T" STONE